

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Ats	Atsion sand	AtsA	Atsion sand, 0 to 2 percent slopes
Atsr	Atsion sand, rarely flooded	AtsAr	Atsion sand, 0 to 2 percent slopes, rarely flooded
Lo	LEON SAND	AtsAr	Atsion sand, 0 to 2 percent slopes, rarely flooded
AmB	AURA LOAMY SAND, 0 TO 5 PERCENT SLOPES	AucB	Aura loamy sand, 0 to 5 percent slopes
AucA	Aura sandy loam, 0 to 2 percent slopes	AugA	Aura sandy loam, 0 to 2 percent slopes
ArB	AURA SANDY LOAM, 0 TO 5 PERCENT SLOPES	AugB	Aura sandy loam, 2 to 5 percent slopes
AugC	Aura sandy loam, 5 to 10 percent slopes	AugC	Aura sandy loam, 5 to 10 percent slopes
AupB	Aura loam, 2 to 5 percent slopes	AupB	Aura loam, 2 to 5 percent slopes
AsB	AURA-SASSAFRAS LOAMY SANDS, 0 TO 5 PERCENT SLOPES	AvsB	Aura-Sassafras loamy sands, 0 to 5 percent slopes
AsC	AURA-SASSAFRAS LOAMY SANDS, 5 TO 10 PERCENT SLOPES	AvsC	Aura-Sassafras loamy sands, 5 to 10 percent slopes
AuB	AURA-SASSAFRAS SANDY LOAMS, 0 TO 5 PERCENT SLOPES	AvtB	Aura-Sassafras sandy loams, 2 to 5 percent slopes
AuC	AURA-SASSAFRAS SANDY LOAMS, 5 TO 10 PERCENT SLOPES	AvtC	Aura-Sassafras sandy loams, 5 to 10 percent slopes
AuC3	AURA-SASSAFRAS SANDY LOAMS, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	AvtC2	Aura-Sassafras sandy loams, 5 to 10 percent slopes, eroded
AvtC3	Aura-Sassafras sandy loams, 5 to 10 percent slopes, severely eroded	AvtC2	Aura-Sassafras sandy loams, 5 to 10 percent slopes, eroded
AuvB	Aura-Urban land complex, 0 to 5 percent slopes	AvuB	Aura-Urban land complex, 0 to 5 percent slopes
AvsC	Aura-Sassafras loamy sands, 5 to 10 percent slopes	AvuC	Aura-Urban land complex, 5 to 10 percent slopes
AvuC	Aura-Urban land complex, 5 to 10 percent slopes	AvuC	Aura-Urban land complex, 5 to 10 percent slopes
Ber	Berryland sand	BerAr	Berryland sand, 0 to 2 percent slopes, rarely flooded
BEXS	Berryland and Mullica soils, occasionally flooded	BEXAS	Berryland and Mullica soils, 0 to 2 percent slopes, occasionally flooded
BEXT	Berryland and Mullica soils, occasionally flooded	BEXAS	Berryland and Mullica soils, 0 to 2 percent slopes, occasionally flooded
Po	POCOMOKE LOAM	BEXAS	Berryland and Mullica soils, 0 to 2 percent slopes, occasionally flooded
Ps	POCOMOKE SANDY LOAM	BEXAS	Berryland and Mullica soils, 0 to 2 percent slopes, occasionally flooded

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Sa	ST. JOHNS SAND	BEXAS	Berryland and Mullica soils, 0 to 2 percent slopes, occasionally flooded
BugA	Buddtown loamy fine sand, 0 to 5 percent slopes	BumA	Buddtown-Deptford complex, 0 to 2 percent slopes
BugB	Buddtown loamy fine sand, 0 to 5 percent slopes	BumA	Buddtown-Deptford complex, 0 to 2 percent slopes
BUJB	Buddtown and Deptford loamy fine sands, 0 to 5 percent slopes	BumA	Buddtown-Deptford complex, 0 to 2 percent slopes
BujB	Buddtown-Deptford loamy fine sands, 0 to 5 percent slopes	BumA	Buddtown-Deptford complex, 0 to 2 percent slopes
BukB	Buddtown-Deptford loamy fine sands, 0 to 5 percent slopes	BumA	Buddtown-Deptford complex, 0 to 2 percent slopes
NbB	NIXONTON AND BARCLAY SOILS, 0 TO 5 PERCENT SLOPES	BumA	Buddtown-Deptford complex, 0 to 2 percent slopes
BuuA	Buddtown-Urban land complex, 0 to 5 percent slopes	BuuB	Buddtown-Urban land complex, 0 to 5 percent slopes
AhpC	Alloway loam, 5 to 10 percent slopes	ChsAt	Chicone silt loam, 0 to 1 percent slopes, frequently flooded
Chst	Chicone silt loam, frequently flooded	ChsAt	Chicone silt loam, 0 to 1 percent slopes, frequently flooded
Ck	COLEMANTOWN-MATLOCK LOAMS	CoeAs	Colemantown loam, 0 to 2 percent slopes, occasionally flooded
Coe	Colemantown loam, occasionally flooded	CoeAs	Colemantown loam, 0 to 2 percent slopes, occasionally flooded
Coes	Colemantown loam, occasionally flooded	CoeAs	Colemantown loam, 0 to 2 percent slopes, occasionally flooded
CmB	COLLINGTON LOAMY SAND, 0 TO 5 PERCENT SLOPES	CogB	Collington loamy sand, 0 to 5 percent slopes
CmC	COLLINGTON LOAMY SAND, 5 TO 10 PERCENT SLOPES	CogC	Collington loamy sand, 5 to 10 percent slopes
CnA	COLLINGTON SANDY LOAM, 0 TO 2 PERCENT SLOPES	CokA	Collington sandy loam, 0 to 2 percent slopes
CnB	COLLINGTON SANDY LOAM, 2 TO 5 PERCENT SLOPES	CokB	Collington sandy loam, 2 to 5 percent slopes
CnC	COLLINGTON SANDY LOAM, 5 TO 10 PERCENT SLOPES	CokC	Collington sandy loam, 5 to 10 percent slopes
CopB	Collington-Urban land complex, 0 to 5 percent slopes	CopB	Collington-Urban land complex, 0 to 5 percent slopes
CoB	COLTS NECK SOILS, 0 TO 5 PERCENT SLOPES	CosB	Colts Neck sandy loam, 2 to 5 percent slopes

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
COTB	Colts Neck soils, 2 to 5 percent slopes	CosB	Colts Neck sandy loam, 2 to 5 percent slopes
CoC	COLTS NECK SOILS, 5 TO 10 PERCENT SLOPES	CosC	Colts Neck sandy loam, 5 to 10 percent slopes
COTC	Colts Neck sandy soils, 5 to 10 percent slopes	CosC	Colts Neck sandy loam, 5 to 10 percent slopes
DoB	DOWNER LOAMY SAND, 0 TO 5 PERCENT SLOPES	DocB	Downer loamy sand, 0 to 5 percent slopes
DopB	Downer-Galestown complex, 0 to 5 percent slopes	DocB	Downer loamy sand, 0 to 5 percent slopes
DOVC	Downer soils, 5 to 10 percent slopes	DocC	Downer loamy sand, 5 to 10 percent slopes
DocA	Downer sandy loam, 0 to 2 percent slopes	DoeA	Downer sandy loam, 0 to 2 percent slopes
DsA	DOWNER SANDY LOAM, 0 TO 2 PERCENT SLOPES	DoeA	Downer sandy loam, 0 to 2 percent slopes
DsB	DOWNER SANDY LOAM, 2 TO 5 PERCENT SLOPES	DoeB	Downer sandy loam, 2 to 5 percent slopes
DaoB	Downer-Urban land complex, 0 to 5 percent slopes	DouB	Downer-Urban land complex, 0 to 5 percent slopes
DauB	Downer-Urban land complex, 0 to 5 percent slopes	DouB	Downer-Urban land complex, 0 to 5 percent slopes
GamB	Galestown sand, 0 to 5 percent slopes	EveB	Evesboro sand, 0 to 5 percent slopes
LdB	LAKELAND SAND, 0 TO 10 PERCENT SLOPES	EveB	Evesboro sand, 0 to 5 percent slopes
EveC	Evesboro sand, 5 to 10 percent slopes	EveC	Evesboro sand, 5 to 10 percent slopes
LAVE	Lakewood and Evesboro soils, 10 to 30 percent slopes	EveE	Evesboro sand, 15 to 25 percent slopes
EvuB	Evesboro-Urban land complex, 0 to 5 percent slopes	EvuB	Evesboro-Urban land complex, 0 to 5 percent slopes
Fam	Fallsington sandy loam	FamA	Fallsington sandy loam, 0 to 2 percent slopes
Fd	FALLSINGTON SANDY LOAM	FamA	Fallsington sandy loam, 0 to 2 percent slopes
Fa	FALLSINGTON LOAM	FapA	Fallsington loam, 0 to 2 percent slopes
Fap	Fallsington loam	FapA	Fallsington loam, 0 to 2 percent slopes
Fau	Fallsington-Urban land complex, 0 to 5 percent slopes	FauB	Fallsington-Urban land complex, 0 to 5 percent slopes
Ad	ALLUVIAL LAND	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded
Fmht	Fluvaquents, loamy, frequently flooded	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded
FhB	FREEHOLD LOAMY SAND, 0 TO 5 PERCENT SLOPES	FrFB	Freehold loamy sand, 0 to 5 percent slopes

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
FhC	FREEHOLD LOAMY SAND, 5 TO 10 PERCENT SLOPES	FrFC	Freehold loamy sand, 5 to 10 percent slopes
FoA	FREEHOLD SANDY LOAM, 0 TO 2 PERCENT SLOPES	FrkA	Freehold sandy loam, 0 to 2 percent slopes
FrFA	Freehold sandy loam, 0 to 2 percent slopes	FrkA	Freehold sandy loam, 0 to 2 percent slopes
FoB	FREEHOLD SANDY LOAM, 2 TO 5 PERCENT SLOPES	FrkB	Freehold sandy loam, 2 to 5 percent slopes
FoC	FREEHOLD SANDY LOAM, 5 TO 10 PERCENT SLOPES	FrkC	Freehold sandy loam, 5 to 10 percent slopes
FoC3	FREEHOLD SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	FrkC	Freehold sandy loam, 5 to 10 percent slopes
FrkC2	Freehold sandy loam, 5 to 10 percent slopes, eroded	FrkC	Freehold sandy loam, 5 to 10 percent slopes
FrkC3	Freehold sandy loam, 5 to 10 percent slopes, severely eroded	FrkC	Freehold sandy loam, 5 to 10 percent slopes
FrFD	Freehold sandy loam, 10 to 15 percent slopes	FrkD	Freehold sandy loam, 10 to 15 percent slopes
FsD	FREEHOLD SOILS, 10 TO 15 PERCENT SLOPES	FrkD	Freehold sandy loam, 10 to 15 percent slopes
FoD3	FREEHOLD SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	FrkD2	Freehold sandy loam, 10 to 15 percent slopes, eroded
FrkD3	Freehold sandy loam, 10 to 15 percent slopes, severely eroded	FrkD2	Freehold sandy loam, 10 to 15 percent slopes, eroded
FRXE	Freehold, Colts Neck, & Collington soils, 15 to 25 percent slopes	FrkE	Freehold sandy loam, 15 to 25 percent slopes
FtE	FREEHOLD, COLTS NECK, AND COLLINGTON SOILS, 15 TO 25 PERCENT SLOPES	FrkE	Freehold sandy loam, 15 to 25 percent slopes
MaoE	Marlton sandy loam, 15 to 25 percent slopes	FrkE	Freehold sandy loam, 15 to 25 percent slopes
MrE	MARLTON SANDY LOAM, 15 TO 25 PERCENT SLOPES	FrkE	Freehold sandy loam, 15 to 25 percent slopes
FRXF	Freehold, Colts Neck, and Collington soils, 25 to 40 percent slopes	FrkF	Freehold sandy loam, 25 to 40 percent slopes
FtF	FREEHOLD, COLTS NECK, AND COLLINGTON SOILS, 25 TO 40 PERCENT SLOPES	FrkF	Freehold sandy loam, 25 to 40 percent slopes
MaoF	Marlton sandy loam, 25 to 40 percent slopes	FrkF	Freehold sandy loam, 25 to 40 percent slopes
MrF	MARLTON SANDY LOAM, 25 TO 40 PERCENT SLOPES	FrkF	Freehold sandy loam, 25 to 40 percent slopes

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
FrrB	Freehold-Urban land complex, 0 to 5 percent slopes	FrrB	Freehold-Urban land complex, 0 to 5 percent slopes
FrrC	Freehold-Urban land complex, 5 to 10 percent slopes	FrrC	Freehold-Urban land complex, 5 to 10 percent slopes
HboB	Hammonton-Galloway complex, 0 to 5 percent slopes	HbmB	Hammonton loamy sand, 0 to 5 percent slopes
HGMB	Hammonton-Galloway loamy sands, 0 to 5 percent slopes	HbmB	Hammonton loamy sand, 0 to 5 percent slopes
WtB	WOODSTOWN AND KLEJ LOAMY SANDS, 0 TO 5 PERCENT SLOPES	HbmB	Hammonton loamy sand, 0 to 5 percent slopes
HbrB	Hammonton-Urban land complex, 0 to 5 percent slopes	HbrB	Hammonton-Urban land complex, 0 to 5 percent slopes
Pa	PASQUOTANK FINE SANDY LOAM	JdrA	Jade Run fine sandy loam, 0 to 2 percent slopes
WeB	Weeksville fine sandy loam	JdrA	Jade Run fine sandy loam, 0 to 2 percent slopes
JduB	Jaderun-Urban land complex, 0 to 5 percent slopes	JduA	Jade Run-Urban land complex, 0 to 2 percent slopes
KemA	Keyport sandy loam, 0 to 2 percent slopes	KemB	Keyport sandy loam, 2 to 5 percent slopes
KpB	KEYPORT SANDY LOAM, 0 TO 5 PERCENT SLOPES	KemB	Keyport sandy loam, 2 to 5 percent slopes
KemC	Keyport sandy loam, 5 to 10 percent slopes	KemC2	Keyport sandy loam, 5 to 10 percent slopes, eroded
KemC3	Keyport sandy loam, 5 to 10 percent slopes, severely eroded	KemC2	Keyport sandy loam, 5 to 10 percent slopes, eroded
KpC3	KEYPORT SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	KemC2	Keyport sandy loam, 5 to 10 percent slopes, eroded
LkA	LENOIR AND KEYPORT LOAMS, 0 TO 5 PERCENT SLOPES	KeoA	Keyport loam, 0 to 2 percent slopes
KeaB	Keyport-Urban land complex, 0 to 5 percent slopes	KeuB	Keyport-Urban land complex, 0 to 5 percent slopes
KrB	KRESSON SANDY LOAM, 0 TO 5 PERCENT SLOPES	KreA	Kresson fine sandy loam, 0 to 2 percent slopes
KrdA	Kresson sandy loam, 0 to 2 percent slopes	KreA	Kresson fine sandy loam, 0 to 2 percent slopes
LaA	LAKEHURST SAND, 0 TO 5 PERCENT SLOPES	LakB	Lakehurst sand, 0 to 5 percent slopes
LasB	Lakewood sand, 0 to 5 percent slopes	LasB	Lakewood sand, 0 to 5 percent slopes
LaomB	Lakewood-Quakerbridge complex, 0 to 5 percent sand	LatvB	Lakewood-Quakerbridge complex, 0 to 5 percent slopes
LatB	Lakewood-Quakerbridge complex, 0 to 5 percent slopes	LatvB	Lakewood-Quakerbridge complex, 0 to 5 percent slopes

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
LeB	LAKWOOD SAND, 0 TO 5 PERCENT SLOPES	LatvB	Lakewood-Quakerbridge complex, 0 to 5 percent slopes
Ba	BAYBORO LOAM	LenA	Lenni loam, 0 to 2 percent slopes
Ek	ELKTON LOAM	LenA	Lenni loam, 0 to 2 percent slopes
Len	Lenni loam, 0 to 2 percent slopes	LenA	Lenni loam, 0 to 2 percent slopes
Fw	FRESH WATER MARSH	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
Makt	Manahawkin muck, frequently flooded	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
MasC	Marlton silt loam, 5 to 10 percent slopes	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
Mu	MUCK	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
MamnV	Mannington-Nanticoke complex, very frequently flooded	MamnAv	Mannington-Nanticoke complex, 0 to 1 percent slopes, very frequently flooded
ShnB	Sharptown silt loam, 2 to 5 percent slopes	MamnAv	Mannington-Nanticoke complex, 0 to 1 percent slopes, very frequently flooded
Tm	TIDAL MARSH	MamnAv	Mannington-Nanticoke complex, 0 to 1 percent slopes, very frequently flooded
Mamuv	Mannington-Nanticoke-Udorthents complex, very frequently flooded	MamuAv	Mannington-Nanticoke-Udorthents complex, 0 to 1 percent slopes, very frequently flooded
MaoA	Marlton sandy loam, 0 to 2 percent slopes	MaoB	Marlton sandy loam, 2 to 5 percent slopes
MrB	MARLTON SANDY LOAM, 0 TO 5 PERCENT SLOPES	MaoB	Marlton sandy loam, 2 to 5 percent slopes
MrC	MARLTON SANDY LOAM, 5 TO 10 PERCENT SLOPES	MaoC	Marlton sandy loam, 5 to 10 percent slopes
MaoC3	Marlton sandy loam, 5 to 10 percent slopes, severely eroded	MaoC2	Marlton sandy loam, 5 to 10 percent slopes, eroded
MrC3	MARLTON SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	MaoC2	Marlton sandy loam, 5 to 10 percent slopes, eroded
MrD	MARLTON SANDY LOAM, 10 TO 15 PERCENT SLOPES	MaoD	Marlton sandy loam, 10 to 15 percent slopes
MaoD3	Marlton sandy loam, 10 to 15 percent slopes, severely eroded	MaoD2	Marlton sandy loam, 10 to 15 percent slopes, eroded
MrD3	MARLTON SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	MaoD2	Marlton sandy loam, 10 to 15 percent slopes, eroded
MauB	Marlton-Urban land complex, 0 to 5 percent slopes	MauB	Marlton-Urban land complex, 0 to 5 percent slopes
Mum	Mullica sandy loam	MumA	Mullica sandy loam, 0 to 2 percent slopes

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
OTK	Othello and Fallsington soils	OTKA	Othello and Fallsington soils, 0 to 2 percent slopes
PEER	Pedricktown, Askeeksy, and Mullica soils, rarely flooded	PEEAR	Pedricktown, Askeeksy, and Mullica soils, 0 to 2 percent slopes, rarely flooded
Pg	PITS	PHG	Pits, sand and gravel
SfB	SASSAFRAS LOAMY SAND, 0 TO 5 PERCENT SLOPES	SabB	Sassafras loamy sand, 0 to 5 percent slopes
SfC	SASSAFRAS LOAMY SAND, 5 TO 10 PERCENT SLOPES	SabC	Sassafras loamy sand, 5 to 10 percent slopes
SabD	Sassafras loamy sand, 10 to 15 percent slopes	SabD	Sassafras loamy sand, 10 to 15 percent slopes
SabE	Sassafras loamy sand, 15 to 25 percent slopes	SabF	Sassafras loamy sand, 15 to 40 percent slopes
SsE	SASSAFRAS SOILS, 15 TO 40 PERCENT SLOPES	SabF	Sassafras loamy sand, 15 to 40 percent slopes
SabA	Sassafras loamy sand, 0 to 2 percent slopes	SacA	Sassafras sandy loam, 0 to 2 percent slopes
SrA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	SacA	Sassafras sandy loam, 0 to 2 percent slopes
SrB	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES	SacB	Sassafras sandy loam, 2 to 5 percent slopes
SrC	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES	SacC	Sassafras sandy loam, 5 to 10 percent slopes
SacD2	Sassafras sandy loam, 10 to 15 percent slopes, eroded	SacD	Sassafras sandy loam, 10 to 15 percent slopes
SacD3	Sassafras sandy loam, 10 to 15 percent slopes, severely eroded	SacD	Sassafras sandy loam, 10 to 15 percent slopes
SrD3	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	SacD	Sassafras sandy loam, 10 to 15 percent slopes
SsD	SASSAFRAS SOILS, 10 TO 15 PERCENT SLOPES	SacD	Sassafras sandy loam, 10 to 15 percent slopes
SapC	Sassafras-Urban land complex, 5 to 10 percent slopes	SapB	Sassafras-Urban land complex, 0 to 5 percent slopes
FnB	FREEHOLD SAND, THICK SURFACE VARIANT, 0 TO 10 PERCENT SLOPES	ThfB	Tinton sand, 0 to 5 percent slopes
ThfC	Tinton sand, 5 to 10 percent slopes	ThfB	Tinton sand, 0 to 5 percent slopes
Uda	Udorthents-Urban land complex	Udaub	Udorthents-Urban land complex, 0 to 8 percent slopes
Udm	Udorthents, dredged materials	Uddb	Udorthents, dredged materials, 0 to 8 percent slopes

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Mc	MADE LAND, COARSE MATERIALS	UddcB	Udorthents, dredged coarse materials, 0 to 8 percent slopes
Udmc	Udorthents, dredged coarse materials	UddcB	Udorthents, dredged coarse materials, 0 to 8 percent slopes
Mf	MADE LAND, FINE MATERIALS	UddfB	Udorthents, dredged fine materials, 0 to 8 percent slopes
Udmf	Udorthents, dredged fine materials	UddfB	Udorthents, dredged fine materials, 0 to 8 percent slopes
Udmr	Udorthents dredged materials-Urban land complex	UddrB	Udorthents, dredged materials-Urban land complex, 0 to 8 percent slopes
Udz	Udorthents, refuse substratum	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
UR	Urban land	UR	Urban land
UrarB	Urban land-Aura complex, 0 to 5 percent slopes	USAURB	Urban land-Aura complex, 0 to 5 percent slopes
UrdoB	Urban land-Downer complex, 0 to 5 percent slopes	USDOWB	Urban land-Downer complex, 0 to 5 percent slopes
UrfoB	Urban land-Freehold complex, 0 to 5 percent slopes	USFREB	Urban land-Freehold complex, 0 to 5 percent slopes
UrsaB	Urban land-Sassafras complex, 0 to 5 percent slopes	USSASB	Urban land-Sassafras complex, 0 to 5 percent slopes
UrweB	Urban land-Westphalia complex, 0 to 5 percent slopes	USWESB	Urban land-Westphalia complex, 0 to 5 percent slopes
W	WATER (LESS THAN 40 ACRES)	WATER	Water
Water	WATER (GREATER THAN 40 ACRES)	WATER	Water
WhB	WESTPHALIA SOILS, 0 TO 5 PERCENT SLOPES	WeeB	Westphalia fine sandy loam, 2 to 5 percent slopes
WhC	WESTPHALIA SOILS, 5 TO 10 PERCENT SLOPES	WeeC	Westphalia fine sandy loam, 5 to 10 percent slopes
WhD	WESTPHALIA SOILS, 10 TO 15 PERCENT SLOPES	WeeD	Westphalia fine sandy loam, 10 to 15 percent slopes
WaD3	WESTPHALIA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	WeeD2	Westphalia fine sandy loam, 10 to 15 percent slopes, eroded
WeeD3	Westphalia fine sandy loam, 10 to 15 percent slopes, severely eroded	WeeD2	Westphalia fine sandy loam, 10 to 15 percent slopes, eroded
WhE	WESTPHALIA SOILS, 15 TO 40 PERCENT SLOPES	WeeF	Westphalia fine sandy loam, 15 to 40 percent slopes
WehB	Westphalia-Urban land complex, 0 to 5 percent slopes	WehB	Westphalia-Urban land complex, 0 to 5 percent slopes

Soil Correlation Amendment
of
Gloucester County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
WehC	Westphalia-Urban land complex, 5 to 10 percent slopes	WehC	Westphalia-Urban land complex, 5 to 10 percent slopes
HbnA	Hammonton sandy loam, 0 to 2 percent slopes	WoeA	Woodstown sandy loam, 0 to 2 percent slopes
HboA	Hammonton sandy loam, 0 to 2 percent slopes	WoeA	Woodstown sandy loam, 0 to 2 percent slopes
WoeB	Woodstown sandy loam, 2 to 5 percent slopes	WoeB	Woodstown sandy loam, 2 to 5 percent slopes
WnA	WOODSTOWN AND DRAGSTON LOAMS, 0 TO 2 PERCENT SLOPES	WokA	Woodstown-Glassboro complex, 0 to 2 percent slopes
WoB	WOODSTOWN AND DRAGSTON LOAMY SANDS, 0 TO 5 PERCENT SLOPES	WokA	Woodstown-Glassboro complex, 0 to 2 percent slopes
WokB	Woodstown-Glassboro complex, 2 to 5 percent slopes	WokA	Woodstown-Glassboro complex, 0 to 2 percent slopes
WORB	Woodstown and Dragston soils, 0 to 5 percent slopes	WokA	Woodstown-Glassboro complex, 0 to 2 percent slopes
WsB	WOODSTOWN AND DRAGSTON SANDY LOAMS, 0 TO 5 PERCENT SLOPES	WokA	Woodstown-Glassboro complex, 0 to 2 percent slopes
WooB	Woodstown-Urban land complex, 0 to 5 percent slopes	WooB	Woodstown-Urban land complex, 0 to 5 percent slopes