

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|---|--------------------|--|
| AbA | Abbottstown silt loam, 0 to 2 percent slopes (SSSD) | AbrA | Abbottstown silt loam, 0 to 2 percent slopes |
| AbrA* | Abbottstown silt loam, 0 to 3 percent slopes (SSURGO1) | AbrA | Abbottstown silt loam, 0 to 2 percent slopes |
| AbB | Abbottstown silt loam, 2 to 6 percent slopes (SSSD) | AbrB | Abbottstown silt loam, 2 to 6 percent slopes |
| AbrB* | Abbottstown silt loam, 3 to 8 percent slopes (SSURGO1) | AbrB | Abbottstown silt loam, 2 to 6 percent slopes |
| AnB | Annandale gravelly loam, 3 to 8 percent slopes (SSSD) | AnoB | Annandale gravelly loam, 3 to 8 percent slopes |
| AnC2 | Annandale gravelly loam, 8 to 15 percent slopes, eroded (SSSD) | AnoC2 | Annandale gravelly loam, 8 to 15 percent slopes, eroded |
| ANWTB* | Annandale and Edneyville gravelly loams, 3 to 8 percent slopes (SSURGO1) | ANWTB | Annandale and Gladstone gravelly loams, 3 to 8 percent slopes |
| ApB | Annandale and Edneyville gravelly loams, 3 to 8 percent slopes (SSSD) | ANWTB | Annandale and Gladstone gravelly loams, 3 to 8 percent slopes |
| ANWTC* | Annandale and Edneyville gravelly loams, 8 to 15 percent slopes (SSURGO1) | ANWTC | Annandale and Gladstone gravelly loams, 8 to 15 percent slopes |
| ApC | Annandale and Edneyville gravelly loams, 8 to 15 percent slopes (SSSD) | ANWTC | Annandale and Gladstone gravelly loams, 8 to 15 percent slopes |
| AtB | Athol gravelly loam, 2 to 6 percent slopes (SSSD) | AtdB | Athol gravelly loam, 2 to 6 percent slopes |
| AtdB* | Athol gravelly loam, 3 to 8 percent slopes (SSURGO1) | AtdB | Athol gravelly loam, 2 to 6 percent slopes |
| AtC2 | Athol gravelly loam, 6 to 12 percent slopes, eroded (SSSD) | AtdC2 | Athol gravelly loam, 6 to 12 percent slopes, eroded |
| AtdC2* | Athol gravelly loam, 8 to 15 percent slopes, eroded (SSURGO1) | AtdC2 | Athol gravelly loam, 6 to 12 percent slopes, eroded |
| AtD2 | Athol gravelly loam, 12 to 18 percent slopes, eroded (SSSD) | AtdD2 | Athol gravelly loam, 12 to 18 percent slopes, eroded |
| AtdD2* | Athol gravelly loam, 15 to 25 percent slopes, eroded (SSURGO1) | AtdD2 | Athol gravelly loam, 12 to 18 percent slopes, eroded |
| BaB | Bedington shaly silt loam, 2 to 6 percent slopes (SSSD) | BefB | Bedington channery silt loam, 2 to 6 percent slopes |
| BefB* | Bedington channery silt loam, 3 to 8 percent slopes (SSURGO1) | BefB | Bedington channery silt loam, 2 to 6 percent slopes |
| BaC2 | Bedington shaly silt loam, 6 to 12 percent slopes, eroded (SSSD) | BefC2 | Bedington channery silt loam, 6 to 12 percent slopes, eroded |
| BefC2* | Bedington channery silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | BefC2 | Bedington channery silt loam, 6 to 12 percent slopes, eroded |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|--|--------------------|---|
| BbB | Berks shaly loam, 2 to 6 percent slopes (SSSD) | BegB | Berks channery loam, 2 to 6 percent slopes |
| BegB* | Berks channery loam, 3 to 8 percent slopes (SSURGO1) | BegB | Berks channery loam, 2 to 6 percent slopes |
| BbC2 | Berks shaly loam, 6 to 12 percent slopes, eroded (SSSD) | BegC2 | Berks channery loam, 6 to 12 percent slopes, eroded |
| BegC2* | Berks channery loam, 8 to 15 percent slopes, eroded (SSURGO1) | BegC2 | Berks channery loam, 6 to 12 percent slopes, eroded |
| BbD2 | Berks shaly loam, 12 to 18 percent slopes, eroded (SSSD) | BegD2 | Berks channery loam, 12 to 18 percent slopes, eroded |
| BegD2* | Berks channery loam, 15 to 25 percent slopes, eroded (SSURGO1) | BegD2 | Berks channery loam, 12 to 18 percent slopes, eroded |
| BdA | Birdsboro silt loam, 0 to 2 percent slopes (SSSD) | BhnA | Birdsboro silt loam, 0 to 2 percent slopes |
| BhnA* | Birdsboro silt loam, 0 to 3 percent slopes (SSURGO1) | BhnA | Birdsboro silt loam, 0 to 2 percent slopes |
| BdB | Birdsboro silt loam, 2 to 6 percent slopes (SSSD) | BhnB | Birdsboro silt loam, 2 to 6 percent slopes |
| BhnB* | Birdsboro silt loam, 3 to 8 percent slopes (SSURGO1) | BhnB | Birdsboro silt loam, 2 to 6 percent slopes |
| BdC2 | Birdsboro silt loam, 6 to 12 percent slopes, eroded (SSSD) | BhnC2 | Birdsboro silt loam, 6 to 12 percent slopes, eroded |
| BhnC2* | Birdsboro silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | BhnC2 | Birdsboro silt loam, 6 to 12 percent slopes, eroded |
| Boy | Bowmansville silt loam (SSURGO1) | BoyAt | Bowmansville silt loam, 0 to 2 percent slopes, frequently flooded |
| Bt | Bowmansville silt loam (SSSD) | BoyAt | Bowmansville silt loam, 0 to 2 percent slopes, frequently flooded |
| BuB | Bucks silt loam, 2 to 6 percent slopes (SSSD) | BucB | Bucks silt loam, 2 to 6 percent slopes |
| BucB* | Bucks silt loam, 3 to 8 percent slopes (SSURGO1) | BucB | Bucks silt loam, 2 to 6 percent slopes |
| BuC2 | Bucks silt loam, 6 to 12 percent slopes, eroded (SSSD) | BucC2 | Bucks silt loam, 6 to 12 percent slopes, eroded |
| BucC2* | Bucks silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | BucC2 | Bucks silt loam, 6 to 12 percent slopes, eroded |
| CaA | Califon loam, 0 to 3 percent slopes (SSSD) | CakA | Califon loam, 0 to 3 percent slopes |
| CaB | Califon loam, 3 to 8 percent slopes (SSSD) | CakB | Califon loam, 3 to 8 percent slopes |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|--|--------------------|--|
| CakBb | Califon loam, 0 to 8 percent slopes, very stony (SSURGO1) | CanBb | Califon gravelly loam, 0 to 8 percent slopes, very stony |
| CbB | Califon very stony loam, 0 to 8 percent slopes (SSSD) | CanBb | Califon gravelly loam, 0 to 8 percent slopes, very stony |
| CdA | Chalfont silt loam, 0 to 2 percent slopes (SSSD) | ChcA | Chalfont silt loam, 0 to 2 percent slopes |
| ChcA* | Chalfont silt loam, 0 to 3 percent slopes (SSURGO1) | ChcA | Chalfont silt loam, 0 to 2 percent slopes |
| CdB | Chalfont silt loam, 2 to 6 percent slopes (SSSD) | ChcB | Chalfont silt loam, 2 to 6 percent slopes |
| ChcB* | Chalfont silt loam, 3 to 8 percent slopes (SSURGO1) | ChcB | Chalfont silt loam, 2 to 6 percent slopes |
| CdC2 | Chalfont silt loam, 6 to 12 percent slopes, eroded (SSSD) | ChcC2 | Chalfont silt loam, 6 to 12 percent slopes, eroded |
| ChcC2* | Chalfont silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | ChcC2 | Chalfont silt loam, 6 to 12 percent slopes, eroded |
| CeB | Chalfont very stony silt loam, 2 to 12 percent slopes (SSSD) | ChcCb | Chalfont silt loam, 6 to 12 percent slopes, very stony |
| ChcCb* | Chalfont silt loam, 0 to 15 percent slopes, very stony (SSURGO1) | ChcCb | Chalfont silt loam, 6 to 12 percent slopes, very stony |
| CfC | Chalfont-Lehigh very stony silt loams, 2 to 12 percent slopes (SSSD) | CheCb | Chalfont-Lehigh silt loams, 6 to 12 percent slopes, very stony |
| CheCb* | Chalfont-Lehigh silt loams, 8 to 15 percent slopes, very stony (SSURGO1) | CheCb | Chalfont-Lehigh silt loams, 6 to 12 percent slopes, very stony |
| CgB | Chalfont-Quakertown silt loams, 0 to 6 percent slopes (SSSD) | ChfB | Chalfont-Quakertown silt loams, 0 to 6 percent slopes |
| ChfB* | Chalfont-Quakertown silt loams, 0 to 8 percent slopes (SSURGO1) | ChfB | Chalfont-Quakertown silt loams, 0 to 6 percent slopes |
| Co | Cokesbury loam (SSSD) | CoaA | Cokesbury loam, 0 to 3 percent slopes |
| Cp | Cokesbury very stony loam (SSSD) | CoaBb | Cokesbury loam, 0 to 8 percent slopes, very stony |
| CoxA* | Croton silt loam, 0 to 3 percent slopes (SSURGO1) | CoxA | Croton silt loam, 0 to 2 percent slopes |
| CrA | Croton silt loam, 0 to 2 percent slopes (SSSD) | CoxA | Croton silt loam, 0 to 2 percent slopes |
| CoxB* | Croton silt loam, 3 to 8 percent slopes (SSURGO1) | CoxB | Croton silt loam, 2 to 6 percent slopes |
| CrB | Croton silt loam, 2 to 6 percent slopes (SSSD) | CoxB | Croton silt loam, 2 to 6 percent slopes |
| CoxBb* | Croton silt loam, 0 to 8 percent slopes, very stony (SSURGO1) | CoxBb | Croton silt loam, 0 to 6 percent slopes, very stony |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|--|--------------------|--|
| CsB | Croton very stony silt loam, 0 to 6 percent slopes (SSSD) | CoxBb | Croton silt loam, 0 to 6 percent slopes, very stony |
| DuB | Duffield silt loam, 2 to 6 percent slopes (SSSD) | DufB | Duffield silt loam, 2 to 6 percent slopes |
| DufB* | Duffield silt loam, 3 to 8 percent slopes (SSURGO1) | DufB | Duffield silt loam, 2 to 6 percent slopes |
| DuC2 | Duffield silt loam, 6 to 12 percent slopes, eroded (SSSD) | DufC2 | Duffield silt loam, 6 to 12 percent slopes, eroded |
| DufC2* | Duffield silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | DufC2 | Duffield silt loam, 6 to 12 percent slopes, eroded |
| DugCg* | Duffield silt loam, 0 to 15 percent slopes, rocky (SSURGO1) | DugCg | Duffield silt loam, 0 to 12 percent slopes, rocky |
| DvC2 | Duffield rocky silt loam, 6 to 12 percent slopes, eroded (SSSD) | DugCg | Duffield silt loam, 0 to 12 percent slopes, rocky |
| DugDh* | Duffield silt loam, 15 to 25 percent slopes, very rocky (SSURGO1) | DugDh | Duffield silt loam, 12 to 18 percent slopes, very rocky |
| DwD2 | Duffield very rocky silt loam, 12 to 18 percent slopes, eroded (SSSD) | DugDh | Duffield silt loam, 12 to 18 percent slopes, very rocky |
| Ae | Alluvial land, loamy, wet (SSSD) | FmhAt | Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded |
| Fmh | Fluvaquents, loamy (SSURGO1) | FmhAt | Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded |
| Ac | Alluvial land, loamy (SSSD) | FNAT | Fluvaquents and Udifluvents, 0 to 3 percent slopes, frequently flooded |
| FN | Fluvaquents and udifluvents (SSURGO1) | FNAT | Fluvaquents and Udifluvents, 0 to 3 percent slopes, frequently flooded |
| EdB | Edneyville gravelly loam, 3 to 8 percent slopes (SSSD) | GkaoB | Gladstone gravelly loam, 3 to 8 percent slopes |
| EdnB | Edneyville gravelly loam, 3 to 8 percent slopes (SSURGO1) | GkaoB | Gladstone gravelly loam, 3 to 8 percent slopes |
| EdC2 | Edneyville gravelly loam, 8 to 15 percent slopes, eroded (SSSD) | GkaoC2 | Gladstone gravelly loam, 8 to 15 percent slopes, eroded |
| EdnC2 | Edneyville gravelly loam, 8 to 15 percent slopes, eroded (SSURGO1) | GkaoC2 | Gladstone gravelly loam, 8 to 15 percent slopes, eroded |
| EdD | Edneyville gravelly loam, 15 to 25 percent slopes (SSSD) | GkaoD | Gladstone gravelly loam, 15 to 25 percent slopes |
| EdnD | Edneyville gravelly loam, 15 to 25 percent slopes (SSURGO1) | GkaoD | Gladstone gravelly loam, 15 to 25 percent slopes |
| EDPCC | Edneyville and Parker loams, 8 to 15 percent slopes, extremely stony (SSURGO1) | GKAPCC | Gladstone and Parker soils, 8 to 15 percent slopes, extremely stony |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|--|--------------------|---|
| EeC | Edneyville and Parker extremely stony loams, 3 to 15 percent slopes (SSSD) | GKAPCC | Gladstone and Parker soils, 8 to 15 percent slopes, extremely stony |
| HaB | Hazleton channery loam, 2 to 6 percent slopes (SSSD) | HdyB | Hazleton channery loam, 2 to 6 percent slopes |
| HdyB* | Hazleton channery loam, 3 to 8 percent slopes (SSURGO1) | HdyB | Hazleton channery loam, 2 to 6 percent slopes |
| HaC2 | Hazleton channery loam, 6 to 12 percent slopes, eroded (SSSD) | HdyC2 | Hazleton channery loam, 6 to 12 percent slopes, eroded |
| HdyB2 | Hazleton channery loam, 8 to 15 percent slopes, eroded (SSURGO1) | HdyC2 | Hazleton channery loam, 6 to 12 percent slopes, eroded |
| HaD | Hazleton channery loam, 12 to 18 percent slopes (SSSD) | HdyD | Hazleton channery loam, 12 to 18 percent slopes |
| HdyD* | Hazleton channery loam, 15 to 25 percent slopes (SSURGO1) | HdyD | Hazleton channery loam, 12 to 18 percent slopes |
| HcC | Hazleton very stony loam, 6 to 18 percent slopes (SSSD) | HdyDb | Hazleton channery loam, 6 to 18 percent slopes, very stony |
| HdzCb | Hazleton loam, 8 to 15 percent slopes, very stony (SSURGO1) | HdyDb | Hazleton channery loam, 6 to 18 percent slopes, very stony |
| HcE | Hazleton very stony loam, 18 to 40 percent slopes (SSSD) | HdyEb | Hazleton channery loam, 18 to 40 percent slopes, very stony |
| HdzEb | Hazleton loam, 25 to 45 percent slopes, very stony (SSURGO1) | HdyEb | Hazleton channery loam, 18 to 40 percent slopes, very stony |
| KkoC* | Klinesville channery loam, 8 to 15 percent slopes (SSURGO1) | KkoC | Klinesville channery loam, 6 to 12 percent slopes |
| KlC | Klinesville shaly loam, 4 to 12 percent slopes (SSSD) | KkoC | Klinesville channery loam, 6 to 12 percent slopes |
| KkoD* | Klinesville channery loam, 15 to 25 percent slopes (SSURGO1) | KkoD | Klinesville channery loam, 12 to 18 percent slopes |
| KlD | Klinesville shaly loam, 12 to 18 percent slopes (SSSD) | KkoD | Klinesville channery loam, 12 to 18 percent slopes |
| LaB | Lansdale loam, 0 to 6 percent slopes (SSSD) | LbmB | Lansdale loam, 2 to 6 percent slopes |
| LbmB* | Lansdale loam, 3 to 8 percent slopes (SSURGO1) | LbmB | Lansdale loam, 2 to 6 percent slopes |
| LaC2 | Lansdale loam, 6 to 12 percent slopes, eroded (SSSD) | LbmC2 | Lansdale loam, 6 to 12 percent slopes, eroded |
| LbmC2* | Lansdale loam, 8 to 15 percent slopes, eroded (SSURGO1) | LbmC2 | Lansdale loam, 6 to 12 percent slopes, eroded |
| LaD | Lansdale loam, 12 to 18 percent slopes (SSSD) | LbmD | Lansdale loam, 12 to 18 percent slopes |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|---|--------------------|---|
| LbmD* | Lansdale loam, 15 to 25 percent slopes (SSURGO1) | LbmD | Lansdale loam, 12 to 18 percent slopes |
| LbB | Lansdowne silt loam, 0 to 6 percent slopes (SSSD) | LbtB | Lansdowne silt loam, 2 to 6 percent slopes |
| LbtB* | Lansdowne silt loam, 3 to 8 percent slopes (SSURGO1) | LbtB | Lansdowne silt loam, 2 to 6 percent slopes |
| LdmB* | Lawrenceville silt loam, 3 to 8 percent slopes (SSURGO1) | LdmB | Lawrenceville silt loam, 2 to 6 percent slopes |
| LeB | Lawrenceville silt loam, 2 to 6 percent slopes (SSSD) | LdmB | Lawrenceville silt loam, 2 to 6 percent slopes |
| LdmC2* | Lawrenceville silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | LdmC2 | Lawrenceville silt loam, 6 to 12 percent slopes, eroded |
| LeC2 | Lawrenceville silt loam, 6 to 12 percent slopes, eroded (SSSD) | LdmC2 | Lawrenceville silt loam, 6 to 12 percent slopes, eroded |
| LegB* | Legore gravelly loam, 3 to 8 percent slopes (SSURGO1) | LegB | Legore gravelly loam, 2 to 6 percent slopes |
| LgB | Legore gravelly loam, 2 to 6 percent slopes (SSSD) | LegB | Legore gravelly loam, 2 to 6 percent slopes |
| LegC* | Legore gravelly loam, 8 to 15 percent slopes (SSURGO1) | LegC | Legore gravelly loam, 6 to 12 percent slopes |
| LgC | Legore gravelly loam, 6 to 12 percent slopes (SSSD) | LegC | Legore gravelly loam, 6 to 12 percent slopes |
| LegD* | Legore gravelly loam, 15 to 25 percent slopes (SSURGO1) | LegD | Legore gravelly loam, 12 to 18 percent slopes |
| LgD | Legore gravelly loam, 12 to 18 percent slopes (SSSD) | LegD | Legore gravelly loam, 12 to 18 percent slopes |
| LemB* | Lehigh silt loam, 3 to 8 percent slopes (SSURGO1) | LemB | Lehigh silt loam, 2 to 6 percent slopes |
| LhB | Lehigh silt loam, 2 to 6 percent slopes (SSSD) | LemB | Lehigh silt loam, 2 to 6 percent slopes |
| LemBb* | Lehigh silt loam, 0 to 8 percent slopes, very stony (SSURGO1) | LemBb | Lehigh silt loam, 2 to 6 percent slopes, very stony |
| LkB | Lehigh very stony silt loam, 2 to 6 percent slopes (SSSD) | LemBb | Lehigh silt loam, 2 to 6 percent slopes, very stony |
| LemC2* | Lehigh silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | LemC2 | Lehigh silt loam, 6 to 12 percent slopes, eroded |
| LhC2 | Lehigh silt loam, 6 to 12 percent slopes, eroded (SSSD) | LemC2 | Lehigh silt loam, 6 to 12 percent slopes, eroded |
| LemD2* | Lehigh silt loam, 15 to 25 percent slopes, eroded (SSURGO1) | LemD2 | Lehigh silt loam, 12 to 18 percent slopes, eroded |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|--|--------------------|--|
| LhD2 | Lehigh silt loam, 12 to 18 percent slopes, eroded (SSSD) | LemD2 | Lehigh silt loam, 12 to 18 percent slopes, eroded |
| LemDb* | Lehigh silt loam, 8 to 15 percent slopes, very stony (SSURGO1) | LemDb | Lehigh silt loam, 12 to 18 percent slopes, very stony |
| LkC | Lehigh very stony silt loam, 6 to 18 percent slopes (SSSD) | LemDb | Lehigh silt loam, 12 to 18 percent slopes, very stony |
| MeB | Meckesville gravelly loam, 2 to 6 percent slopes (SSSD) | MemB | Meckesville gravelly loam, 2 to 6 percent slopes |
| MemB* | Meckesville gravelly loam, 3 to 8 percent slopes (SSURGO1) | MemB | Meckesville gravelly loam, 2 to 6 percent slopes |
| MeC2 | Meckesville gravelly loam, 6 to 12 percent slopes, eroded (SSSD) | MemC2 | Meckesville gravelly loam, 6 to 12 percent slopes, eroded |
| MemC2* | Meckesville gravelly loam, 8 to 15 percent slopes, eroded (SSURGO1) | MemC2 | Meckesville gravelly loam, 6 to 12 percent slopes, eroded |
| MoB | Mount Lucas silt loam, 0 to 6 percent slopes (SSSD) | MonB | Mount Lucas silt loam, 2 to 6 percent slopes |
| MonB* | Mount Lucas silt loam, 3 to 8 percent slopes (SSURGO1) | MonB | Mount Lucas silt loam, 2 to 6 percent slopes |
| MopBb* | Mount Lucas-Watchung silt loams, 0 to 8 percent slopes, very stony (SSURGO1) | MopBb | Mount Lucas-Watchung silt loams, 0 to 6 percent slopes, very stony |
| MwB | Mount Lucas-Watchung very stony silt loams, 0 to 6 percent slopes (SSSD) | MopBb | Mount Lucas-Watchung silt loams, 0 to 6 percent slopes, very stony |
| NdB | Neshaminy gravelly loam, 2 to 6 percent slopes (SSSD) | NeeB | Neshaminy gravelly loam, 2 to 6 percent slopes |
| NeeB* | Neshaminy gravelly loam, 3 to 8 percent slopes (SSURGO1) | NeeB | Neshaminy gravelly loam, 2 to 6 percent slopes |
| NeB | Neshaminy silt loam, 2 to 6 percent slopes (SSSD) | NehB | Neshaminy silt loam, 2 to 6 percent slopes |
| NehB* | Neshaminy silt loam, 3 to 8 percent slopes (SSURGO1) | NehB | Neshaminy silt loam, 2 to 6 percent slopes |
| NeC2 | Neshaminy silt loam, 6 to 12 percent slopes, eroded (SSSD) | NehC2 | Neshaminy silt loam, 6 to 12 percent slopes, eroded |
| NehC2* | Neshaminy silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | NehC2 | Neshaminy silt loam, 6 to 12 percent slopes, eroded |
| NehCb* | Neshaminy silt loam, 8 to 15 percent slopes, very stony (SSURGO1) | NehCb | Neshaminy silt loam, 6 to 12 percent slopes, very stony |
| NhC | Neshaminy very stony silt loam, 2 to 12 percent slopes (SSSD) | NehCb | Neshaminy silt loam, 6 to 12 percent slopes, very stony |
| NehDb* | Neshaminy silt loam, 15 to 25 percent slopes, very stony (SSURGO1) | NehDb | Neshaminy silt loam, 12 to 18 percent slopes, very stony |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|--|--------------------|--|
| NhD | Neshaminy very stony silt loam, 12 to 18 percent slopes (SSSD) | NehDb | Neshaminy silt loam, 12 to 18 percent slopes, very stony |
| NehEb* | Neshaminy silt loam, 25 to 45 percent slopes, very stony (SSURGO1) | NehEb | Neshaminy silt loam, 18 to 35 percent slopes, very stony |
| NhE | Neshaminy very stony silt loam, 18 to 40 percent slopes (SSSD) | NehEb | Neshaminy silt loam, 18 to 35 percent slopes, very stony |
| NemCb* | Neshaminy-Mount Lucas silt loams, 8 to 15 percent slopes, very stony (SSURGO1) | NemCb | Neshaminy-Mount Lucas silt loams, 6 to 12 percent slopes, very stony |
| NkC | Neshaminy-Mount Lucas very stony silt loams, 2 to 12 percent slopes (SSSD) | NemCb | Neshaminy-Mount Lucas silt loams, 6 to 12 percent slopes, very stony |
| NoB | Norton loam, 2 to 6 percent slopes (SSSD) | NotB | Norton loam, 2 to 6 percent slopes |
| NotB* | Norton loam, 3 to 8 percent slopes (SSURGO1) | NotB | Norton loam, 2 to 6 percent slopes |
| NoC2 | Norton loam, 6 to 12 percent slopes, eroded (SSSD) | NotC2 | Norton loam, 6 to 12 percent slopes, eroded |
| NotC2* | Norton loam, 8 to 15 percent slopes, eroded (SSURGO1) | NotC2 | Norton loam, 6 to 12 percent slopes, eroded |
| NoD2 | Norton loam, 12 to 18 percent slopes, eroded (SSSD) | NotD2 | Norton loam, 12 to 18 percent slopes, eroded |
| NotD2* | Norton loam, 15 to 25 percent slopes, eroded (SSURGO1) | NotD2 | Norton loam, 12 to 18 percent slopes, eroded |
| PaC | Parker cobbly loam, 3 to 15 percent slopes (SSSD) | ParC | Parker cobbly loam, 3 to 15 percent slopes |
| PaD | Parker cobbly loam, 15 to 25 percent slopes (SSSD) | ParD | Parker cobbly loam, 15 to 25 percent slopes |
| SpF | Steep stony land, parker material (SSSD) | ParEe | Parker cobbly loam, 18 to 40 percent slopes, extremely stony |
| STBF | Steep stony land, Parker material (SSURGO1) | ParEe | Parker cobbly loam, 18 to 40 percent slopes, extremely stony |
| PbB | Pattenburg gravelly loam, 2 to 6 percent slopes (SSSD) | PdtB | Pattenburg gravelly loam, 2 to 6 percent slopes |
| PdtB* | Pattenburg gravelly loam, 3 to 8 percent slopes (SSURGO1) | PdtB | Pattenburg gravelly loam, 2 to 6 percent slopes |
| Pbc2 | Pattenburg gravelly loam, 6 to 12 percent slopes, eroded (SSSD) | PdtC2 | Pattenburg gravelly loam, 6 to 12 percent slopes, eroded |
| PdtC2* | Pattenburg gravelly loam, 8 to 15 percent slopes, eroded (SSURGO1) | PdtC2 | Pattenburg gravelly loam, 6 to 12 percent slopes, eroded |
| PbD | Pattenburg gravelly loam, 12 to 18 percent slopes (SSSD) | PdtD | Pattenburg gravelly loam, 12 to 18 percent slopes |
| PdtD* | Pattenburg gravelly loam, 15 to 25 percent slopes (SSURGO1) | PdtD | Pattenburg gravelly loam, 12 to 18 percent slopes |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|---|--------------------|--|
| PbE | Pattenburg gravelly loam, 18 to 40 percent slopes (SSSD) | PdtE | Pattenburg gravelly loam, 18 to 40 percent slopes |
| PdtE* | Pattenburg gravelly loam, 25 to 45 percent slopes (SSURGO1) | PdtE | Pattenburg gravelly loam, 18 to 40 percent slopes |
| PcB | Pattenburg gravelly loam, moderately wet, 2 to 6 percent slopes (SSSD) | PdtmB | Pattenburg gravelly loam, moderately wet, 2 to 6 percent slopes |
| PdtmB* | Pattenburg gravelly loam, moderately wet, 3 to 8 percent slopes (SSURGO1) | PdtmB | Pattenburg gravelly loam, moderately wet, 2 to 6 percent slopes |
| PeB | Penn shaly silt loam, 2 to 6 percent slopes (SSSD) | PeoB | Penn channery silt loam, 2 to 6 percent slopes |
| PeoB* | Penn channery silt loam, 3 to 8 percent slopes (SSURGO1) | PeoB | Penn channery silt loam, 2 to 6 percent slopes |
| PeC2 | Penn shaly silt loam, 6 to 12 percent slopes, eroded (SSSD) | PeoC2 | Penn channery silt loam, 6 to 12 percent slopes, eroded |
| PeoC2* | Penn channery silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | PeoC2 | Penn channery silt loam, 6 to 12 percent slopes, eroded |
| PeD | Penn shaly silt loam, 12 to 18 percent slopes (SSSD) | PeoD | Penn channery silt loam, 12 to 18 percent slopes |
| PeoD* | Penn channery silt loam, 15 to 25 percent slopes (SSURGO1) | PeoD | Penn channery silt loam, 12 to 18 percent slopes |
| PepB* | Penn-Bucks complex, 3 to 8 percent slopes (SSURGO1) | PepB | Penn-Bucks complex, 2 to 6 percent slopes |
| PfB | Penn-Bucks complex, 2 to 6 percent slopes (SSSD) | PepB | Penn-Bucks complex, 2 to 6 percent slopes |
| PepC2* | Penn-Bucks complex, 8 to 15 percent slopes, eroded (SSURGO1) | PepC2 | Penn-Bucks complex, 6 to 12 percent slopes, eroded |
| PfC2 | Penn-Bucks complex, 6 to 12 percent slopes, eroded (SSSD) | PepC2 | Penn-Bucks complex, 6 to 12 percent slopes, eroded |
| GP | Pits and gravel (SSSD) | PHG | Pits, sand and gravel |
| PHF | Pits, gravel (SSURGO1) | PHG | Pits, sand and gravel |
| Pk | Pope fine sandy loam, high bottom (SSSD) | PomAs | Pope fine sandy loam, high bottom, 0 to 2 percent slopes, occasionally flooded |
| PomA | Pope fine sandy loam, high bottom, 0 to 3 percent slopes (SSURGO1) | PomAs | Pope fine sandy loam, high bottom, 0 to 2 percent slopes, occasionally flooded |
| QkA | Quakertown silt loam, 0 to 2 percent slopes (SSSD) | QukA | Quakertown silt loam, 0 to 2 percent slopes |
| QukA* | Quakertown silt loam, 0 to 3 percent slopes (SSURGO1) | QukA | Quakertown silt loam, 0 to 2 percent slopes |
| QkB | Quakertown silt loam, 2 to 6 percent slopes (SSSD) | QukB | Quakertown silt loam, 2 to 6 percent slopes |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|--|--------------------|--|
| QukB* | Quakertown silt loam, 3 to 8 percent slopes (SSURGO1) | QukB | Quakertown silt loam, 2 to 6 percent slopes |
| QkC2 | Quakertown silt loam, 6 to 12 percent slopes, eroded (SSSD) | QukC2 | Quakertown silt loam, 6 to 12 percent slopes, eroded |
| QukC2* | Quakertown silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | QukC2 | Quakertown silt loam, 6 to 12 percent slopes, eroded |
| QkD2 | Quakertown silt loam, 12 to 18 percent slopes, eroded (SSSD) | QukD2 | Quakertown silt loam, 12 to 18 percent slopes, eroded |
| QukD2* | Quakertown silt loam, 15 to 25 percent slopes, eroded (SSURGO1) | QukD2 | Quakertown silt loam, 12 to 18 percent slopes, eroded |
| QlC2 | Quakertown-Chalfont silt loams, 6 to 12 percent slopes, eroded (SSSD) | QupC2 | Quakertown-Chalfont silt loams, 6 to 12 percent slopes, eroded |
| QupC2* | Quakertown-Chalfont silt loams, 8 to 15 percent slopes, eroded (SSURGO1) | QupC2 | Quakertown-Chalfont silt loams, 6 to 12 percent slopes, eroded |
| QY | Quarry | QY | Quarry |
| RarA | Raritan silt loam, 0 to 3 percent slopes (SSURGO1) | RarAr | Raritan silt loam, 0 to 3 percent slopes, rarely flooded |
| RbA | Raritan silt loam, 0 to 2 percent slopes (SSSD) | RarAr | Raritan silt loam, 0 to 3 percent slopes, rarely flooded |
| RbB | Raritan silt loam, 2 to 6 percent slopes (SSSD) | RarB | Raritan silt loam, 3 to 8 percent slopes |
| RcB | Readington silt loam, 2 to 6 percent slopes (SSSD) | RedB | Readington silt loam, 2 to 6 percent slopes |
| RedB* | Readington silt loam, 3 to 8 percent slopes (SSURGO1) | RedB | Readington silt loam, 2 to 6 percent slopes |
| RcC2 | Readington silt loam, 6 to 12 percent slopes, eroded (SSSD) | RedC2 | Readington silt loam, 6 to 12 percent slopes, eroded |
| RedC2* | Readington silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | RedC2 | Readington silt loam, 6 to 12 percent slopes, eroded |
| ReA | Reaville silt loam, 0 to 2 percent slopes (SSSD) | RehA | Reaville silt loam, 0 to 2 percent slopes |
| RehA* | Reaville silt loam, 0 to 3 percent slopes (SSURGO1) | RehA | Reaville silt loam, 0 to 2 percent slopes |
| ReB | Reaville silt loam, 2 to 6 percent slopes (SSSD) | RehB | Reaville silt loam, 2 to 6 percent slopes |
| RehB* | Reaville silt loam, 3 to 8 percent slopes (SSURGO1) | RehB | Reaville silt loam, 2 to 6 percent slopes |
| ReC2 | Reaville silt loam, 6 to 12 percent slopes, eroded (SSSD) | RehC2 | Reaville silt loam, 6 to 12 percent slopes, eroded |
| RehC2* | Reaville silt loam, 8 to 15 percent slopes, eroded (SSURGO1) | RehC2 | Reaville silt loam, 6 to 12 percent slopes, eroded |

Soil Correlation Amendment
of
Hunterdon County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

| Prior symbol | Previously correlated name | Publication symbol | Amended correlated name |
|--------------|---|--------------------|--|
| RepwA* | Reaville wet variant silt loam, 0 to 3 percent slopes (SSURGO1) | RepwA | Reaville wet variant silt loam, 0 to 2 percent slopes |
| RfA | Reaville silt loam, wet variant, 0 to 2 percent slopes (SSSD) | RepwA | Reaville wet variant silt loam, 0 to 2 percent slopes |
| RepwB* | Reaville wet variant silt loam, 3 to 8 percent slopes (SSURGO1) | RepwB | Reaville wet variant silt loam, 2 to 6 percent slopes |
| RfB | Reaville silt loam, wet variant, 2 to 6 percent slopes (SSSD) | RepwB | Reaville wet variant silt loam, 2 to 6 percent slopes |
| RgB | Riverhead gravelly sandy loam, 2 to 6 percent slopes (SSSD) | RksB | Riverhead gravelly sandy loam, 3 to 8 percent slopes |
| RgC | Riverhead gravelly sandy loam, 6 to 18 percent slopes (SSSD) | RksC | Riverhead gravelly sandy loam, 8 to 15 percent slopes |
| Rk | Rock land, edneyville material (SSSD) | RNGE | Rock outcrop-Gladstone complex, 15 to 45 percent slopes |
| RNE | Rock land, edneyville material (SSURGO1) | RNGE | Rock outcrop-Gladstone complex, 15 to 45 percent slopes |
| RlF | Rough broken land, shale (SSSD) | ROPF | Rough broken land, shale |
| RNG | Rough broken land, shale (SSURGO1) | ROPF | Rough broken land, shale |
| Ro | Rowland silt loam (SSSD) | RorAt | Rowland silt loam, 0 to 2 percent slopes, frequently flooded |
| Ror | Rowland silt loam (SSURGO1) | RorAt | Rowland silt loam, 0 to 2 percent slopes, frequently flooded |
| TuB | Turbotville loam, 2 to 6 percent slopes (SSSD) | TurB | Turbotville loam, 2 to 6 percent slopes |
| TurB* | Turbotville loam, 3 to 8 percent slopes (SSURGO1) | TurB | Turbotville loam, 2 to 6 percent slopes |
| Ma | Made land (SSSD) | UdrB | Udorthents, refuse substratum, 0 to 8 percent slopes |
| Ud | Udorthents (SSURGO1) | UdrB | Udorthents, refuse substratum, 0 to 8 percent slopes |
| WaB | Washington loam, 2 to 6 percent slopes (SSSD) | WadB | Washington loam, 3 to 8 percent slopes |
| WaC2 | Washington loam, 6 to 12 percent slopes, eroded (SSSD) | WadC2 | Washington loam, 8 to 15 percent slopes, eroded |
| Was | Watchung silt loam (SSURGO1) | WasA | Watchung silt loam, 0 to 2 percent slopes |
| W | Water (less than 40 acres) (SSSD) | WATER | Water |
| Water | Water (greater than 40 acres) (SSSD) | WATER | Water |