

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Ad	Adrian muck (SSSD)	AdrAt	Adrian muck, 0 to 3 percent slopes, frequently flooded
Adr	Adrian muck (SSURGO1)	AdrAt	Adrian muck, 0 to 3 percent slopes, frequently flooded
Wm	Whitman very stony loam (SSSD)	AhcBc	Alden mucky silt loam, gneiss till substratum, 0 to 8 percent slopes, extremely stony
AnB	Annandale gravelly loam, 3 to 8 percent slopes (SSSD)	AnoB	Annandale gravelly loam, 3 to 8 percent slopes
AnC	Annandale gravelly loam, 8 to 15 percent slopes (SSSD)	AnoC	Annandale gravelly loam, 8 to 15 percent slopes
AnC	Annandale gravelly loam, 8 to 15 percent slopes (SSSD)	AnoC2	Annandale gravelly loam, 8 to 15 percent slopes, eroded
BaA	Bartley loam, 0 to 3 percent slopes (SSSD)	BabA	Bartley loam, 0 to 3 percent slopes
BaB	Bartley loam, 3 to 8 percent slopes (SSSD)	BabB	Bartley loam, 3 to 8 percent slopes
BbC	Bartley gravelly loam, 8 to 15 percent slopes (SSSD)	BacC	Bartley gravelly loam, 8 to 15 percent slopes
Bd	Biddeford silt loam (SSSD)	BhdAt	Biddeford silt loam, 0 to 2 percent slopes, frequently flooded
Bhd	Biddeford silt loam (SSURGO1)	BhdAt	Biddeford silt loam, 0 to 2 percent slopes, frequently flooded
BaB	Bartley loam, 3 to 8 percent slopes (SSSD)	BhnB	Birdsboro silt loam, 2 to 6 percent slopes
BoB	Boonton gravelly loam, 3 to 8 percent slopes (SSSD)	BohB	Boonton moderately well drained gravelly loam, 3 to 8 percent slopes
BohB*	Boonton gravelly loam, 3 to 8 percent slopes (SSURGO1)	BohB	Boonton moderately well drained gravelly loam, 3 to 8 percent slopes
BoC	Boonton gravelly loam, 8 to 15 percent slopes (SSSD)	BohC	Boonton moderately well drained gravelly loam, 8 to 15 percent slopes
BohC*	Boonton gravelly loam, 8 to 15 percent slopes	BohC	Boonton moderately well drained gravelly loam, 8 to 15 percent slopes
BpC	Boonton and Haledon extremely stony soils, 8 to 15 percent slopes (SSSD)	BOXCC	Boonton and Haledon soils, 8 to 15 percent slopes, extremely stony
CaA	Califon loam, 0 to 3 percent slopes (SSSD)	CakA	Califon loam, 0 to 3 percent slopes
CaB	Califon loam, 3 to 8 percent slopes (SSSD)	CakB	Califon loam, 3 to 8 percent slopes
CcB	Califon very stony loam, 2 to 8 percent slopes (SSSD)	CakBb	Califon loam, 0 to 8 percent slopes, very stony

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
CaC	Califon loam, 8 to 15 percent slopes (SSSD)	CakC	Califon loam, 8 to 15 percent slopes
CcC	Califon very stony loam, 8 to 15 percent slopes (SSSD)	CakCb	Califon loam, 8 to 15 percent slopes
CbB	Califon gravelly loam, 3 to 8 percent slopes (SSSD)	CanB	Califon gravelly loam, 3 to 8 percent slopes
CcB	Califon very stony loam, 2 to 8 percent slopes (SSSD)	CanBb	Califon gravelly loam, 0 to 8 percent slopes, very stony
CdB	Califon loam, friable subsoil variant, 3 to 8 percent slopes (SSSD)	CapfB	Califon variant loam, 3 to 8 percent slopes
Car	Carlisle muck (SSURGO1)	CarAt	Carlisle muck, 0 to 2 percent slopes, frequently flooded
Cm	Carlisle muck (SSSD)	CarAt	Carlisle muck, 0 to 2 percent slopes, frequently flooded
Cm	Carlisle muck (SSSD)	CatbA	Catden mucky peat, 0 to 2 percent slopes
ChkC	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes	ChkC	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes
RvF	Rock outcrop-Rockaway complex, steep (SSSD)	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
CoA	Cokesbury gravelly loam, 0 to 3 percent slopes (SSSD)	CoaA	Cokesbury loam, 0 to 3 percent slopes
CsB	Cokesbury extremely stony loam, 0 to 8 percent slopes (SSSD)	CoaBb	Cokesbury loam, 0 to 8 percent slopes, very stony
CsB	Cokesbury extremely stony loam, 0 to 8 percent slopes (SSSD)	CoaBc	Cokesbury loam, 0 to 8 percent slopes, extremely stony
CoA	Cokesbury gravelly loam, 0 to 3 percent slopes (SSSD)	CobA	Cokesbury gravelly loam, 0 to 3 percent slopes
CoB	Cokesbury gravelly loam, 3 to 8 percent slopes (SSSD)	CobB	Cokesbury gravelly loam, 3 to 8 percent slopes
EkhkB*	Ellington variant fine sandy loam, loamy substratum, 3 to 8 percent slopes (SSURGO1)	EkhkB	Ellington loamy substratum variant fine sandy loam, 3 to 8 percent slopes
ElB	Ellington fine sandy loam, loamy subsoil variant, 3 to 8 percent slopes (SSSD)	EkhkB	Ellington loamy substratum variant fine sandy loam, 3 to 8 percent slopes
EkhhC*	Ellington variant fine sandy loam, loamy substratum, 8 to 15 percent slopes (SSURGO1)	EkhhC	Ellington loamy substratum variant fine sandy loam, 8 to 15 percent slopes
ElC	Ellington fine sandy loam, loamy subsoil variant, 8 to 15 percent slopes (SSSD)	EkhhC	Ellington loamy substratum variant fine sandy loam, 8 to 15 percent slopes
EkhhD*	Ellington variant fine sandy loam, loamy substratum, 15 to 25 percent slopes	EkhhD	Ellington loamy substratum variant fine sandy loam, 15 to 25 percent slopes

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
ElD	Ellington fine sandy loam, loamy subsoil variant, 15 to 25 percent slopes (SSSD)	Ekhhd	Ellington loamy substratum variant fine sandy loam, 15 to 25 percent slopes
Am	Alluvial land, wet (SSSD)	FmhAs	Fluvaquents, loamy, 0 to 3 percent slopes, occasionally flooded
Fmh	Fluvaquents, loamy (SSURGO1)	FmhAs	Fluvaquents, loamy, 0 to 3 percent slopes, occasionally flooded
Am	Alluvial land, wet (SSSD)	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded
Fmh	Fluvaquents, loamy (SSURGO1)	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded
Ae	Alluvial land (SSSD)	FNAT	Fluvaquents and udifluvents, 0 to 3 percent slopes, frequently flooded
FN	Fluvaquents and udifluvents (SSURGO1)	FNAT	Fluvaquents and udifluvents, 0 to 3 percent slopes, frequently flooded
EdB	Edneyville gravelly loam, 3 to 8 percent slopes (SSSD)	GkaoB	Gladstone gravelly loam, 3 to 8 percent slopes
EdnB	Edneyville gravelly loam, 3 to 8 percent slopes (SSURGO1)	GkaoB	Gladstone gravelly loam, 3 to 8 percent slopes
EdC	Edneyville gravelly loam, 8 to 15 percent slopes (SSSD)	GkaoC	Gladstone gravelly loam, 8 to 15 percent slopes
EdnC	Edneyville gravelly loam, 8 to 15 percent slopes (SSURGO1)	GkaoC	Gladstone gravelly loam, 8 to 15 percent slopes
EdC	Edneyville gravelly loam, 8 to 15 percent slopes (SSSD)	GkaoC2	Gladstone gravelly loam, 8 to 15 percent slopes, eroded
EdnC	Edneyville gravelly loam, 8 to 15 percent slopes (SSURGO1)	GkaoC2	Gladstone gravelly loam, 8 to 15 percent slopes, eroded
EdD	Edneyville gravelly loam, 15 to 25 percent slopes (SSSD)	GkaoD	Gladstone gravelly loam, 15 to 25 percent slopes
EdnD	Edneyville gravelly loam, 15 to 25 percent slopes (SSURGO1)	GkaoD	Gladstone gravelly loam, 15 to 25 percent slopes
EdC	Edneyville gravelly loam, 8 to 15 percent slopes (SSSD)	GKAPCC	Gladstone and Parker soils, 8 to 15 percent slopes, extremely stony
EdnC	Edneyville gravelly loam, 8 to 15 percent slopes (SSURGO1)	GKAPCC	Gladstone and Parker soils, 8 to 15 percent slopes, extremely stony
HaB	Haledon silt loam, 3 to 8 percent slopes (SSSD)	HanB	Haledon silt loam, 3 to 8 percent slopes
HaC	Haledon silt loam, 8 to 15 percent slopes (SSSD)	HanC	Haledon silt loam, 8 to 15 percent slopes
HbC	Hibernia stony loam, 3 to 15 percent slopes (SSSD)	HhmBc	Hibernia loam, 0 to 8 percent slopes, extremely stony

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
HbC	Hibernia stony loam, 3 to 15 percent slopes (SSSD)	HhmCa	Hibernia loam, 3 to 15 percent slopes, stony
HlD	Hibernia very stony loam, 15 to 25 percent slopes (SSSD)	HhmDb	Hibernia loam, 15 to 25 percent slopes, very stony
RsD	Rockaway-Rock outcrop complex, 15 to 25 percent slopes (SSSD)	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
HoC	Holyoke rocky silt loam, 5 to 15 percent slopes (SSSD)	HokCg	Holyoke silt loam, 0 to 15 percent slopes, rocky
HrE	Holyoke-Rock outcrop complex, 15 to 35 percent slopes (SSSD)	HomE	Holyoke-Rock outcrop complex, 15 to 45 percent slopes
KlE	Klinesville shaly silt loam, 25 to 35 percent slopes (SSSD)	KkrE	Klinesville channery silt loam, 25 to 45 percent slopes
MlA	Minoa silt loam, 0 to 3 percent slopes (SSSD)	MknA	Minoa silt loam, 0 to 3 percent slopes
MlB	Minoa silt loam, 3 to 8 percent slopes (SSD)	MknB	Minoa silt loam, 3 to 8 percent slopes
NfD	Neshaminy very stony silt loam, 15 to 25 percent slopes	NehDb	Neshaminy silt loam, 12 to 18 percent slopes, very stony
NeB	Neshaminy gravelly silt loam, 3 to 8 percent slopes (SSSD)	NekB	Neshaminy gravelly silt loam, 2 to 6 percent slopes
NeC	Neshaminy gravelly silt loam, 8 to 15 percent slopes (SSSD)	NekC	Neshaminy gravelly silt loam, 6 to 12 percent slopes
NtB	Netcong gravelly sandy loam, 3 to 8 percent slopes (SSSD)	NerB	Netcong gravelly sandy loam, 3 to 8 percent slopes
NtC	Netcong gravelly sandy loam, 8 to 15 percent slopes (SSSD)	NerC	Netcong gravelly sandy loam, 8 to 15 percent slopes
OtC	Otisville gravelly loamy sand, 3 to 15 percent slopes (SSSD)	OtsC	Otisville gravelly loamy sand, 3 to 15 percent slopes
OtD	Otisville gravelly loamy sand, 15 to 25 percent slopes (SSSD)	OtsD	Otisville gravelly loamy sand, 15 to 25 percent slopes
Ms	Muck, shallow over clay (SSSD)	PafAt	Palms muck, 0 to 2 percent slopes, frequently flooded
Paf	Palms muck (SSURGO1)	PafAt	Palms muck, 0 to 2 percent slopes, frequently flooded
PaC	Parker gravelly sandy loam, 3 to 15 percent slopes (SSSD)	PaoC	Parker gravelly sandy loam, 3 to 15 percent slopes
PbD	Parker very gravelly sandy loam, 15 to 25 percent slopes (SSSD)	PapD	Parker very gravelly sandy loam, 15 to 25 percent slopes
PaC	Parker gravelly sandy loam, 3 to 15 percent slopes (SSSD)	ParC	Parker cobbly loam, 3 to 15 percent slopes

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
PbD	Parker very gravelly sandy loam, 15 to 25 slopes (SSSD)	ParD	Parker cobbly loam, 15 to 25 percent slopes
PfE	Parker-Rock outcrop complex, 20 to 35 percent slopes (SSSD)	ParEe	Parker cobbly loam, 18 to 40 percent slopes, extremely stony
PauCc*	Parker-Edneyville sandy loams, 0 to 15 percent slopes, extremely stony (SSURGO1)	PauCc	Parker-Gladstone complex, 0 to 15 percent slopes, extremely stony
PeC	Parker-Edneyville extremely stony sandy loams, 3 to 15 percent slopes (SSSD)	PauCc	Parker-Gladstone complex, 0 to 15 percent slopes, extremely stony
PauDc*	Parker-Edneyville sandy loams, 15 to 25 percent slopes, extremely stony (SSURGO1)	PauDc	Parker-Gladstone complex, 15 to 25 percent slopes, extremely stony (SSURGO1)
PeD	Parker-Edneyville extremely stony sandy loams, 15 to 25 percent slopes (SSSD)	PauDc	Parker-Gladstone complex, 15 to 25 percent slopes, extremely stony (SSURGO1)
PfE	Parker-Rock outcrop complex, 20 to 35 percent slopes (SSSD)	PawE	Parker-Rock outcrop complex, 25 to 45 percent slopes
Pbp	Parsippany silt loam (SSURGO1)	PbpAt	Parsippany silt loam, 0 to 3 percent slopes, frequently flooded
Ph	Parsippany silt loam (SSSD)	PbpAt	Parsippany silt loam, 0 to 3 percent slopes, frequently flooded
Pbph	Parsippany silt loam, sandy loam substratum (SSURGO1)	PbphAt	Parsippany silt loam, sandy loam substratum, 0 to 3 percent slopes, frequently flooded
Pk	Parsippany silt loam, sandy loam substratum (SSSD)	PbphAt	Parsippany silt loam, sandy loam substratum, 0 to 3 percent slopes, frequently flooded
PlB	Pattensburg gravelly loam, 3 to 8 percent slopes (SSSD)	PdtB	Pattensburg gravelly loam, 3 to 8 percent slopes
PlC	Pattensburg gravelly loam, 8 to 15 percent slopes (SSSD)	PdtC	Pattensburg gravelly loam, 8 to 15 percent slopes
PnB	Penn shaly silt loam, 3 to 8 percent slopes (SSSD)	PeoB	Penn channery silt loam, 3 to 8 percent slopes
PnC	Penn shaly silt loam, 8 to 15 percent slopes (SSSD)	PeoC	Penn channery silt loam, 8 to 15 percent slopes
PgmD*	Penn-Klinesville channery silt loams, 15 to 25 percent slopes	PgmD	Penn-Klinesville channery silt loams, 12 to 18 percent slopes
PoD	Penn-Klinesville shaly silt loams, 15 to 25 percent slopes (SSSD)	PgmD	Penn-Klinesville channery silt loams, 12 to 18 percent slopes
PHF	Pits, gravel	PHG	Pits, sand and gravel
Ps	Pits, sand and gravel (SSSD)	PHG	Pits, sand and gravel

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
PtA	Pompton sandy loam, 0 to 3 percent slopes (SSSD)	PohA	Pompton sandy loam, 0 to 3 percent slopes
PtB	Pompton sandy loam, 3 to 8 percent slopes (SSSD)	PohB	Pompton sandy loam, 3 to 8 percent slopes
PvA	Preakness sandy loam, 0 to 4 percent slopes (SSSD)	PrkAt	Preakness sandy loam, 0 to 3 percent slopes, frequently flooded
PrsdA	Preakness variant sandy loam, 0 to 3 percent slopes	PrsdAt	Preakness dark surface variant sandy loam, 0 to 3 percent slopes, frequently flooded
Pw	Preakness sandy loam, dark surface variant (SSSD)	PrsdAt	Preakness dark surface variant sandy loam, 0 to 3 percent slopes, frequently flooded
QU	Quarry (SSSD)	QY	Quarry
ReB	Reaville shaly silt loam, deep variant, 0 to 5 percent slopes (SSSD)	RerB7	Reaville deep variant channery silt loam, 0 to 6 percent slopes
RgA	Ridgebury very stony loam, 0 to 3 percent slopes (SSSD)	RkgBb	Ridgebury loam, 0 to 8 percent slopes, very stony
RlB	Ridgebury extremely stony loam, 3 to 10 percent slopes (SSSD)	RkgBc	Ridgebury loam, 0 to 8 percent slopes, extremely stony
RmA	Riverhead gravelly sandy loam, 0 to 3 percent slopes (SSSD)	RksA	Riverhead gravelly sandy loam, 0 to 3 percent slopes
RmB	Riverhead gravelly sandy loam, 3 to 8 percent slopes (SSSD)	RksB	Riverhead gravelly sandy loam, 3 to 8 percent slopes
RmC	Riverhead gravelly sandy loam, 8 to 15 percent slopes (SSSD)	RksC	Riverhead gravelly sandy loam, 8 to 15 percent slopes
RnB	Riverhead gravelly sandy loam, neutral variant, 2 to 8 percent slopes (SSSD)	RksnB	Riverhead variant gravelly sandy loam, 3 to 8 percent slopes
RNC	Rock outcrop (SSURGO1)	RNAAC	Rock outcrop
Rt	Rock outcrop (SSSD)	RNAAC	Rock outcrop
RvF	Rock outcrop-Rockaway complex, steep (SSSD)	RNRE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes
RpC	Rockaway very stony sandy loam, 3 to 15 percent slopes (SSSD)	RobCb	Rockaway sandy loam, 8 to 15 percent slopes, very stony
RrD	Rockaway extremely stony sandy loam, 15 to 25 percent slopes (SSSD)	RobDc	Rockaway sandy loam, 15 to 25 percent slopes, extremely stony
RoB	Rockaway gravelly sandy loam, 3 to 8 percent slopes (SSSD)	RocB	Rockaway gravelly sandy loam, 3 to 8 percent slopes
RoC	Rockaway gravelly sandy loam, 8 to 15 percent slopes (SSSD)	RocC	Rockaway gravelly sandy loam, 8 to 15 percent slopes
RpC	Rockaway very stony sandy loam, 3 to 15 percent slopes (SSSD)	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
RrD	Rockaway extremely stony sandy loam, 15 to 25 percent slopes (SSSD)	RoefDc	Rockaway loam, thin fragipan, 15 to 35 percent slopes, extremely stony
RsD	Rockaway-Rock outcrop complex, 15 to 25 percent slopes (SSSD)	RokD	Rockaway-Chatfield-Rock outcrop complex, 35 to 60 percent slopes
RvF	Rock outcrop-Rockaway complex, steep (SSSD)	RokD	Rockaway-Chatfield-Rock outcrop complex, 35 to 60 percent slopes
RsC	Rockaway-Rock outcrop complex, 3 to 15 percent slopes (SSSD)	RomC	Rockaway-Rock outcrop complex, 8 to 15 percent slopes
RsD	Rockaway-Rock outcrop complex, 15 to 25 percent slopes (SSSD)	RomD	Rockaway-Rock outcrop complex, 15 to 25 percent slopes
RsE	Rockaway-Rock outcrop complex, 25 to 45 percent slopes (SSSD)	RomE	Rockaway-Rock outcrop complex, 25 to 45 percent slopes
RpC	Rockaway very stony sandy loam, 3 to 15 percent slopes (SSSD)	Rooc	Rockaway-Urban land complex, thin fragipans, 0 to 15 percent slopes
RrD	Rockaway extremely stony sandy loam, 15 to 25 percent slopes (SSSD)	RoOD	Rockaway-Urban land complex, thin fragipans, 0 to 25 percent slopes
TuA	Turbotville loam, 0 to 3 percent slopes (SSSD)	TurA	Turbotville loam, 0 to 3 percent slopes
TuB	Turbotville loam, 3 to 8 percent slopes (SSSD)	TurB	Turbotville loam, 3 to 8 percent slopes
Ae	Alluvial land (SSSD)	UccAs	Udifluvents, 0 to 3 percent slopes, occasionally flooded
FN	Fluvaquents and udifluvents (SSURGO1)	UccAs	Udifluvents, 0 to 3 percent slopes, occasionally flooded
Ma	Made land, sanitary land fill (SSSD)	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
Udz	Udorthents, refuse substratum (SSURGO1)	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
Ua	Urban land (SSSD)	UR	Urban land
Ub	Urban land, wet (SSSD)	URWETB	Urban land, wet substratum, 0 to 8 percent slopes (SSURGO!)
USG	Urban land, wet substratum (SSURGO1)	URWETB	Urban land, wet substratum, 0 to 8 percent slopes (SSURGO!)
Ue	Urban land-Edneyville complex (SSSD)	USGKAC	Urban land-Gladstone complex, 8 to 15 percent slopes
UREDC	Urban land-Edneyville complex, 8 to 15 percent slopes (SSURGO1)	USGKAC	Urban land-Gladstone complex, 8 to 15 percent slopes
Uh	Urban land-Haledon complex (SSSD)	USHALB	Urban land-Haledon complex, 3 to 8 percent slopes
URHAB	Urban land-Haledon complex, 3 to 8 percent slopes (SSURGO1)	USHALB	Urban land-Haledon complex, 3 to 8 percent slopes

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Uk	Urban land-Neshaminy complex (SSSD)	USNESB	Urban land-Neshaminy complex, 0 to 8 percent slopes
URNEB	Urban land-Neshaminy complex, 0 to 8 percent slopes (SSURGO1)	USNESB	Urban land-Neshaminy complex, 0 to 8 percent slopes
Um	Urban land-Penn complex (SSSD)	USPENB	Urban land-Penn complex, 0 to 8 percent slopes
URPEB	Urban land-Penn complex, 0 to 8 percent slopes (SSURGO1)	USPENB	Urban land-Penn complex, 0 to 8 percent slopes
Un	Urban land-Preakness complex (SSSD)	USPREB	Urban land-Preakness complex, 0 to 8 percent slopes
URPR	Urban land-Preakness complex (SSURGO1)	USPREB	Urban land-Preakness complex, 0 to 8 percent slopes
Up	Urban land-Riverhead complex (SSSD)	USRHVB	Urban land-Riverhead complex, 3 to 8 percent slopes
URRHB	Urban land-Riverhead complex, 3 to 8 percent slopes (SSURGO1)	USRHVB	Urban land-Riverhead complex, 3 to 8 percent slopes
UrC	Urban land-Rockaway complex, gently sloping and sloping (SSSD)	USROCC	Urban land-Rockaway complex, 3 to 15 percent slopes
URROC	Urban land-Rockaway complex, 3 to 15 percent slopes (SSURGO1)	USROCC	Urban land-Rockaway complex, 3 to 15 percent slopes
UrD	Urban land-Rockaway complex, moderately steep (SSSD)	USROCD	Urban land-Rockaway complex, 15 to 25 percent slopes
URROD	Urban land-Rockaway complex, 15 to 25 percent slopes (SSURGO1)	USROCD	Urban land-Rockaway complex, 15 to 25 percent slopes
URWH	Urban land-Whippany complex (SSURGO1)	USWHHB	Urban land-Whippany, occasionally flooded complex, 0 to 8 percent slopes
Uw	Urban land-Whippany complex (SSSD)	USWHHB	Urban land-Whippany, occasionally flooded complex, 0 to 8 percent slopes
WaB	Washington loam, 0 to 8 percent slopes (SSSD)	WadB	Washington loam, 3 to 8 percent slopes
WaB	Washington loam, 0 to 8 percent slopes (SSSD)	WadC2	Washington loam, 8 to 15 percent slopes, eroded
W	Water (less than 40 acres) (SSSD)	WATER	Water
Water	Water (greater than 40 acres)	WATER	Water
WhA	Whippany silt loam, 0 to 3 percent slopes (SSSD)	WhpA	Whippany silt loam, 0 to 3 percent slopes
WhB	Whippany silt loam, 3 to 8 percent slopes (SSSD)	WhpB	Whippany silt loam, 3 to 8 percent slopes
WlA	Whippany silt loam, sandy loam substratum, 0 to 3 percent slopes (SSSD)	WhpHA	Whippany silt loam, sandy loam substratum, 0 to 3 percent slopes

Soil Correlation Amendment
of
Morris County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
WlB	Whippany silt loam, sandy loam substratum, 3 to 8 percent slopes (SSSD)	WhphB	Whippany silt loam, sandy loam substratum, 3 to 8 percent slopes
Whvb	Whitman loam, very stony	WhvAb	Whitman loam, 0 to 3 percent slopes, very stony
Wm	Whitman very stony loam (SSSD)	WhvAb	Whitman loam, 0 to 3 percent slopes, very stony
Mu	Muck, shallow over loam (SSSD)	WkkAt	Willette muck, 0 to 2 percent slopes, frequently flooded
Wkk	Willette muck (SSURGO1)	WkkAt	Willette muck, 0 to 2 percent slopes, frequently flooded