

Soil Correlation Amendment
of
Ocean County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
AdA	Adelphia fine sandy loam, 0 to 3 percent slopes (SSSD)	AdmA	Adelphia fine sandy loam, 0 to 2 percent slopes
AdnB	Adelphia loam, 2 to 5 percent slopes	AdnB	Adelphia loam, 2 to 5 percent slopes
Aptv	Appoquinimink-Transquaking-Misspillion complex, very frequently flooded (SSURGO1)	AptAv	Appoquinimink-Transquaking-Misspillion complex, 0 to 1 percent slopes, very frequently flooded
SS	Sulfaquents and Sulfihemists, frequently flooded (SSSD)	AptAv	Appoquinimink-Transquaking-Misspillion complex, 0 to 1 percent slopes, very frequently flooded
SUBT	Sulfaquents and Sulfihemists, frequently flooded (SSURGO1)	AptAv	Appoquinimink-Transquaking-Misspillion complex, 0 to 1 percent slopes, very frequently flooded
At	Atsion sand (SSSD)	AtsA	Atsion sand, 0 to 2 percent slopes
Ats	Atsion sand (SSURGO1)	AtsA	Atsion sand, 0 to 2 percent slopes
Atst	Atsion sand, tide flooded (SSURGO1)	AtsAt	Atsion sand, tide flooded, 0 to 2 percent slopes
Aw	Atsion sand, tide flooded (SSSD)	AtsAt	Atsion sand, tide flooded, 0 to 2 percent slopes
Atsh	Atsion sand, loamy substratum (SSURGO1)	AtshA	Atsion sand, loamy substratum, 0 to 2 percent slopes
AxB	Aura sandy loam, 2 to 5 percent slopes (SSSD)	AugB	Aura sandy loam, 2 to 5 percent slopes
Be	Berryland sand (SSSD)	BerAr	Berryland sand, 0 to 2 percent slopes, rarely flooded
Ber	Berryland sand (SSURGO1)	BerAr	Berryland sand, 0 to 2 percent slopes, rarely flooded
Bert	Berryland sand, frequently flooded (SSURGO1)	BerAt	Berryland sand, 0 to 2 percent slopes, frequently flooded
BF	Berryland sand, frequently flooded (SSSD)	BerAt	Berryland sand, 0 to 2 percent slopes, frequently flooded
Bes	Berryland mucky sand (SSURGO1)	BesAs	Berryland mucky sand, 0 to 2 percent slopes, occasionally flooded
Coes	Colemantown loam, occasionally flooded (SSURGO1)	CoeAs	Colemantown loam, 0 to 2 percent slopes, occasionally flooded
CokB	Collington sandy loam, 2 to 5 percent slopes	CokB	Collington sandy loam, 2 to 5 percent slopes
CokC2	Collington sandy loam, 5 to 10 percent slopes	CokC2	Collington sandy loam, 5 to 10 percent slopes
CoA	Collington fine sandy loam, 0 to 2 percent slopes (SSSD)	ComA	Collington fine sandy loam, 0 to 2 percent slopes

Soil Correlation Amendment
of
Ocean County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
CoB	Collington fine sandy loam, 2 to 5 percent slopes (SSSD)	ComB	Collington fine sandy loam, 2 to 5 percent slopes
CoC	Collington fine sandy loam, 5 to 10 percent slopes (SSSD)	ComC	Collington fine sandy loam, 5 to 10 percent slopes
ConA	Collington loam, 0 to 2 percent slopes	ConA	Collington loam, 0 to 2 percent slopes
DoA	Downer loamy sand, 0 to 5 percent slopes (SSSD)	DocB	Downer loamy sand, 0 to 5 percent slopes
DpA	Downer sandy loam, 0 to 2 percent slopes (SSSD)	DoeA	Downer sandy loam, 0 to 2 percent slopes
DpB	Downer sandy loam, 2 to 5 percent slopes (SSSD)	DoeB	Downer sandy loam, 2 to 5 percent slopes
DrB	Downer gravelly sandy loam, gravelly substratum, 2 to 5 percent slopes (SSSD)	DofgB	Downer gravelly sandy loam, gravelly substratum, 2 to 5 percent slopes
EvB	Evesboro sand, 0 to 5 percent slopes (SSSD)	EveB	Evesboro sand, 0 to 5 percent slopes
EvC	Evesboro sand, 5 to 10 percent slopes (SSSD)	EveC	Evesboro sand, 5 to 10 percent slopes
EvD	Evesboro sand, 10 to 15 percent slopes (SSSD)	EveD	Evesboro sand, 10 to 15 percent slopes
KlA	Klej loamy sand, 0 to 3 percent slopes (SSSD)	GamB	Galloway loamy sand, 0 to 5 percent slopes
HaA	Hammonton loamy sand, 0 to 5 percent slopes (SSSD)	HbmB	Hammonton loamy sand, 0 to 5 percent slopes
HbmkB	Hammonton loamy sand, clayey substratum, 0 to 5 percent slopes	HbmkB	Hammonton loamy sand, clayey substratum, 0 to 5 percent slopes
HcA	Hammonton sandy loam, 0 to 3 percent slopes (SSSD)	HboA	Hammonton sandy loam, 0 to 2 percent slopes
FrzC	Fripp fine sand, 2 to 10 percent slopes (SSURGO1)	HorsC	Hooksan fine sand, 2 to 10 percent slopes
FtB	Fripp fine sand, 2 to 10 percent slopes (SSSD)	HorsC	Hooksan fine sand, 2 to 10 percent slopes
HU	Humaquepts, frequently flooded (SSSD)	HumAt	Humaquepts, 0 to 3 percent slopes, frequently flooded
Humt	Humaquepts, frequently flooded (SSURGO1)	HumAt	Humaquepts, 0 to 3 percent slopes, frequently flooded
KeA	Keyport sandy loam, 0 to 4 percent slopes (SSSD)	KemA	Keyport sandy loam, 0 to 2 percent slopes
KrbA	Kresson loamy sand, 0 to 5 percent slopes	KrbA	Kresson loamy sand, 0 to 5 percent slopes
KrA	Kresson fine sandy loam, 0 to 3 percent slopes (SSSD)	KreA	Kresson fine sandy loam, 0 to 2 percent slopes

Soil Correlation Amendment
of
Ocean County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
KrhB	Kresson loam, 2 to 5 percent slopes	KrhB	Kresson loam, 2 to 5 percent slopes
LhA	Lakehurst sand, 0 to 3 percent slopes (SSSD)	LakB	Lakehurst sand, 0 to 5 percent slopes
LakfB	Lakehurst sand, thick surface, 0 to 5 percent slopes	LakfB	Lakehurst sand, thick surface, 0 to 5 percent slopes
LakhB	Lakehurst sand, loamy substratum, 0 to 5 percent slopes	LakhB	Lakehurst sand, loamy substratum, 0 to 5 percent slopes
LmA	Lakehurst sand, clayey substratum, 0 to 3 percent slopes (SSSD)	LakkB	Lakehurst sand, clayey substratum, 0 to 5 percent slopes
LwB	Lakewood sand, 0 to 5 percent slopes (SSSD)	LasB	Lakewood sand, 0 to 5 percent slopes
LwC	Lakewood sand, 5 to 10 percent slopes (SSSD)	LasC	Lakewood sand, 5 to 10 percent slopes
LasfB	Lakewood sand, thick surface, 0 to 5 percent slopes	LasfB	Lakewood sand, thick surface, 0 to 5 percent slopes
LashB	Lakewood sand, loamy substratum, 0 to 5 percent slopes	LashB	Lakewood sand, loamy substratum, 0 to 5 percent slopes
Ma	Manahawkin muck (SSSD)	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
Makt	Manahawkin muck, frequently flooded (SSURGO1)	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
Mu	Mullica sandy loam (SSSD)	MumA	Mullica sandy loam, 0 to 2 percent slopes
Mum	Mullica sandy loam (SSURGO1)	MumA	Mullica sandy loam, 0 to 2 percent slopes
Mr	Mullica fine sandy loam, loamy substratum (SSSD)	MunhA	Mullica fine sandy loam, loamy substratum, 0 to 2 percent slopes
Munh	Mullica fine sandy loam, loamy substratum (SSURGO1)	MunhA	Mullica fine sandy loam, loamy substratum, 0 to 2 percent slopes
PeA	Pemberton sand, 0 to 5 percent slopes (SSSD)	PefB	Pemberton sand, 0 to 5 percent slopes
PegB	Pemberton loamy sand, 0 to 5 percent slopes	PegB	Pemberton loamy sand, 0 to 5 percent slopes
PhB	Phalanx loamy sand, 2 to 5 percent slopes (SSSD)	PhbB	Phalanx loamy sand, 2 to 5 percent slopes
PhC	Phalanx loamy sand, 5 to 10 percent slopes (SSSD)	PhbC	Phalanx loamy sand, 5 to 10 percent slopes
Pm	Pits, sand and gravel (SSSD)	PHG	Pits, sand and gravel
PN	Psamments, nearly level (SSURGO1)	PssA	Psamments, 0 to 3 percent slopes
Ps	Psamments, nearly level (SSSD)	PssA	Psamments, 0 to 3 percent slopes

Soil Correlation Amendment
of
Ocean County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
PO	Psammets, sulfidic substratum (SSSD)	PstAt	Psammets, sulfidic substratum, 0 to 3 percent slopes, frequently flooded
Ptt	Psammets, sulfidic substratum (SSURGO1)	PstAt	Psammets, sulfidic substratum, 0 to 3 percent slopes, frequently flooded
Pu	Psammets, waste substratum (SSURGO1)	PsuB	Psammets, waste substratum, 0 to 8 percent slopes
PW	Psammets, waste substratum (SSSD)	PsuB	Psammets, waste substratum, 0 to 8 percent slopes
SaB	Sassafras sandy loam, 2 to 5 percent slopes (SSSD)	SacB	Sassafras sandy loam, 2 to 5 percent slopes
Shr	Shrewsbury sandy loam (SSURGO1)	ShrA	Shrewsbury sandy loam, 0 to 2 percent slopes
Sh	Shrewsbury fine sandy loam (SSSD)	ShsA	Shrewsbury fine sandy loam, 0 to 2 percent slopes
Shs	Shrewsbury fine sandy loam (SSURGO1)	ShsA	Shrewsbury fine sandy loam, 0 to 2 percent slopes
TnB	Tinton sand, 0 to 5 percent slopes (SSSD)	ThfB	Tinton sand, 0 to 5 percent slopes
ThgB	Tinton loamy sand, 0 to 5 percent slopes	ThgB	Tinton loamy sand, 0 to 5 percent slopes
Udz	Udorthents, refuse substratum (SSURGO1)	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
UL	Urban land (SSSD)	UR	Urban land
URFRB	Urban land-Fripp complex, 0 to 5 percent slopes (SSURGO1)	USHOOB	Urban land-Hooksan complex, 2 to 10 percent slopes
USFRKB	Urban land-Fripp complex, 2 to 10 percent slopes (SSURGO1)	USHOOB	Urban land-Hooksan complex, 2 to 10 percent slopes
W	water (less than 40 acres) (SSSD)	WATER	Water
Water	Water (greater than 40 acres) (SSSD)	WATER	Water
WoB	Woodmansie sand, 0 to 5 percent slopes (SSSD)	WobB	Woodmansie sand, 0 to 5 percent slopes
WoC	Woodmansie sand, 5 to 10 percent slopes (SSD)	WobC	Woodmansie sand, 5 to 10 percent slopes
WobhB	Woodmansie sand, loamy substratum, 0 to 5 percent slopes	WobhB	Woodmansie sand, loamy substratum, 0 to 5 percent slopes
WobmB	Woodmansie sand, firm substratum, 0 to 5 percent slopes	WobmB	Woodmansie sand, firm substratum, 0 to 5 percent slopes