

Soil Correlation Amendment
of
Passaic County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Adr	Adrian muck (SSURGO1)	AdrAt	Adrian muck, 0 to 2 percent slopes, frequently flooded
Ms	Muck, shallow (SSSD)	AdrAt	Adrian muck, 0 to 2 percent slopes, frequently flooded
RbA	Ridgebury extremely stony loam, 0 to 3 percent slopes	AhbA	Alden silt loam, 0 to 3 percent slopes
RbB	Ridgebury extremely stony loam, 3 to 8 percent slopes	AhcBc	Alden mucky silt loam, gneiss till substratum, 0 to 8 percent slopes, extremely stony
BrB	Boonton stony silt loam, 3 to 8 percent slopes (SSSD)	BogBc	Boonton loam, 0 to 8 percent slopes, extremely stony
BogC	Boonton loam, 8 to 15 percent slopes	BogC	Boonton loam, 8 to 15 percent slopes
BohBb*	Boonton gravelly loam, 0 to 8 percent slopes, very stony (SSURGO1)	BohBb	Boonton moderately well drained gravelly loam, 0 to 8 percent slopes, very stony
BohC*	Boonton gravelly loam, 8 to 15 percent slopes (SSURGO1)	BohC	Boonton moderately well drained gravelly loam, 8 to 15 percent slopes
BohCb*	Boonton gravelly loam, 8 to 15 percent slopes, very stony (SSURGO1)	BohCb	Boonton moderately well drained gravelly loam, 8 to 15 percent slopes, very stony
BohDb*	Boonton gravelly loam, 15 to 25 percent slopes, very stony (SSURGO1)	BohDb	Boonton moderately well drained gravelly loam, 15 to 25 percent slopes, very stony
BrB	Boonton stony silt loam, 3 to 8 percent slopes (SSSD)	BonBa	Boonton silt loam, 3 to 8 percent slopes, stony
BrC	Boonton stony silt loam, 8 to 15 percent slopes (SSSD)	BonCa	Boonton silt loam, 8 to 15 percent slopes, stony
BsD	Boonton very stony silt loam, 15 to 30 percent slopes (SSSD)	BonDb	Boonton silt loam, 15 to 35 percent slopes, very stony
BsD	Boonton very stony silt loam, 15 to 30 percent slopes (SSSD)	BooCc	Boonton silt loam, red sandstone lowland, 8 to 15 percent slopes, extremely stony
BorC*	Boonton-Rock outcrop complex, 8 to 15 percent slopes (SSURGO1)	BorC	Boonton moderately well drained-Rock outcrop complex, 8 to 15 percent slopes
BorE*	Boonton-Rock outcrop complex, 25 to 45 percent slopes (SSURGO1)	BorE	Boonton moderately well drained-Rock outcrop complex, 25 to 45 percent slopes
BouB	Boonton-Urban land complex, 0 to 8 percent slopes	BouB	Boonton-Urban land complex, 0 to 8 percent slopes
BouC	Boonton-Urban land complex, 8 to 15 percent slopes	BouC	Boonton-Urban land complex, 8 to 15 percent slopes
BtA	Braceville gravelly silt loam, 0 to 5 percent slopes (SSSD)	BrsA	Braceville gravelly silt loam, 0 to 3 percent slopes (SSURGO1)
Ca	Carlisle muck (SSSD)	CarAt	Carlisle muck, 0 to 2 percent slopes, frequently flooded

Soil Correlation Amendment
of
Passaic County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Car	Carlisle muck (SSURGO1)	CarAt	Carlisle muck, 0 to 2 percent slopes, frequently flooded
Ca	Carlisle muck (SSSD)	CatbA	Catden mucky peat, 0 to 2 percent slopes
RsC	Rockaway-Rock outcrop complex, 3 to 15 percent slopes	ChhC	Charlton-rock outcrop complex, 3 to 15 percent slopes
RxE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes	ChhD	Charlton-rock outcrop complex, 15 to 35 percent slopes
RrC	Rockaway extremely stony sandy loam, 3 to 15 percent slopes	ChkC	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes
RsC	Rockaway-Rock outcrop complex, 3 to 15 percent slopes	ChkC	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes
RxE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
CkB	Chenango silt loam, 3 to 8 percent slopes	ChrB	Chenango silt loam, 3 to 8 percent slopes
CkC	Chenango silt loam, 8 to 15 percent slopes	ChrC	Chenango silt loam, 8 to 15 percent slopes
DuuB	Dunellen-Urban land complex, 3 to 8 percent slopes	DuuB	Dunellen-Urban land complex, 3 to 8 percent slopes
Pk	Parsippany silt loam, sandy loam substratum	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded
Px	Preakness silt loam	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded
Ae	Alluvial land (SSSD)	FNAT	Fluvaquents and udifluvents, 0 to 3 percent slopes, frequently flooded
FN	Fluvaquents and udifluvents	FNAT	Fluvaquents and udifluvents, 0 to 3 percent slopes, frequently flooded
HcB	Haledon very stony loam, 3 to 8 percent slopes (SSSD)	HakBb	Haledon loam, 0 to 8 percent slopes, very stony
HcC	Haledon very stony loam, 8 to 15 percent slopes (SSSD)	HakCb	Haledon loam, 8 to 15 percent slopes, very stony
HamBb	Haledon gravelly loam, 0 to 8 percent slopes, very stony	HamBb	Haledon gravelly loam, 0 to 8 percent slopes, very stony
HanB	Haledon silt loam, 3 to 8 percent slopes	HanB	Haledon silt loam, 3 to 8 percent slopes
HasB	Haledon-Urban land complex, 3 to 8 percent slopes	HasB	Haledon-Urban land complex, 3 to 8 percent slopes
HcsAb	Hasbrouck loam, 0 to 3 percent slopes, very stony	HcsAb	Hasbrouck loam, 0 to 3 percent slopes, very stony
HdA	Haledon very stony silt loam, wet variant, 0 to 3 percent slopes (SSSD)	HctBb	Hasbrouck silt loam, 0 to 8 percent slopes, very stony

Soil Correlation Amendment
of
Passaic County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
HdB	Haledon very stony silt loam, wet variant, 3 to 8 percent slopes (SSSD)	HctBb	Hasbrouck silt loam, 0 to 8 percent slopes, very stony
HhmBb	Hibernia loam, 0 to 8 percent slopes, very stony	HhmBb	Hibernia loam, 0 to 8 percent slopes, very stony
HhmBc	Hibernia loam, 0 to 8 percent slopes, extremely stony	HhmBc	Hibernia loam, 0 to 8 percent slopes, extremely stony
HpC	Hibernia extremely stony loam, 3 to 15 percent slopes (SSSD)	HhmCc	Hibernia loam, 0 to 15 percent slopes, extremely stony
RsC	Rockaway-Rock outcrop complex, 3 to 15 percent slopes	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
RxE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
HrC	Holyoke-rock outcrop complex, 3 to 15 percent slopes (SSSD)	HomC	Holyoke-rock outcrop complex, 3 to 15 percent slopes
NkC	Netcong extremely stony loam, 3 to 15 percent slopes	NetCc	Netcong loam, 0 to 15 percent slopes, extremely stony
NkD	Netcong extremely stony loam, 15 to 25 percent slopes	NetDc	Netcong loam, 15 to 25 percent slopes, extremely stony
NpA	Norwich extremely stony silt loam, 0 to 3 percent slopes	NowBc	Norwich silt loam, 0 to 8 percent slopes, extremely stony
NpB	Norwich extremely stony silt loam, 3 to 8 percent slopes	NowBc	Norwich silt loam, 0 to 8 percent slopes, extremely stony
OrC	Otisville sandy loam, 3 to 15 percent slopes	OttC	Otisville sandy loam, 3 to 15 percent slopes
OsD	Otisville gravelly sandy loam, 15 to 30 percent slopes	OtuE	Otisville gravelly sandy loam, 15 to 35 percent slopes
Pbph	Parsippany silt loam, sandy loam substratum	PbphAt	Parsippany silt loam, sandy loam substratum, 0 to 3 percent slopes, frequently flooded
Pk	Parsippany silt loam, sandy loam substratum	PbphAt	Parsippany silt loam, sandy loam substratum, 0 to 3 percent slopes, frequently flooded
RrC	Rockaway extremely stony sandy loam, 3 to 15 percent slopes	PdvCb	Paxton gravelly fine sandy loam, 2 to 15 percent slopes, very stony
RsC	Rockaway-Rock outcrop complex, 3 to 15 percent slopes	PdvCb	Paxton gravelly fine sandy loam, 2 to 15 percent slopes, very stony
RrD	Rockaway extremely stony sandy loam, 15 to 25 percent slopes	PdvEb	Paxton gravelly fine sandy loam, 15 to 35 percent slopes, very stony
Pt	Pits, sand and gravel	PHG	Pits, sand and gravel
PvA	Pompton fine sandy loam, 0 to 5 percent slopes	PokA	Pompton fine sandy loam, 0 to 3 percent slopes

Soil Correlation Amendment
of
Passaic County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
PrnA	Preakness silt loam	PrnAt	Preakness silt loam, 0 to 3 percent slopes, frequently flooded
Px	Preakness silt loam	PrnAt	Preakness silt loam, 0 to 3 percent slopes, frequently flooded
QU	Quarries	QY	Quarry
RbA	Ridgebury extremely stony loam, 0 to 3 percent slopes	RkgBc	Ridgebury loam, 0 to 8 percent slopes, extremely stony
RbB	Ridgebury extremely stony loam, 3 to 8 percent slopes	RkgBc	Ridgebury loam, 0 to 8 percent slopes, extremely stony
RhB	Riverhead sandy loam, 3 to 8 percent slopes	RkrB	Riverhead sandy loam, 3 to 8 percent slopes
RhC	Riverhead sandy loam, 8 to 15 percent slopes	RkrC	Riverhead sandy loam, 8 to 15 percent slopes
RwE	Rock outcrop-Holyoke complex, 15 to 35 percent slopes	RNHE	Rock outcrop-Holyoke complex, 15 to 45 percent slopes
RxE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes	RNRE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes
RyE	Rock outcrop-Swartswood complex, 15 to 45 percent slopes	RNTE	Rock outcrop-Swartswood complex, 15 to 45 percent slopes
RmB	Rockaway very stony sandy loam, 3 to 8 percent slopes	RobBb	Rockaway sandy loam, 0 to 8 percent slopes, very stony
RmC	Rockaway very stony sandy loam, 8 to 15 percent slopes	RobCb	Rockaway sandy loam, 8 to 15 percent slopes, very stony
RrC	Rockaway extremely stony sandy loam, 3 to 15 percent slopes	RobCc	Rockaway sandy loam, 8 to 15 percent slopes, extremely stony
RrD	Rockaway extremely stony sandy loam, 15 to 25 percent slopes	RobDc	Rockaway sandy loam, 15 to 25 percent slopes, extremely stony
RmB	Rockaway very stony sandy loam, 3 to 8 percent slopes	RoefBc	Rockaway loam, thin fragipan, 0 to 8 percent slopes, extremely stony
RrC	Rockaway extremely stony sandy loam, 3 to 15 percent slopes	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
RrD	Rockaway extremely stony sandy loam, 15 to 25 percent slopes	RoefDc	Rockaway loam, thin fragipan, 15 to 35 percent slopes, extremely stony
RofCb	Rockaway gravelly loam, 8 to 15 percent slopes, very stony	RofCb	Rockaway gravelly loam, 8 to 15 percent slopes, very stony
RofDb	Rockaway gravelly loam, 15 to 25 percent slopes, very stony	RofDb	Rockaway gravelly loam, 15 to 25 percent slopes, very stony
RofEb	Rockaway gravelly loam, 25 to 35 percent slopes, very stony	RofEb	Rockaway gravelly loam, 25 to 35 percent slopes, very stony
RsC	Rockaway-Rock outcrop complex, 3 to 15 percent slopes	RokC	Rockaway-Chatfield-Rock outcrop complex, 8 to 15 percent slopes

Soil Correlation Amendment
of
Passaic County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
RxE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes	RokD	Rockaway-Chatfield-Rock outcrop complex, 15 to 35 percent slopes
RsC	Rockaway-Rock outcrop complex, 3 to 15 percent slopes	RomC	Rockaway-Rock outcrop complex, 8 to 15 percent slopes
RomD	Rockaway-Rock outcrop complex, 15 to 25 percent slopes	RomD	Rockaway-Rock outcrop complex, 15 to 25 percent slopes
RomE	Rockaway-Rock outcrop complex, 25 to 45 percent slopes	RomE	Rockaway-Rock outcrop complex, 25 to 45 percent slopes
SdB	Swartswood very stony fine sandy loam, 3 to 8 percent slopes	SweBb	Swartswood fine sandy loam, 0 to 8 percent slopes, very stony
SeB	Swartswood extremely stony fine sandy loam, 3 to 8 percent slopes	SweBc	Swartswood fine sandy loam, 0 to 8 percent slopes, extremely stony
SdC	Swartswood very stony fine sandy loam, 8 to 15 percent slopes	SweCb	Swartswood fine sandy loam, 8 to 15 percent slopes, very stony
SeC	Swartswood extremely stony fine sandy loam, 8 to 15 percent slopes	SweCc	Swartswood fine sandy loam, 8 to 15 percent slopes, extremely stony
SeD	Swartswood extremely stony fine sandy loam, 15 to 25 percent slopes	SweDc	Swartswood fine sandy loam, 15 to 25 percent slopes, extremely stony
SrC	Swartswood-Rock outcrop complex, 3 to 15 percent slopes	SwhC	Swartswood-Rock outcrop complex, 3 to 15 percent slopes
Ma	Made land, sanitary land fill (SSSD)	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
Udz	Udorthents, refuse substratum	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
Udb	Udorthents, wet substratum	UdwB	Udorthents, wet substratum, 0 to 8 percent slopes
Udbu	Udorthents, wet substratum-Urban land complex	UdwuB	Udorthents, wet substratum-Urban land complex, 0 to 8 percent slopes
UR	Urban land	UR	Urban land
UrB	Urban land-Riverhead complex, gently sloping	URDUNB	Urban land, dunellen substratum, 0 to 8 percent slopes
UbB	Urban land-Boonton complex, gently sloping	USBONB	Urban land-Boonton complex, 0 to 8 percent slopes
URBOB	Urban land-Boonton complex, 0 to 8 percent slopes	USBONB	Urban land-Boonton complex, 0 to 8 percent slopes
UbC	Urban land-Boonton complex, sloping	USBONC	Urban land-Boonton complex, 8 to 15 percent slopes
URBOC	Urban land-Boonton complex, 8 to 15 percent slopes	USBONC	Urban land-Boonton complex, 8 to 15 percent slopes
UbB	Urban land-Boonton complex, gently sloping	USBOOB	Urban land-Boonton complex, red sandstone lowland, 0 to 8 percent slopes

Soil Correlation Amendment
of
Passaic County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
UbC	Urban land-Boonton complex, sloping	USBOOC	Urban land-Boonton complex, red sandstone lowland, 8 to 15 percent slopes
UrB	Urban land-Riverhead complex, gently sloping	USDUNB	Urban land-Dunellen complex, 0 to 8 percent slopes
UrB	Urban land-Riverhead complex, gently sloping	USKNKB	Urban land-Knickerbocker complex, 0 to 8 percent slopes
UrB	Urban land-Riverhead complex, gently sloping	USRHVB	Urban land-Riverhead complex, 3 to 8 percent slopes
URRHb	Urban land-Riverhead complex, 3 to 8 percent slopes	USRHVB	Urban land-Riverhead complex, 3 to 8 percent slopes
URROC	Urban land-Rockaway complex, 3 to 15 percent slopes	USROCC	Urban land-Rockaway complex, 3 to 15 percent slopes
Ux	Urban land-Rockaway complex	USROCC	Urban land-Rockaway complex, 3 to 15 percent slopes
W	Water (less than 40 acres)	WATER	Water
Water	Water (greater than 40 acres)	WATER	Water
W1A	Whippany silt loam, sandy loam substratum, 0 to 5 percent slopes	WhphA	Whippany silt loam, sandy loam substratum, 0 to 3 percent slopes
WvB	Wurtsboro extremely stony silt loam, 3 to 8 percent slopes	WuoBc	Wurtsboro silt loam, 0 to 8 percent slopes, extremely stony
WvC	Wurtsboro extremely stony silt loam, 8 to 15 percent slopes	WuoCc	Wurtsboro silt loam, 8 to 15 percent slopes, extremely stony