




United States
Department of
Agriculture

Natural
Resources
Conservation
Service

Arizona

Basin Outlook Report

March 1, 2022



Issued by

Terry Cosby
Chief
Natural Resources Conservation Service
U.S. Department of Agriculture

Released by

Keisha L. Tatem
State Conservationist
Natural Resources Conservation Service
Phoenix, Arizona

Basin Outlook Reports And Federal – State – Private Cooperative Snow Surveys

How forecasts are made

Most of the annual streamflow in Arizona originates as snowfall that has accumulated in the mountains during the winter and early spring. As the snowpack accumulates, hydrologists estimate the runoff that will occur when it melts. Measurements of snow water equivalent at selected manual snow courses and automated Snow Telemetry (SNOTEL) sites, along with precipitation and streamflow values, are used in statistical and simulation models to prepare runoff forecasts. These forecasts are coordinated between hydrologists in the Natural Resources Conservation Service (NRCS) the National Weather Service, and the Salt River Project.

Forecasts of any kind are not perfect. Streamflow forecast uncertainty arises from three primary sources: (1) uncertainty of future weather conditions, (2) uncertainty in the forecasting procedure, and (3) errors in the data. The forecast, therefore, must be interpreted not as a single value but rather as a range of values with specific probabilities of occurrence. The middle of the range is expressed by the 50% exceedance probability forecast, for which there is a 50% chance that the actual flow will be above, and a 50% chance that the actual flow will be below, this value. To describe the expected range around this 50% value, four other forecasts are provided, two smaller values (90% and 70% exceedance probability) and two larger values (30%, and 10% exceedance probability). For example, there is a 90% chance that the actual flow will be more than the 90% exceedance probability forecast.

The wider the spread among these values, the more uncertain the forecast. As the season progresses, forecasts become more accurate, primarily because a greater portion of the future weather conditions become known. This is reflected by a narrowing of the range around the 50% exceedance probability forecast. Users should take this uncertainty into consideration when making operational decisions by selecting forecasts corresponding to the level of risk they are willing to assume about the amount of water to be expected. If users anticipate receiving a lesser supply of water, or are concerned about having an adequate water supply, they may want to base their decisions on the 90% or 70% exceedance probability forecasts. On the other hand, if users anticipate receiving too much water, or are concerned about the threat of flooding, they may want to base their decisions on the 30% or 10% exceedance probability forecasts. Regardless of the forecast value users choose, they should be prepared to deal with either more or less water.



For more water supply and resource management information, contact:

Travis Kolling
Water Supply Specialist
230 N. First Ave., Suite 509
Phoenix, AZ 85003-1706
Phone: (602) 280-8834
Email: travis.kolling@az.usda.gov

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C., 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.


ARIZONA Basin Outlook Report as of March 1, 2022

SUMMARY

As of March 1, snowpack is at well below median to median levels throughout the major basins of the state. Precipitation for the month of February was well below median in the major river basins. The Salt and Verde River reservoir system stands at 71 percent of capacity, while San Carlos Reservoir is at 4 percent of capacity. The forecast calls for well below median runoff in all major basins for the spring runoff period.

SNOWPACK

Snow water equivalent levels in the state's major river basins are well below median to median, ranging from 57 percent of median in the Gila River Basin to 91 percent of median in the Verde River Basin.




PRECIPITATION

Mountain data from NRCS SNOTEL sites and NWS Cooperator gages show that precipitation for February was well below median in the major river basins. Cumulative precipitation since October 1 is well below median to below median throughout the basins. Please refer to the precipitation graphs found in this report for more information on precipitation levels in the basins.

RESERVOIR STORAGE

As of March 1, the Salt and Verde River reservoir system stands at 71 percent of capacity. San Carlos Reservoir is currently at 4 percent of capacity.




Key storage volumes displayed in thousands of acre-feet (x1000):

<u>Reservoir</u>	<u>Current Storage</u>	<u>Last Year Storage</u>	<u>30-Year Average</u>	<u>Storage Capacity</u>
Salt River System	1530.0	1674.9	1220.0	2025.8
Verde River System	107.9	84.8	142.9	287.4
San Carlos Reservoir	31.4	13.7	165.3	875.0
Lyman Lake	4.8	7.5	8.0	30.0
Lake Havasu	550.6	573.9	569.4	619.0
Lake Mohave	1662.9	1689.0	1670.0	1810.0
Lake Mead	8946.0	10622.0	15462.0	26159.0
Lake Powell	6048.0	9225.6	13114.0	24322.0

STREAMFLOW



As of March 1, the forecast calls for well below median streamflow for the spring runoff period, ranging from 39 percent of median in the Gila River near Solomon to 55 percent of median in the Verde River above Horseshoe Dam. Please refer to the basin forecast tables found in this report for more information regarding water supply forecasts.

Arizona Spring Streamflow Forecasts as of March 1, 2022



SALT RIVER BASIN as of March 1, 2022

Well below median streamflow levels are forecast for the basin. In the Salt River, near Roosevelt, the forecast calls for 40% of median streamflow through May, while at Tonto Creek, the forecast calls for 40% of median streamflow through May. Snow survey measurements show the Salt snowpack to be at 64% of median.



Salt Streamflow Forecasts - March 1, 2022

Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast

Salt	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Salt R nr Roosevelt	MAR			41	48%			86
	MAR-MAY	27	50	72	40%	99	151	179
Tonto Ck ab Gun Ck nr Roosevelt	MAR			5.5	46%			11.9
	MAR-MAY	0.94	3.8	7.5	40%	13	25	18.6

1) 90% And 10% exceedance probabilities are actually 95% And 5%



2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Reservoir Storage End of February, 2022	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
Salt River Reservoir System	1530.0	1674.9	1220.0	2025.8

Basin Index
of reservoirs

VERDE RIVER BASIN as of March 1, 2022

Well below median streamflow levels are forecast for the basin. In the Verde River above Horseshoe Dam, the forecast calls for 55% of median streamflow through May. Snow survey measurements show the Verde snowpack to be at 91% of median.



Verde Streamflow Forecasts - March 1, 2022

Forecast Exceedance Probabilities For Risk Assessment
Chance that actual volume will exceed forecast

Verde	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Verde R bl Tangle Ck ab Horseshoe Dam	MAR			27	50%			54
	MAR-MAY	8.6	26	45	55%	72	130	82

1) 90% And 10% exceedance probabilities are actually 95% And 5%

2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions



Reservoir Storage End of February, 2022	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
Verde River Reservoir System	107.9	84.8	142.9	287.4

Basin Index

of reservoirs

SAN FRANCISCO-UPPER GILA RIVER BASIN as of March 1, 2022

Well below median streamflow levels are forecast for the basin. In the San Francisco River, at Clifton, the forecast calls for 50% of median streamflow levels through May. In the Gila River, near Solomon, the forecast calls for 39% of median streamflow levels through May. At San Carlos Reservoir, inflow to the lake is forecast at 27% of median through May. Snow survey measurements show the snowpack for this basin to be at 57% of median.



San Francisco - Upper Gila Streamflow Forecasts - March 1, 2022

San Francisco - Upper Gila	Forecast Period	Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast						30yr Median (KAF)
		90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	
Gila R nr Solomon	MAR			12	36%			33
	MAR-MAY	1.81	12	24	39%	40	71	62
Gila R bl Blue Ck nr Virden	MAR-MAY	0.71	5.1	10.3	36%	17.4	31	29
Gila R at Gila	MAR-MAY	4.4	7.7	10.8	40%	14.6	22	27
San Carlos Reservoir Inflow	MAR-MAY	0.04	2.7	9.2	27%	22	57	34
San Francisco R at Glenwood	MAR-MAY	0.9	2.6	4.5	42%	7.2	12.7	10.6
San Francisco R at Clifton	MAR-MAY	1.68	7.6	14.1	50%	23	39	28

1) 90% And 10% exceedance probabilities are actually 95% And 5%



2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Reservoir Storage End of February, 2022	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
San Carlos Reservoir	31.1	13.7	165.3	875.0

Basin Index
of reservoirs

LITTLE COLORADO RIVER BASIN as of March 1, 2022

Well below median streamflow levels are forecast for the basin. In the Little Colorado River, above Lyman Lake, the forecast calls for 50% of median streamflow through June. At Blue Ridge (C.C. Cragin) Reservoir, inflow to the lake is forecast at 39% of median through May. Snow survey measurements show the snowpack for this basin to be at 83% of median.



Little Colorado Streamflow Forecasts - March 1, 2022

 Forecast Exceedance Probabilities For Risk Assessment
 Chance that actual volume will exceed forecast

Little Colorado	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Little Colorado R ab Lyman Lake	MAR-JUN	0.76	1.63	2.5	50%	3.6	5.8	5
Blue Ridge Reservoir Inflow	MAR-MAY	0.59	2.1	3.9	39%	6.6	12.3	9.9
Rio Nutria nr Ramah	MAR-MAY	0	0.04	0.18	56%	0.49	1.41	0.32
Zuni R ab Black Rock Reservoir	MAR-MAY	0	0	0.02	50%	0.23	1.43	0.04
Lake Mary Reservoir Inflow	MAR-MAY	0.47	1.12	1.8	72%	2.7	4.5	2.5

1) 90% And 10% exceedance probabilities are actually 95% And 5%



2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Reservoir Storage End of February, 2022	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
Lyman Reservoir	4.8	7.4	8.0	30.0
Cragin Dam Reservoir	6.4	3.0	9.9	0.0
Show Low Lake				5.1

Basin Index
of reservoirs

CHUSKA MOUNTAINS as of March 1, 2022

Above median streamflow levels are forecast for Wheatfields Creek, Captain Tom Wash, and Bowl Canyon Creek. Snow survey measurements conducted by staff of the Navajo Nation Water Management Branch show the Chuska snowpack to be at 110% of median.



Chuska - Defiance Streamflow Forecasts - March 1, 2022

Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast



Chuska - Defiance	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Wheatfields Ck nr Wheatfields	MAR-MAY	0.15	0.52	0.9	108%	1.39	2.3	0.83
Bowl Canyon Ck ab Asaayi Lake	MAR-MAY	0.39	0.67	0.9	110%	1.17	1.63	0.82
Captain Tom Wash nr Two Gray Hills	MAR-MAY	0.14	0.4	0.7	113%	1.12	2	0.62

1) 90% And 10% exceedance probabilities are actually 95% And 5%

2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

VIRGIN RIVER BASIN as of March 1, 2022

Median streamflow levels are forecast for the basin, ranging from 88% of median in the Santa Clara River near Pine Valley, to 92% of median in the Virgin River at Virgin. Snow survey measurements show the snowpack for this basin to be at 103% of median.



Virgin Streamflow Forecasts - March 1, 2022

 Forecast Exceedance Probabilities For Risk Assessment
 Chance that actual volume will exceed forecast

Virgin	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Virgin R nr Hurricane	APR-JUL	1.86	9.4	28	90%	47	74	31
Virgin R at Littlefield	APR-JUL	11.6	21	30	91%	41	62	33
Virgin R at Virgin	APR-JUL	13.3	24	33	92%	43	62	36
Santa Clara R nr Pine Valley	APR-JUL	0.8	1.85	2.8	88%	4	6	3.2

1) 90% And 10% exceedance probabilities are actually 95% And 5%

2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Reservoir Storage End of February, 2022	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
Kolob Reservoir	3.1	2.8		5.6
Sand Hollow Reservoir	41.4	48.5		50.0
Gunlock	4.9	4.9	7.2	10.4
Quail Creek	28.0	27.1	31.2	40.0

Basin Index
of reservoirs

Report Created:
3/4/2022 2:33:25 PM

Streamflow Forecast Summary: March 1, 2022
(Medians based On 1991-2020 reference period)

		Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast						
San Francisco - Upper Gila	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Gila R nr Solomon	MAR			12	36%			33
	MAR-MAY	1.81	12	24	39%	40	71	62
Gila R bl Blue Ck nr Virden	MAR-MAY	0.71	5.1	10.3	36%	17.4	31	29
Gila R at Gila	MAR-MAY	4.4	7.7	10.8	40%	14.6	22	27
San Carlos Reservoir Inflow	MAR-MAY	0.04	2.7	9.2	27%	22	57	34
San Francisco R at Glenwood	MAR-MAY	0.9	2.6	4.5	42%	7.2	12.7	10.6
San Francisco R at Clifton	MAR-MAY	1.68	7.6	14.1	50%	23	39	28

1) 90% And 10% exceedance probabilities are actually 95% And 5%

2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

		Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast						
Salt	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Salt R nr Roosevelt	MAR			41	48%			86
	MAR-MAY	27	50	72	40%	99	151	179
Tonto Ck ab Gun Ck nr Roosevelt	MAR			5.5	46%			11.9
	MAR-MAY	0.94	3.8	7.5	40%	13	25	18.6

1) 90% And 10% exceedance probabilities are actually 95% And 5%

2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

		Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast						
Little Colorado	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Little Colorado R ab Lyman Lake	MAR-JUN	0.76	1.63	2.5	50%	3.6	5.8	5
Blue Ridge Reservoir Inflow	MAR-MAY	0.59	2.1	3.9	39%	6.6	12.3	9.9
Rio Nutria nr Ramah	MAR-MAY	0	0.04	0.18	56%	0.49	1.41	0.32
Zuni R ab Black Rock Reservoir	MAR-MAY	0	0	0.02	50%	0.23	1.43	0.04
Lake Mary Reservoir Inflow	MAR-MAY	0.47	1.12	1.8	72%	2.7	4.5	2.5

1) 90% And 10% exceedance probabilities are actually 95% And 5%

2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast

Verde	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Verde R bl Tangle Ck ab Horseshoe Dam								
	MAR			27	50%			54
	MAR-MAY	8.6	26	45	55%	72	130	82

- 1) 90% And 10% exceedance probabilities are actually 95% And 5%
- 2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast

Chuska - Defiance	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Wheatfields Ck nr Wheatfields								
	MAR-MAY	0.15	0.52	0.9	108%	1.39	2.3	0.83
Bowl Canyon Ck ab Asaayi Lake								
	MAR-MAY	0.39	0.67	0.9	110%	1.17	1.63	0.82
Captain Tom Wash nr Two Gray Hills								
	MAR-MAY	0.14	0.4	0.7	113%	1.12	2	0.62

- 1) 90% And 10% exceedance probabilities are actually 95% And 5%
- 2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast

Grand Canyon	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Lake Powell Inflow ²								
	APR-JUL	2490	3670	4600	75%	5640	7360	6130

- 1) 90% And 10% exceedance probabilities are actually 95% And 5%
- 2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Forecast Exceedance Probabilities For Risk Assessment Chance that actual volume will exceed forecast

Virgin	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Virgin R nr Hurricane								
	APR-JUL	1.86	9.4	28	90%	47	74	31
Virgin R at Littlefield								
	APR-JUL	11.6	21	30	91%	41	62	33
Virgin R at Virgin								
	APR-JUL	13.3	24	33	92%	43	62	36
Santa Clara R nr Pine Valley								
	APR-JUL	0.8	1.85	2.8	88%	4	6	3.2

- 1) 90% And 10% exceedance probabilities are actually 95% And 5%
- 2) Forecasts are For unimpaired flows. Actual flow will be dependent On management of upstream reservoirs And diversions

Basinwide Summary: March 1, 2022
(Medians based On 1991-2020 reference period)

Snowpack Summary For March 1, 2022

San Francisco - Upper Gila	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Beaver Head	SNOTEL	7990	2	2.0	1.2	167%	0.0	0%
Coronado Trail	SC	8350	0	0.0	0.4	0%	0.0	0%
Coronado Trail	SNOTEL	8400	1	0.1	0.6	17%	0.0	0%
Frisco Divide	SNOTEL	8000	1	0.5	2.2	23%	0.1	5%
Hannagan Meadows	SNOTEL	9020	9	6.1	9.2	66%	3.2	35%
Lookout Mountain	SNOTEL	8500	0	0.0	0.1	0%	0.0	0%
Nutrioso	SC	8500	0	0.0	0.3	0%	0.0	0%
Nutrioso	SNOTEL	8500	1	0.0	0.1	0%	0.0	0%
Signal Peak	SNOTEL	8360	0	0.0	1.7	0%	0.0	0%
Silver Creek Divide	SNOTEL	9000	13	4.5	7.2	63%	6.8	94%
State Line	SC	8000	0	0.0	0.9	0%		
Basin Index						57%		44%
# of sites						10		10

Salt	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baldy	SNOTEL	9125	17	5.2	6.9	75%	0.9	13%
Beaver Head	SNOTEL	7990	2	2.0	1.2	167%	0.0	0%
Buck Spring	SC	7400			0.8		0.0	0%
Coronado Trail	SC	8350	0	0.0	0.4	0%	0.0	0%
Coronado Trail	SNOTEL	8400	1	0.1	0.6	17%	0.0	0%
Fort Apache	SC	9160	26	6.5	7.9	82%	4.0	51%
Hannagan Meadows	SNOTEL	9020	9	6.1	9.2	66%	3.2	35%
Hawley Lake	SNOTEL	8300	35	9.6			7.6	
Heber	SNOTEL	7640	9	2.7	4.0	68%	0.7	18%
Maverick Fork	SNOTEL	9200	19	5.7	8.0	71%	1.8	23%
Promontory	SNOTEL	7930	14	6.0	11.3	53%	6.1	54%
Wildcat	SNOTEL	7850	4	0.1	2.5	4%	0.0	0%
Workman Creek	SNOTEL	6900	2	0.8	3.1	26%	0.0	0%
Basin Index						64%		30%
# of sites						11		11

Little Colorado	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baker Butte	SNOTEL	7300	7	1.7	4.5	38%	3.7	82%
Baker Butte No. 2	SC	7700	28	5.4	9.0	60%	7.0	78%
Baker Butte Smt	SNOTEL	7700	29	8.1	10.5	77%	8.6	82%
Baldy	SNOTEL	9125	17	5.2	6.9	75%	0.9	13%
Boon	SC	8140	12	3.0	3.0	100%	2.0	67%
Buck Spring	SC	7400			0.8		0.0	0%
Cheese Springs	SC	8700	20	4.8	5.2	92%	3.9	75%
Dan Valley	SC	7640	11	2.6	2.2	118%	1.8	82%
Fort Apache	SC	9160	26	6.5	7.9	82%	4.0	51%
Fort Valley	SC	7350	2	0.6	1.2	50%	0.0	0%
Fort Valley	SNOTEL	7350	2	1.1	0.4	275%	0.0	0%
Heber	SNOTEL	7640	9	2.7	4.0	68%	0.7	18%
Lake Mary	SC	6930	7	1.6	2.2	73%	0.0	0%
Maverick Fork	SNOTEL	9200	19	5.7	8.0	71%	1.8	23%
McGaffey	SC	8120	5	1.8	0.9	200%	1.0	111%

Mormon Mountain	SNOTEL	7500	14	4.9	4.4	111%	3.6	82%
Mormon Mountain Summit #2	SC	8470	32	10.0	9.8	102%		
Mormon Mtn Summit	SNOTEL	8500	32	8.7	7.5	116%	5.4	72%
Nutriosio	SC	8500	0	0.0	0.3	0%	0.0	0%
Nutriosio	SNOTEL	8500	1	0.0	0.1	0%	0.0	0%
Promontory	SNOTEL	7930	14	6.0	11.3	53%	6.1	54%
Snow Bowl #2	SC	11200	42	11.4	13.7	83%	7.6	55%
Snowslide Canyon	SNOTEL	9730	46	15.8	14.8	107%	11.3	76%
Basin Index						83%		59%
# of sites						21		21

Verde	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baker Butte	SNOTEL	7300	7	1.7	4.5	38%	3.7	82%
Baker Butte No. 2	SC	7700	28	5.4	9.0	60%	7.0	78%
Baker Butte Smt	SNOTEL	7700	29	8.1	10.5	77%	8.6	82%
Bar M	SNOTEL	6393	3	1.7			0.5	
Chalender	SNOTEL	7100	6	2.9	1.7	171%	2.3	135%
Chalender	SC	7100	5	1.0	1.3	77%		
Fort Valley	SC	7350	2	0.6	1.2	50%	0.0	0%
Fort Valley	SNOTEL	7350	2	1.1	0.4	275%	0.0	0%
Fry	SNOTEL	7200	17	6.8	7.1	96%	5.1	72%
Happy Jack	SC	7630	13	3.4	3.4	100%	2.2	65%
Happy Jack	SNOTEL	7630	27	8.0	5.6	143%	5.6	100%
Mormon Mountain	SNOTEL	7500	14	4.9	4.4	111%	3.6	82%
Mormon Mountain Summit #2	SC	8470	32	10.0	9.8	102%		
Mormon Mtn Summit	SNOTEL	8500	32	8.7	7.5	116%	5.4	72%
Newman Park	SC	6750	3	1.0	1.4	71%	1.8	129%
Snow Bowl #2	SC	11200	42	11.4	13.7	83%	7.6	55%
White Horse Lake	SNOTEL	7180	5	2.5	2.8	89%	0.8	29%
Williams Ski Run	SC	7720			7.7			
Basin Index						91%		73%
# of sites						14		14

Chuska - Defiance	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Beaver Spring	SC	9220	26	8.6	8.4	102%	7.2	86%
Beaver Spring	SNOTEL	9200	20	7.2	7.4	97%	5.9	80%
Bowl Canyon	SC	8980	31	8.2	8.4	98%	5.6	67%
Fluted Rock	SC	7800	12	3.6	2.7	133%	2.6	96%
Hidden Valley	SC	8480	24	7.8	6.4	122%	5.0	78%
Missionary Spring	SC	7940	12	3.6	3.4	106%	1.8	53%
Navajo Whiskey Ck	SNOTEL	9050	22	7.2	7.3	99%		
Tsaile Canyon #1	SC	8160	29	7.6	5.9	129%	5.0	85%
Tsaile Canyon #3	SC	8920	40	9.0	8.6	105%	6.8	79%
Whiskey Creek	SC	9050	34	10.2	8.8	116%	7.0	80%
Basin Index						110%		78%
# of sites						9		9

Grand Canyon	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Bright Angel	SC	8400			7.4			
Grand Canyon	SC	7500	2	0.7	0.7	100%	0.0	0%
Basin Index						100%		0%

1

1