

### **CONSERVATION ENHANCEMENT ACTIVITY**

E345A



## Reduced tillage to reduce soil erosion

Conservation Practice 345: Residue and Tillage Management, Reduced Till

APPLICABLE LAND USE: Crop (Annual & Mixed)

**RESOURCE CONCERN: Soil** 

**ENHANCEMENT LIFE SPAN: 1 year** 

#### Enhancement Description:

Establish a reduced tillage system to reduce soil loss. Field(s) must have a soil loss at or below the soil tolerance (T) level for water and wind erosion for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 40 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be to calculate soil loss and STIR.

#### Criteria:

- Uniformly distribute residues over the entire field. Removing residue from the row area prior to or as part of the planting operation is acceptable.
- Do not burn crop residues.
- The Soil Tillage Intensity Rating (STIR) value shall include all field operations that are performed during the crop interval between harvest of the previous cash crop and harvest or termination of the current cash crop (includes fallow periods). The crop STIR value ratings shall be no greater than 40, and no primary inversion tillage implements (e.g. moldboard plow) shall be used.
- Use the current approved soil erosion prediction technology for water and wind erosion to determine the:

E345A - Reduced tillage to reduce soil	July 2019	Page   1
erosion		



- Amount of randomly distributed surface residue needed.
- Time of year the residue needs to be present in the field.



- Amount of surface soil disturbance allowed to reduce erosion to the desired level of average annual soil loss.
- Calculations must account for the effects of other practices in the management system.
- In ridge-till systems, plan ridge height and ridge orientation to manage runoff and minimize erosion, with a maximum row grade of 4%.

#### North Dakota Sideboards:

Must be making a change in management.

Payments will be made on the acres in the system.

Once enhancement is planned/applied to a field it must be maintained for the remainder of the contract.

E345A - Reduced tillage to reduce soil	July 2019	Page   2
erosion		



#### **Documentation and Implementation Requirements**



Participant will:

□ Prior to implementation, provide NRCS with the planned crop rotation and tillage operation(s) used for each crop.

Field	Acres	Planned Crops (in sequence)	Length of Crop Rotation (years)

Field	Сгор	Field Operation	Timing of Field Operation (month/year)

- During implementation, notify NRCS of any planned changes in crops, crop rotation, or field operations to verify the planned system meets the enhancement criteria.
- During implementation, no residue will be burned.
- During implementation, all residues will be uniformly distributed over the entire field. Removing residue from the row area prior to or as part of the planting operation is acceptable.
- During implementation, no primary inversion tillage implements (e.g. moldboard plow) will be used.
- After implementation, if changes to the rotation were made, complete the tables above to document the applied Conservation Crop Rotation for the contract period and provide to NRCS.

E345A - Reduced tillage to reduce soil	July 2019	Page   3
erosion		



**United States Department of Agriculture** 

NRCS will:

□ As needed, provide technical assistance to meet the criteria of the enhancement.

# CONSERVATION STEWARDSHIP PROGRAM

 Prior to implementation, use the information provided from the participant to calculate the soil loss and the Soil Tillage Intensity Rating values using current NRCS wind and water erosion prediction technologies. Verify the enrolled field(s) will have a soil loss at or below the soil tolerance (T) level for water and wind erosion for the crop rotation and a Soil Tillage Intensity Rating value of no greater than 40 for each crop in the planned rotation.

"T" = \_\_\_\_\_t/ac/year Soil erosion = \_\_\_\_t/ac/year STIR values = \_\_\_\_

- During implementation, evaluate planned changes in crops, crop rotation, or field operations to verify the planned system meets the enhancement criteria.
- After implementation, if the applied crops, crop rotation, or field operations are different than the planned crops, crop rotation, or field operations, use information provided from the participant to calculate soil loss and the Soil Tillage Intensity Rating values to document that the applied rotation met the enhancement criteria.
  Soil erosion = \_\_\_\_\_t/ac/year and STIR values = \_\_\_\_\_\_

#### **NRCS Documentation Review:**

I have reviewed all required participant documentation and have determined the participant has implemented the enhancement and met all criteria and requirements.

Participant Name \_\_\_\_\_\_ Contract Number \_\_\_\_\_\_

Total Amount Applied \_\_\_\_\_\_ Fis<mark>cal Year Com</mark>pleted \_\_\_\_\_\_

. . . . . .

NRCS Technical Adequacy Signature

Date

E345A - Reduced tillage to reduce soil	July 2019	Page   4
erosion		