



Horizontal Steel Placement
no scale



Roof Steel Placement
no scale



Horizontal Steel Placement - Details
no scale


Steel Schedule

MARK	Size	Length	Quantity	Total Length	Type	A	B	C	D
①	5	6'-10"	22	151'	STR	6'-10"	0	0	0
②	3	6'-10"	36	246'	STR	6'-10"	0	0	0
③	4	7'-4"	40	294'	20	0	6'-7"	9"	0
④	5	6'-10"	18	123'	STR	6'-10"	0	0	0
⑤	5	4'-10"	2	10'	STR	4'-10"	0	0	0
⑥	5	3'-2"	2	7'	STR	2'-11"	0	0	0
⑦	5	2'-3"	2	5'	STR	2'-3"	0	0	0
⑧	4	1'-1"	4	5'	STR	1'-1"	0	0	0
⑨	5	2'-8"	38	102'	20	0	16"	16"	0
⑩	3	2'-8"	36	96'	20	0	16"	16"	0

Notes:

- 1) Minimum rebar splice lengths no less than 42 X Bar Diameters.
- 2) Minimum rebar distance from concrete faces and edges no less than 2".
- 3) All rebar shall be clean (rust free) and have a tensile strength of 40 ksi minimum.

REBAR TYPES



Roof Steel Placement - Details
no scale

Date _____
 Designed _____
 Drawn _____
 Checked _____
 Approved _____
 Title _____

6' x 6' x 6' Concrete Block Tank (With Lid)
 Cooperating with the _____ Soil and Water Conservation District



File Name _____
 Drawing No. _____
 Sheet ___ of ___