



CONSERVATION ENHANCEMENT ACTIVITY

E646137Z1

CONSERVATION STEWARDSHIP PROGRAM

Close structures to capture and retain rainfall to improve cover and shelter for waterfowl and wading birds during winter

Conservation Practice 646: Shallow Water Development and Management

APPLICABLE LAND USE: Crop (Annual & Mixed)

RESOURCE CONCERN ADDRESSED: Fish & Wildlife – Inadequate Habitat

PRACTICE LIFE SPAN: 5 years

Enhancement Description:

When flooded to shallow depths during fall and winter, agricultural fields provide ideal cover and shelter for myriad species of waterfowl and wading birds. Many declining suites of wildlife species rely on early successional habitats for at least part of their life cycle needs. Migratory shorebird species in particular rely on open, moist soil or shallowly flooded conditions for foraging and security. Harvested and idled agricultural lands, notably those occurring within rice rotations, can contain high densities of early successional vegetation. When moisture is added to this situation, short-term habitat is available and cover and shelter is provided to early successional species.

Criteria:

This enhancement applies to crop land use acres with leveed fields capable of holding water at an average depth of 6 to 18 inches for the duration of the activity.

- Develop a wildlife habitat management plan for the targeted species suite.
- Water control structures that affect applicable fields will be closed by mid-fall and remain closed through February 15. For fields where harvest of the crop occurs after mid-fall (e.g., ratoon rice), structures must be closed within 2 days following harvest and remain closed through February 15.



CONSERVATION STEWARDSHIP PROGRAM

- Applicable fields must be flooded to an average depth of 6 to 18 inches.
 - Water depths of 6 to 10 inches provide maximum benefit to targeted species.
 - Water depths shall not exceed 18 inches for any extended period.
- Manipulation can occur prior to holding water. Manipulation should not affect greater than 80 percent of the field to which the activity is applied.
- A Wildlife Habitat Evaluation Guide (WHEG) specific to shallow water habitat on cropland must be used to show that implementation of the Enhancement will improve wildlife habitat value from fair (planning criteria = 0.5) to good (planning criteria greater than 0.5 and less than or equal to 0.6) or from good to very good (planning criteria greater than 0.6).

Note: This Enhancement may be paired with E647137Z1-Manipulate vegetation on fields where rainfall is to be captured and retained. If not paired with E647136Z1-Manipulate vegetation on fields where rainfall is to be captured and retained, this practice can also be paired with E646137Z3-Shorebird habitat, late season shallow water with manipulation or E646137Z4-Shorebird habitat, extended late season shallow water with manipulation.

Documentation Requirements:

- Copy of the wildlife habitat management plan for the targeted species suite (including the WHEG scores for present and planned conditions).
- Crops grown and the harvest date for the crops grown on the applicable acres.
- Field log to include:
 - Crops grown and the harvest date for the crops grown on the applicable acres;
 - Date/time the water control structure was closed;
 - Date/time of each field visit and observed water levels;
 - Date/time when the water control structures were opened.



- Digital photographs of the condition of the structures and the habitat provided.

CONSERVATION STEWARDSHIP PROGRAM

This enhancement is considered adopted on the land use acre when water control structures affecting subject fields are closed by mid-fall, or within 2 days after harvest, if the harvest occurs after mid-fall.

