

RUSLE2 Related Attributes

Franklin County, Massachusetts

[This report shows only the major soils in each map unit]

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
1: Water	100	---	---	---	---	---	---
2A: Pootatuck, occasionally flooded	88	B/D	.43	3	70.0	24.0	6.0
5A: Saco, frequently flooded	93	C/D	---	5	---	---	---
6A: Scarboro	93	A/D	---	5	---	---	---
8A: Limerick, frequently flooded	85	B/D	.49	5	31.0	61.0	8.0
9A: Birdsall	88	B/D	.37	4	10.0	75.0	15.0
18A: Rumney	84	B/D	.20	3	71.0	22.0	7.0
24A: Limerick, protected	75	B/D	.49	5	31.0	61.0	8.0
30A: Raynham	85	C/D	---	5	---	---	---
31A: Walpole	80	B/D	---	4	---	---	---
50A: Wonsqueak	81	B/D	---	1	---	---	---
51A: Swansea	80	B/D	---	1	---	---	---
52A: Freetown	85	B/D	---	2	---	---	---
53A: Freetown, ponded	85	B/D	---	2	---	---	---
70B: Ridgebury	80	D	.32	2	53.0	38.0	9.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
71B: Ridgebury, extremely stony	80	D	---	2	---	---	---
73A: Whitman, extremely stony	81	D	---	2	---	---	---
74A: Peacham, very stony	78	D	---	1	---	---	---
75B: Pillsbury, very stony	79	D	---	3	---	---	---
79B: Stissing	95	D	.43	2	37.0	55.0	8.0
80B: Stissing, very stony	95	D	.43	2	37.0	55.0	8.0
83B: Lyme, very stony	80	B/D	---	5	---	---	---
90A: Hadley, protected	80	B	.55	5	59.0	36.0	5.0
92A: Winooski, protected	80	B/D	.43	5	31.0	61.0	8.0
95A: Podunk	83	B/D	.24	3	66.0	27.0	7.0
96A: Hadley, occasionally flooded	88	B	.55	5	59.0	36.0	5.0
97A: Suncook, occasionally flooded	90	A	.17	5	84.0	14.0	2.0
98A: Winooski, occasionally flooded	85	B/D	.43	5	31.0	61.0	8.0
99A: Occum, occasionally flooded	86	A	.24	5	74.0	20.0	6.0
109B: Chatfield, rocky	55	B	---	2	---	---	---
Hollis, rocky	25	D	---	1	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
109C:							
Chatfield, very stony	55	B	---	2	---	---	---
Hollis, very stony	30	D	---	1	---	---	---
109D:							
Chatfield, rocky	60	B	---	2	---	---	---
Hollis, rocky	34	D	---	1	---	---	---
109F:							
Chatfield, rocky	47	B	---	2	---	---	---
Hollis, rocky	41	D	---	1	---	---	---
112B:							
Canton, rocky	40	A	---	3	---	---	---
Chatfield, rocky	35	B	---	2	---	---	---
Hollis, rocky	20	D	---	1	---	---	---
112C:							
Canton, rocky	45	A	---	3	---	---	---
Chatfield, rocky	30	B	---	2	---	---	---
Hollis, rocky	20	D	---	1	---	---	---
112D:							
Canton, rocky	44	A	---	3	---	---	---
Chatfield, rocky	35	B	---	2	---	---	---
Hollis, rocky	15	D	---	1	---	---	---
114C:							
Hollis, very rocky	53	D	---	1	---	---	---
Chatfield, very rocky	37	B	---	2	---	---	---
116B:							
Millsite, rocky	65	B	---	2	---	---	---
Westminster, rocky	20	D	---	1	---	---	---
116C:							
Millsite, rocky	60	B	---	2	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
116C:							
Westminster, rocky	25	D	---	1	---	---	---
116D:							
Millsite, rocky	55	B	---	2	---	---	---
Westminster, rocky	35	D	---	1	---	---	---
116F:							
Millsite, rocky	55	B	---	2	---	---	---
Westminster, rocky	35	D	---	1	---	---	---
118B:							
Colrain, rocky	55	A	---	5	---	---	---
Millsite, rocky	35	B	---	2	---	---	---
118C:							
Colrain, rocky	55	A	---	5	---	---	---
Millsite, rocky	35	B	---	2	---	---	---
118D:							
Colrain, rocky	50	A	---	5	---	---	---
Millsite, rocky	35	B	---	2	---	---	---
119F:							
Chatfield, rocky	60	B	---	2	---	---	---
Canton, rocky	30	A	---	3	---	---	---
120C:							
Millsite, very rocky	60	B	---	2	---	---	---
Westminster, very rocky	35	D	---	1	---	---	---
124C:							
Woodstock, very rocky	40	D	---	1	---	---	---
Millsite, rocky	36	B	---	2	---	---	---
Rock outcrop	20	---	---	---	---	---	---
125B:							
Charlton, rocky	50	A	.24	5	59.0	32.0	9.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
125B:							
Chatfield, rocky	28	B	---	2	---	---	---
Hollis, rocky	15	D	---	1	---	---	---
125C:							
Charlton, rocky	45	A	.24	5	59.0	32.0	9.0
Chatfield, rocky	37	B	---	2	---	---	---
Hollis, rocky	11	D	---	1	---	---	---
125D:							
Charlton, rocky	45	A	.24	5	59.0	32.0	9.0
Chatfield, rocky	35	B	---	2	---	---	---
Hollis, rocky	11	D	---	1	---	---	---
126C:							
Lyman, very stony	55	D	---	1	---	---	---
Rock outcrop	25	---	---	---	---	---	---
Tunbridge, very stony	20	C	---	2	---	---	---
127C:							
Berkshire, very stony	50	B	---	5	---	---	---
Tunbridge, very stony	40	C	---	2	---	---	---
127D:							
Berkshire, very stony	45	B	---	5	---	---	---
Tunbridge, very stony	40	C	---	2	---	---	---
128B:							
Millsite, rocky	48	B	---	2	---	---	---
Chichester, very stony	37	A	---	3	0.0	0.0	0.0
128C:							
Millsite, rocky	48	B	---	2	---	---	---
Chichester, very stony	35	A	---	3	0.0	0.0	0.0
Woodstock, rocky	10	D	---	1	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
128D:							
Millsite, rocky	44	B	---	2	---	---	---
Chichester, very stony	40	A	---	3	0.0	0.0	0.0
Woodstock, rocky	10	D	---	1	---	---	---
128F:							
Millsite, rocky	45	B	---	2	---	---	---
Chichester, very stony	40	A	---	3	0.0	0.0	0.0
129B:							
Millsite, very rocky	50	B	---	2	---	---	---
Woodstock, very rocky	30	D	---	1	---	---	---
129C:							
Millsite, very rocky	50	B	---	2	---	---	---
Woodstock, very rocky	25	D	---	1	---	---	---
129D:							
Millsite, very rocky	55	B	---	2	---	---	---
Woodstock, very rocky	25	D	---	1	---	---	---
129F:							
Millsite, very rocky	50	B	---	2	---	---	---
Woodstock, very rocky	30	D	---	1	---	---	---
131B:							
Yalesville, rocky	50	B	---	2	---	---	---
Holyoke, rocky	30	D	.43	1	54.0	40.0	6.0
131C:							
Yalesville, rocky	55	B	---	2	---	---	---
Holyoke, rocky	35	D	.43	1	54.0	40.0	6.0
131D:							
Yalesville, rocky	65	B	---	2	---	---	---
Holyoke, rocky	25	D	.43	1	54.0	40.0	6.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
131F:							
Yalesville, rocky	60	B	---	2	---	---	---
Holyoke, rocky	25	D	.43	1	54.0	40.0	6.0
134C:							
Holyoke, rocky	60	D	.43	1	54.0	40.0	6.0
Yalesville, rocky	35	B	---	2	---	---	---
137F:							
Rock outcrop	30	---	---	---	---	---	---
Westminster	30	D	---	1	---	---	---
Lyman	20	C	---	2	---	---	---
138B:							
Tunbridge, very rocky	44	C	---	2	---	---	---
Lyman, very rocky	41	D	---	1	---	---	---
138C:							
Tunbridge, very rocky	44	C	---	2	---	---	---
Lyman, very rocky	39	D	---	1	---	---	---
138D:							
Tunbridge, very rocky	47	C	---	2	---	---	---
Lyman, very rocky	35	D	---	1	---	---	---
138F:							
Tunbridge, very rocky	47	C	---	2	---	---	---
Lyman, very rocky	37	D	---	1	---	---	---
141B:							
Dutchess, very stony	60	B	---	5	---	---	---
Cardigan, very stony	35	C	---	2	---	---	---
141C:							
Dutchess, very stony	50	B	---	5	---	---	---
Cardigan, very stony	40	C	---	2	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
141D:							
Dutchess, very stony	50	B	---	5	---	---	---
Cardigan, very stony	40	C	---	2	---	---	---
142B:							
Cardigan, very rocky	55	C	---	2	---	---	---
Kearsarge, very rocky	25	D	---	1	---	---	---
142C:							
Cardigan, very rocky	55	C	---	2	---	---	---
Kearsarge, very rocky	25	D	---	1	---	---	---
142D:							
Cardigan, very rocky	54	C	---	2	---	---	---
Kearsarge, very rocky	34	D	---	1	---	---	---
142F:							
Cardigan, very rocky	55	C	---	2	---	---	---
Kearsarge, very rocky	30	D	---	1	---	---	---
143C:							
Kearsarge, very rocky	50	D	---	1	---	---	---
Cardigan, very rocky	33	C	---	2	---	---	---
Rock outcrop	15	---	---	---	---	---	---
147B:							
Tunbridge, very stony	50	C	---	2	---	---	---
Berkshire, very stony	35	B	---	5	---	---	---
151B:							
Dummerston, rocky	56	B	---	5	---	---	---
Macomber, rocky	34	C	---	2	---	---	---
151C:							
Dummerston, rocky	60	B	---	5	---	---	---
Macomber, rocky	35	C	---	2	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
151D:							
Dummerston, rocky	60	B	---	5	---	---	---
Macomber, rocky	25	C	---	2	---	---	---
152B:							
Macomber, very rocky	55	C	---	2	---	---	---
Taconic, very rocky	35	D	---	1	---	---	---
152C:							
Macomber, very rocky	58	C	---	2	---	---	---
Taconic, very rocky	32	D	---	1	---	---	---
152D:							
Macomber, very rocky	70	C	---	2	---	---	---
Taconic, very rocky	20	D	---	1	---	---	---
152F:							
Macomber, very rocky	55	C	---	2	---	---	---
Taconic, very rocky	20	D	---	1	---	---	---
153C:							
Taconic, very rocky	50	D	---	1	---	---	---
Macomber, very rocky	30	C	---	2	---	---	---
223A:							
Scio	84	B/D	.37	5	10.0	75.0	15.0
223B:							
Scio	88	B/D	.37	5	10.0	75.0	15.0
223C:							
Scio	86	B/D	.37	5	10.0	75.0	15.0
229F:							
Windsor	60	A	---	5	---	---	---
Merrimac	20	A	---	4	---	---	---
230A:							
Unadilla	88	B	---	4	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
230B: Unadilla	90	B	---	4	---	---	---
235F: Poocham	89	C	---	5	---	---	---
245A: Hinckley	85	A	---	3	---	---	---
245B: Hinckley	85	A	---	3	---	---	---
245C: Hinckley	85	A	---	3	---	---	---
245D: Hinckley	85	A	---	3	---	---	---
250A: Pollux	78	B	---	5	---	---	---
250B: Pollux	85	B	---	5	---	---	---
254A: Merrimac	85	A	.28	4	60.1	34.5	5.4
254B: Merrimac	85	A	.28	4	60.1	34.5	5.4
254C: Merrimac	85	A	.28	4	60.1	34.5	5.4
254D: Merrimac	80	A	.28	4	60.1	34.5	5.4
255A: Windsor, loamy sand	85	A	---	5	---	---	---
255B: Windsor, loamy sand	85	A	---	5	---	---	---
255C: Windsor	85	A	---	5	---	---	---
255D: Windsor	90	A	---	5	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
256A:							
Deerfield	90	A/D	.05	5	80.0	16.0	4.0
256B:							
Deerfield	65	A/D	.05	5	80.0	16.0	4.0
258A:							
Amostown	75	C/D	.28	5	62.0	35.0	3.0
258B:							
Amostown	75	C/D	.28	5	62.0	35.0	3.0
260A:							
Sudbury	90	C/D	---	2	---	---	---
260B:							
Sudbury	80	C/D	---	2	---	---	---
262F:							
Quonset	85	A	.24	4	64.3	30.7	5.0
266A:							
Warwick	90	A	.24	3	62.9	29.1	8.0
266B:							
Warwick	85	A	.24	3	62.9	29.1	8.0
266C:							
Warwick	90	A	.24	3	62.9	29.1	8.0
266D:							
Warwick	90	A	.24	3	62.9	29.1	8.0
275A:							
Agawam	85	B	.37	3	63.0	33.0	4.0
275B:							
Agawam	85	B	.37	3	63.0	33.0	4.0
275C:							
Agawam	85	B	.37	3	63.0	33.0	4.0
275D:							
Agawam	85	B	.37	3	63.0	33.0	4.0
276A:							
Ninigret	85	C	.32	3	63.4	32.0	4.6

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
276B:							
Ninigret	85	C	.32	3	63.4	32.0	4.6
283B:							
Colton	55	C	---	2	---	---	---
Adams	30	A	---	5	---	---	---
283C:							
Colton	65	C	---	2	---	---	---
Adams	30	A	---	5	---	---	---
283D:							
Colton	65	C	---	2	---	---	---
Adams	35	A	---	5	---	---	---
286B:							
Sheepscot	90	A/D	.24	2	65.0	31.0	4.0
300B:							
Montauk	85	C	.28	3	62.4	32.9	4.7
300C:							
Montauk	85	C	.28	3	62.0	33.0	5.0
301B:							
Montauk, very stony	85	C	---	3	---	---	---
301C:							
Montauk, very stony	85	C	---	3	---	---	---
301E:							
Montauk, very stony	85	C	---	3	---	---	---
305B:							
Paxton	80	C	.28	3	61.0	32.0	7.0
305C:							
Paxton	85	C	.28	3	61.0	32.0	7.0
305D:							
Paxton	85	C	.28	3	61.0	32.0	7.0
306B:							
Paxton, very stony	85	C	---	3	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
306C:							
Paxton, very stony	85	C	---	3	---	---	---
306D:							
Paxton, very stony	90	C	---	3	---	---	---
306F:							
Paxton, very stony	90	C	---	3	---	---	---
310B:							
Woodbridge, fine sandy loam	82	C/D	.28	3	61.0	32.0	7.0
310C:							
Woodbridge	85	C/D	.28	3	61.0	32.0	7.0
311B:							
Woodbridge, very stony	82	C/D	---	3	---	---	---
311C:							
Woodbridge, very stony	85	C/D	---	3	---	---	---
315A:							
Scituate	78	C/D	---	3	---	---	---
315B:							
Scituate	65	C/D	---	3	---	---	---
315C:							
Scituate	75	C/D	---	3	---	---	---
316B:							
Scituate, very stony	65	C/D	---	3	---	---	---
316C:							
Scituate, very stony	75	C/D	---	3	---	---	---
330B:							
Bernardston	85	D	.37	3	26.0	64.0	10.0
330C:							
Bernardston	82	D	.37	3	26.0	64.0	10.0
330D:							
Bernardston	88	D	.37	3	26.0	64.0	10.0
331B:							
Bernardston, very stony	80	D	.37	3	26.0	64.0	10.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
331C:							
Bernardston, very stony	75	D	.37	3	26.0	64.0	10.0
331D:							
Bernardston, very stony	85	D	.37	3	26.0	64.0	10.0
331F:							
Bernardston, very stony	88	D	.37	3	26.0	64.0	10.0
345B:							
Pittstown	90	C/D	.37	3	26.0	64.0	10.0
345C:							
Pittstown	80	C/D	.37	3	26.0	64.0	10.0
346B:							
Pittstown, very stony	83	C/D	.37	3	26.0	64.0	10.0
346C:							
Pittstown, very stony	80	C/D	.37	3	26.0	64.0	10.0
348B:							
Henniker	78	B	---	3	---	---	---
348C:							
Henniker	83	B	---	3	---	---	---
348D:							
Henniker	80	B	---	3	---	---	---
349B:							
Henniker, very stony	78	B	---	3	---	---	---
349C:							
Henniker, very stony	78	B	---	3	---	---	---
349D:							
Henniker, very stony	80	B	---	3	---	---	---
354F:							
Marlow, very stony	60	C	---	3	---	---	---
Monadnock, very stony	30	A	---	3	---	---	---
355B:							
Marlow	85	C	.28	3	57.0	38.0	5.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
355C:							
Marlow	84	C	.28	3	57.0	38.0	5.0
356B:							
Marlow, very stony	83	C	---	3	---	---	---
356C:							
Marlow, very stony	85	C	---	3	---	---	---
358D:							
Marlow	65	C	---	3	---	---	---
Peru	20	C/D	---	3	---	---	---
359D:							
Marlow, very stony	65	C	---	3	---	---	---
Peru, very stony	20	C/D	---	3	---	---	---
360B:							
Peru	84	C/D	.37	3	47.0	47.0	6.0
360C:							
Peru	83	C/D	.37	3	47.0	47.0	6.0
361B:							
Peru, very stony	88	C/D	---	3	---	---	---
361C:							
Peru, very stony	84	C/D	---	3	---	---	---
368A:							
Metacomet	95	B/D	---	3	---	---	---
368B:							
Metacomet	85	B/D	---	3	---	---	---
368C:							
Metacomet	85	B/D	---	3	---	---	---
369B:							
Metacomet, very stony	85	B/D	---	3	---	---	---
369C:							
Metacomet, very stony	85	B/D	---	3	---	---	---
370B:							
Shelburne	85	B/D	.28	3	58.0	36.0	6.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
370C:							
Shelburne	82	B/D	.28	3	58.0	36.0	6.0
370D:							
Shelburne	92	B/D	.28	3	58.0	36.0	6.0
371B:							
Shelburne, very stony	85	B/D	.28	3	58.0	36.0	6.0
371C:							
Shelburne, very stony	82	B/D	.28	3	58.0	36.0	6.0
371D:							
Shelburne, very stony	92	B/D	.28	3	58.0	36.0	6.0
371F:							
Shelburne, very stony	94	B/D	.28	3	58.0	36.0	6.0
375B:							
Ashfield	84	D	.24	3	60.0	30.0	10.0
375C:							
Ashfield	80	D	.24	3	60.0	30.0	10.0
375D:							
Ashfield	90	D	.24	3	60.0	30.0	10.0
376B:							
Ashfield, very stony	84	D	.24	3	60.0	30.0	10.0
376C:							
Ashfield, very stony	80	D	.24	3	60.0	30.0	10.0
376D:							
Ashfield, very stony	90	D	.24	3	60.0	30.0	10.0
386B:							
Essex, very stony	70	B/D	---	3	---	---	---
386C:							
Essex, very stony	75	B/D	---	3	---	---	---
386D:							
Essex, very stony	75	B/D	---	3	---	---	---
389A:							
Wilbraham	85	C/D	.32	3	30.0	55.0	15.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
390B:							
Ludlow	75	D	---	3	---	---	---
397B:							
Wethersfield	88	C	---	3	---	---	---
Ludlow	10	D	---	3	---	---	---
397C:							
Wethersfield	86	C	---	3	---	---	---
397D:							
Wethersfield	87	C	---	3	---	---	---
405B:							
Charlton	85	B	.24	5	57.0	34.0	9.0
405C:							
Charlton	85	B	.24	5	57.0	34.0	9.0
405D:							
Charlton	85	B	.24	5	57.0	34.0	9.0
406B:							
Charlton, very stony	85	B	---	5	---	---	---
406C:							
Charlton, very stony	85	B	---	5	---	---	---
406D:							
Charlton, very stony	76	A	.24	5	59.0	32.0	9.0
406F:							
Charlton, very stony	68	A	.24	5	59.0	32.0	9.0
420B:							
Canton	80	B	.24	3	61.2	31.5	7.3
420C:							
Canton	80	B	.24	3	61.2	31.5	7.3
420D:							
Canton	78	A	---	3	---	---	---
421B:							
Canton, very stony	80	B	---	3	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
421C: Canton, very stony	85	B	---	3	---	---	---
421D: Canton, very stony	85	B	---	3	---	---	---
421F: Canton, very stony	70	A	---	3	---	---	---
426B: Newfields	80	C/D	---	2	---	---	---
427B: Newfields, extremely stony	90	C/D	---	2	---	---	---
440B: Gloucester	88	C	---	5	---	---	---
440C: Gloucester	88	C	---	5	---	---	---
440D: Gloucester	85	C	---	5	---	---	---
441B: Gloucester, very stony	87	C	---	5	---	---	---
441C: Gloucester, very stony	87	C	---	5	---	---	---
441D: Gloucester, very stony	90	C	---	5	---	---	---
441F: Gloucester, very stony	90	C	---	5	---	---	---
444B: Chichester	85	A	---	3	0.0	0.0	0.0
444C: Chichester	90	A	---	3	0.0	0.0	0.0
444D: Chichester	90	A	---	3	0.0	0.0	0.0
445B: Chichester, very stony	85	A	---	3	0.0	0.0	0.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
445C:							
Chichester, very stony	90	A	---	3	0.0	0.0	0.0
445D:							
Chichester, very stony	90	A	---	3	0.0	0.0	0.0
445F:							
Chichester, very stony	85	A	---	3	0.0	0.0	0.0
459B:							
Monadnock, very stony	45	B	---	3	---	---	---
Berkshire, very stony	40	B	---	5	---	---	---
459C:							
Berkshire, very stony	45	B	---	5	---	---	---
Monadnock, very stony	45	B	---	3	---	---	---
459D:							
Berkshire, very stony	45	B	---	5	---	---	---
Monadnock, very stony	45	B	---	3	---	---	---
462C:							
Cheshire	80	A	---	5	---	---	---
462D:							
Cheshire	75	A	---	5	---	---	---
466B:							
Colrain, very stony	90	A	---	5	---	---	---
466C:							
Colrain, very stony	90	A	---	5	---	---	---
466D:							
Colrain, very stony	90	A	---	5	---	---	---
466F:							
Colrain, very stony	90	A	---	5	---	---	---
470B:							
Dutchess	85	B	---	5	---	---	---
470C:							
Dutchess	85	B	---	5	---	---	---

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
470D:							
Dutchess	85	B	---	5	---	---	---
471C:							
Dutchess, very stony	85	B	---	5	---	---	---
471D:							
Dutchess, very stony	85	B	---	5	---	---	---
471F:							
Dutchess, very stony	85	B	---	5	---	---	---
521B:							
Lanesboro, very stony	90	D	---	3	---	---	---
521C:							
Lanesboro, very stony	85	D	---	3	---	---	---
521D:							
Lanesboro, very stony	90	D	---	3	---	---	---
521F:							
Lanesboro, very stony	95	D	---	3	---	---	---
525B:							
Fullam, very stony	85	D	---	3	---	---	---
525C:							
Fullam, very stony	90	D	---	3	---	---	---
600:							
Pits, gravel	96	---	.10	---	91.5	7.0	1.5
601:							
Pits, quarry	100	---	---	---	---	---	---
615:							
Udifluents, frequently flooded	100	A	.20	3	81.0	17.0	2.0
618F:							
Udorthents, frequently flooded	95	B	.43	5	59.0	36.0	5.0
651:							
Udorthents, smoothed	80	A	.37	4	60.0	39.0	1.0

RUSLE2 Related Attributes

Franklin County, Massachusetts

Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
652: Udorthents, refuse substratum	95	B	.28	2	60.0	30.0	10.0
656: Udorthents	50	A	.37	4	60.0	39.0	1.0
Urban land	45	---	---	---	---	---	---
731A: Enosburg	80	C/D	---	3	---	---	---
771A: Walpole, very stony	70	C/D	---	3	---	---	---
850A: Bucksport	78	B/D	---	2	---	---	---
851A: Bucksport	75	B/D	---	2	---	---	---
DAM: Dam, concrete	100	---	---	---	---	---	---