



CONSERVATION ENHANCEMENT ACTIVITY

E345102Z - Colorado

CONSERVATION STEWARDSHIP PROGRAM

Reduced Tillage to Reduce Wind Erosion

Conservation Practice 345: Residue and Tillage Management, Reduced Till

APPLICABLE LAND USE: Crop (Annual & Mixed)

RESOURCE CONCERN ADDRESSED: Soil Erosion

ENHANCEMENT LIFE SPAN: 1 year

Enhancement Description:

Establish a reduced tillage system to reduce wind erosion soil loss. Field(s) must have a soil loss at or below the soil tolerance (T) level for wind erosion for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 40 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be used to calculate soil loss and STIR.

Criteria:

- Uniformly distribute residues over the entire field. Removing residue from the row area prior to or as part of the planting operation is acceptable.
- Do not burn crop residues.
- The Soil Tillage Intensity Rating (STIR) value shall include all field operations that are performed during the crop interval between harvest of the previous cash crop and harvest or termination of the current cash crop (includes fallow periods). The crop STIR value rating shall be no greater than 40, and no primary inversion tillage implements (e.g. moldboard plow) shall be used. Refer to [NRCS Tillage Guide](#) for guidance on primary vs. secondary tillage equipment.
- Use the current approved wind erosion prediction technology to determine the:
 - Amount of randomly distributed surface residue needed.



CONSERVATION STEWARDSHIP PROGRAM

- Time of year the residue needs to be present in the field
 - Amount of surface soil disturbance allowed to reduce erosion to the desired average annual soil loss level.
 - Calculations must account for the effects of other practices in the management system.
- In ridge-till systems, plan ridge height and ridge orientation to manage runoff and minimize erosion, with a maximum row grade of 4%.



CONSERVATION STEWARDSHIP PROGRAM

Documentation and Implementation Requirements

Participant will:

- Prior to implementation, provide NRCS with the planned crop rotation and tillage operation(s) used for each crop.

Field	Acres	Planned Crops (in sequence)	Length of Crop Rotation (years)

Field	Crop	Field Operation	Timing of Field Operation (month/year)

- During implementation, notify NRCS of any planned changes in crops, crop rotation, or field operations to verify the planned system meets the enhancement criteria.
- During implementation, no residue will be burned.
- During implementation, all residues will be uniformly distributed over the entire field. Removing residue from the row area prior to or as part of the planting operation is acceptable.
- During implementation, no primary inversion tillage implements (e.g. moldboard plow) will be used.
- After implementation, if changes to the rotation were made, complete the tables above to document the applied Conservation Crop Rotation for the contract period and provide to NRCS.

NRCS will:

- As needed, provide technical assistance to meet the criteria of the enhancement.

