


| SWCD | Acres |
|-------------------------|-----------|
| Harney | 1,067,040 |
| Crook | 10,615 |
| Fort Rock / Silver Lake | 9,206 |



Introduction

The Silver 8-Digit Hydrologic Unit Code (HUC) subbasin is comprised of 1.1 million acres, primarily in Harney County. Seventy-seven percent of the subbasin is rangeland, thirteen percent is forestland, and six percent is grassland, hayland, and pastureland. Resource concerns include invasive, noxious weeds; sheet and rill erosion; insufficient water for irrigated lands; and declining fish and wildlife habitat. Low profitability, public controversy, and a lack of readily available technical assistance are significant concerns to most agricultural landowners.

There are 35 farms and 59 operators in the subbasin. Many of the farmers and ranchers have adopted conservation practices, but they are limited in their ability to do more because of insufficient financial assistance. Local leadership and community organizations are able to, and sometimes do, play a role in facilitating the diffusion of conservation throughout the subbasin.


The NRCS Hines and John Day Service Centers, Harney and Grant Soil and Water Conservation Districts, and Harney County Watershed Council provide conservation assistance in the subbasin.

Profile Contents

[Introduction](#)
[Physical Description](#)
[Land Use Map & Precipitation Map](#)
[Common Resource Area](#)

[Resource Concerns](#)
[Census and Social Data](#)
[Progress/Status](#)
[Footnotes/Bibliography](#)


Relief Map



17120004
Ownership Map

Legend

-  PRIVATE
-  PUBLIC
-  TRIBAL
-  UNKNOWN



Physical Description

[Back to Contents](#)

ALL NUMBERS IN THIS PROFILE ARE FOR OREGON ONLY

| Land Cover/Land Use (NLCD ²) | Ownership - (2003 Draft BLM Surface Map Set ¹) | | | | | | Totals | % |
|--|--|------------|----------------|------------|----------|-----------|------------------|-------------|
| | Public | | Private | | Tribal | | | |
| | Acres | % | Acres | % | Acres | % | | |
| Forest | 131,700 | 12% | 6,400 | 1% | 0 | 0% | 138,100 | 13% |
| Grain Crops | * | --- | * | --- | 0 | 0% | * | --- |
| Conservation Reserve Program Land ^a | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| Grass/Pasture/Hay | 43,000 | 4% | 26,000 | 2% | 0 | 0% | 69,000 | 6% |
| Orchards/Vineyards | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| Row Crops | * | --- | * | --- | 0 | 0% | * | --- |
| Shrub/Rangelands | 735,200 | 68% | 98,900 | 9% | 0 | 0% | 834,100 | 77% |
| Water/Wetlands/Developed/Barren | 29,300 | 3% | 11,900 | 1% | 0 | 0% | 41,200 | 4% |
| Oregon HUC Totals ^b | 939,200 | 86% | 147,200 | 14% | 0 | 0% | 1,086,400 | 100% |

*: Less than 1 percent of total acres. See below for special considerations.
a: Estimate from Farm Service Agency records and includes CRP/CREP.
b: Totals are approximate due to rounding and small unknown acreages.

Special Considerations for This 8-Digit HUC:

- Most of the private forestland is under non-industrial ownership and is used for grazing and timber production.
- Oats and peas sometimes are sown into new alfalfa stands for an early hay crop.

| | Type of Land | ACRES | % of Irrigated Lands | % of HUC |
|---|------------------------------|---------------|----------------------|-----------|
| Irrigated Lands (1997 NR ³ Estimates for Non-Federal Lands Only) | Cultivated Cropland | 0 | 0% | 0% |
| | Uncultivated Cropland | 22,100 | 100% | 2% |
| | Pastureland | 0 | 0% | 0% |
| | Total Irrigated Lands | 22,100 | 100% | 2% |


(Continued on the following pages)

[Back to Contents](#)

17120004
Land use/Land cover Map


Legend

-  Shrub/Rangelands
-  Orchard/Vineyards
-  Row Crops
-  Forest
-  Grass/Pasture/Hay Lands
-  Grain Crops
-  Water/Wetlands/
-  Developed/Barren



17120004
Average Annual
Precipitation in Inches


- Eastern Oregon
Precipitation Range
-  Less than 9"
 -  9" - 13"
 -  13" - 17"
 -  17" - 21"
 -  21" - 35"
 -  Greater than 35"



Common Resource Area Map

[Back to Contents](#)

Only the major units are described below - for descriptions of all units within the HUC, go to: <http://ice.or.nrcs.usda.gov/website/cra/viewer.htm>



10.16 – Central Rocky and Blue Mountains Foothills – Cool, Moist Blue Mountains Foothills:

This unit is characterized by rangeland soils on hills and mountains associated with basalt. It is similar to the Lava Fields unit except that this unit receives more precipitation and has a xeric soil moisture regime. The dominant soils are those of the Ateron and Observation series. The temperature regime is frigid, and the moisture regime is xeric. The mean annual precipitation is 12 to 20 inches. The vegetation is dominantly mountain big sagebrush and Idaho fescue (cool, moist climate).

23.2 – Malheur High Plateau - Cool High Desert Wetlands:

This unit is characterized by cold, wet basins that have a minimal amount of ash, if any. This unit is primarily in Harney Basin. The soils range from well drained to very poorly drained and from nonsaline and nonsodic to very strongly alkaline. Numerous ponded wetlands are present. The temperature regime is frigid, and the moisture regime is aridic with aquic soil conditions. The dominant soils are those of the Ausmus, Poujade, Widowspring, and Lawen series.

23.4 – Malheur High Plateau - High Lava Plains: This unit is on basalt plateaus and the escarpments of fault block mountains. The soil temperature regime is frigid or mesic, and the moisture regime is primarily aridic. The soils are typically shallow or moderately deep to bedrock or a cemented pan, and they have a strongly developed argillic horizon. The vegetation is dominantly low sagebrush, Wyoming big sagebrush, Idaho fescue, Thurber needlegrass, and bluebunch wheatgrass. Playas, small intermittent lakes, and clay that has a high shrink-swell potential are common in depressions.

43C.5 – Blue and Seven Devils Mountains - Continental Zone Highlands: This unit is characterized by one of the lowest amounts of precipitation and warmest temperatures within the MLRA. The bedrock typically is basalt and rhyolite, which result in shallow, gravelly and cobbly soils. The temperature regime is frigid, and the moisture regime is xeric. The vegetation is dominantly ponderosa pine, scattered Douglas-fir, western juniper, bitterbrush, and mahogany. Ash-influenced soils typically are absent.

Physical Description – Continued


[Back to Contents](#)

| | | ACRES | ACRE-FEET | | | |
|--|--|--------------------------|----------------|--------------|-------------|--------------|
| Irrigated Adjudicated Water Rights (OWRD ⁴) | Surface | 34,187 | 91,399 | | | |
| | Well | 8,573 | 25,719 | | | |
| | Total Irrigated Adjudicated Water Rights | 42,761 | 117,118 | | | |
| Stream Flow Data | USGS 10403000 SILVER CREEK, NEAR RILEY, OR | Total Avg. Yield | 31,023 | | | |
| | | May – Sept. Yield | 6,744 | | | |
| | | MILES | PERCENT | | | |
| Stream Data ⁵ <i>*Percent of Total Miles of Streams in HUC</i> | Total Miles – Major (100K Hydro GIS Layer) | 193 | --- | | | |
| | 303d/TMDL Listed Streams (DEQ) | 114 | 59% | | | |
| | Anadromous Fish Presence (StreamNet) | 0 | 0% | | | |
| | Bull Trout Presence (StreamNet) | 0 | 0% | | | |
| | | ACRES | PERCENT | | | |
| Land Cover/Use ² Based on a 100-foot stretch on both sides of all streams in the 100K Hydro GIS Layer | Forest | 13,443 | 15% | | | |
| | Grain Crops | 734 | 1% | | | |
| | Grass/Pasture/Hay | 6,653 | 7% | | | |
| | Orchards/Vineyards | 0 | 0% | | | |
| | Row Crops | 1 | 0% | | | |
| | Shrub/Rangelands – Includes CRP Lands | 65,986 | 73% | | | |
| | Water/Wetlands/Developed/Barren | 3,580 | 4% | | | |
| | Total Acres of 100-foot Stream Buffers | 90,396 | --- | | | |
| Land Capability Class <i>(Croplands & Pasturelands Only)</i> <i>(1997 NRI³ Estimates for Non-Federal Lands Only)</i> | 1 – slight limitations | 0 | 0% | | | |
| | 2 – moderate limitations | 0 | 0% | | | |
| | 3 – severe limitations | 22,100 | 100% | | | |
| | 4 – very severe limitations | 0 | 0% | | | |
| | 5 – no erosion hazard, but other limitations | 0 | 0% | | | |
| | 6 – severe limitations; unsuitable for cultivation; limited to pasture, range, forest | 0 | 0% | | | |
| | 7 – very severe limitations; unsuitable for cultivation; limited to grazing, forest, wildlife habitat | 0 | 0% | | | |
| | 8 – miscellaneous areas; limited to recreation, wildlife habitat, water supply | 0 | 0% | | | |
| | Total Croplands & Pasturelands | 22,100 | --- | | | |
| Confined Animal Feeding Operations – Oregon CAFO Permit – 12/2004 | | | | | | |
| Animal Type | Dairy | Feedlot | Poultry | Swine | Mink | Other |
| No. of Permitted Farms | 0 | 0 | 0 | 0 | 0 | 0 |
| No. of Permitted Animals | 0 | 0 | 0 | 0 | 0 | 0 |

Resource Concerns

[Back to Contents](#)


Tons of Soil Loss by Water Erosion: Due to the limited amount of non-Federal cropland and pastureland within this HUC, no reliable NRI soil loss estimates are available.



- ❖ All listed stream miles exceed State water quality standards for temperature. Elevated stream temperatures may be due to inadequate riparian shade, stream channel widening, warm irrigation return flows, and other anthropogenic or natural causes.
- ❖ Conservation practices that can be used to address these water quality issues include grazing management, irrigation water management, and use of riparian buffers.

| Watershed Projects, Plans, Studies, and Assessments | | | |
|---|----------------------------------|--|--|
| NRCS Watershed Projects ⁶ | | NRCS Watershed Plans, Studies, and Assessments ⁷ | |
| Name | Status | Name | Status |
| None | None | None | None |
| ODEQ TMDL's ⁸ | | ODA Agricultural Water Quality Management Plans ⁹ | |
| Name | Status | Name | Status |
| None | None | Greater Harney Basin | Completed |
| OWEB Watershed Council ¹⁰ | | Watershed Council Assessments ¹¹ | NWPPC Subbasin Plans & Assessments ¹⁸ |
| Harney County Watershed Council | Silver Creek Subbasin Assessment | None | None |

(Continued on page 8)



Map Footnote [417](#)

Resource Concerns - Continued

[Back to Contents](#)

| Resource Concerns/Issues by Land Use | | | | | | | |
|--------------------------------------|-------------------------------------|-----------------------|-------------|-----------|--|-------------|--------|
| SWAPA +H Concerns | Specific Resource Concern/Issue | Grass\Pasture\ Hay | Grain Crops | Row Crops | Perennial Crops (Orch/Vine/ Berries) | Shrub/Range | Forest |
| Soil Erosion | Sheet and Rill | | | | | X | |
| Water Quantity | Ponding and Flooding | X | | | | | |
| | Water Management for Irrigated Land | X | | | | | |
| Water Quality, Surface | Temperature | | | | | X | |
| Plant Suitability | Site and Intended Use Suitability | X | | | | X | |
| Plant Condition | Productivity, Health, and Vigor | X | | | | | |
| Animal Habitat, Domestic | Water - Quantity and Quality | | | | | X | |
| Animal Habitat, Wildlife | Water - Quantity and Quality | | | | | X | |
| Human, Economics | Low or Unreliable Profitability | X | | | | X | |
| Human, Political | Lack of Technical Assistance | X | | | | X | X |
| | High Degree of Controversy | X | | | | X | X |

Grass/Pasture/Hay

- Water conservation is an issue in areas used for irrigated hay and pasture on most ranches.
- Wind erosion can be a concern in areas of sandy soils where the forage has not been properly managed as cover or for maximum production.
- A low economic return limits adoption of appropriate conservation practices.
- Recently, landowners have been very interested in practices (use of flow meters and soil moisture sensors and retrofitting of sprinklers) that would assist them with irrigation water management and scheduling.

Shrub/Rangeland

- Rangeland productivity can be reduced by the invasion of noxious weeds, annual grasses, brush, and juniper.
- Loss of riparian vegetation can contribute to stream warming.
- Low profit limits adoption of conservation practices.

Forestland

- Much of the private, non-industrial forestland has been thinned in the recent past. Poor markets and lack of nearby mills have reduced timber harvesting and limited the need for additional forest management activities at this time.

| FEDERALLY LISTED THREATENED AND ENDANGERED SPECIES ¹² | |
|--|---|
| THREATENED SPECIES | CANDIDATE SPECIES |
| Mammals - Canada lynx Birds – Bald eagle Fish – Borax Lake chub, Lahontan cutthroat trout, Bull trout Plants – Malheur wire-lettuce | Birds – Yellow-billed cuckoo Amphibians and Reptiles – Columbia spotted frog |
| | PROPOSED SPECIES None |
| ESSENTIAL FISH HABITAT ¹³ - None | |


Census and Social Data^{/14}

[Back to Contents](#)

Number of Farms: 35

Number of Operators: 59

- Full-Time Operators: **22**
- Part-Time Operators: **37**




Estimated Level of Willingness and Ability to Participate in Conservation^{/15}: **High**

Most farmers and ranchers in the Silver subbasin are aware of local resource concerns and manage their resources prudently. They are generally willing to adopt conservation practices and have a positive stewardship attitude. Conservation is not more widely diffused throughout the subbasin because of insufficient financial assistance and concern by some regarding the efficacy of conservation.


Evaluation of Social Capital^{/16}: **Moderate**

The geographic distance between community members, local businesses, schools, churches, parks, and other community amenities is great; getting together commonly requires a drive of an hour or more each way. Many of the residents regularly put forth the effort, drive the distance, and work together to solve problems and complete projects.

Local leadership and community organizations are able to, and sometimes do, play a role in facilitating the diffusion of conservation throughout the subbasin.



Last printed 2/28/2006 11:22 AM




February 28, 2006

Progress/Status

[Back to Contents](#)

| PRMS Data | FY99 | FY00 | FY01 | FY02 | FY03 | Avg/Year | Total |
|--|------|-------|------|------|-------|----------|-------|
| Total Conservation Systems Planned (Acres) | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Conservation Systems Applied (Acres) | 0 | 0 | 0 | 0 | 2,560 | 512 | 2,560 |
| Conservation Treatment (Acres) | | | | | | | |
| Waste Management | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buffers | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Erosion Control | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Irrigation Water Management | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nutrient Management | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pest Management | 0 | 66 | 0 | 0 | 0 | 13 | 66 |
| Prescribed Grazing | 0 | 1,280 | 0 | 0 | 0 | 256 | 1,280 |
| Trees and Shrubs | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Conservation Tillage | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wildlife Habitat | 0 | 1,280 | 0 | 0 | 0 | 256 | 1,280 |
| Wetlands | 0 | 0 | 0 | 0 | 0 | 0 | 0 |



Estimates are based on information received from local conservationists in the watershed.

- ❖ Progress over the last 5 years has been focused on:
 - ~ Prescribed grazing on pastureland and rangeland.
 - ~ Wildlife habitat management in riparian areas and on uplands.
- ❖ Much of the pastureland is flood irrigated and lacks proper forage and grazing management.
- ❖ Proper grazing management and watering facilities for livestock and wildlife commonly are lacking on the rangeland.
- ❖ Private forestland, largely under non-industrial ownership, has been thinned in the recent past.

Lands Removed from Production through Farm Bill Programs

- ❖ Conservation Reserve Program (CRP): **None**
- ❖ Wetland Restoration Program (WRP): **None**
- ❖ Conservation Reserve Enhancement Program (CREP): **None**

Footnotes/Bibliography

[Back to Contents](#)

All data is provided "as is." There are no warranties, express or implied, including the warranty of fitness for a particular purpose, accompanying this document. Use for general planning purposes only.

1. Ownership Layer – Source: The 1:24,000 scale public ownership layer is the land ownership/management for public entities, including Federal, Tribal, State, and local entities. This is a seamless, statewide Oregon Public Ownership vector layer composed of fee ownership of lands by Federal, State, Tribal, county, and city agencies. The layer is comprised of the best available data compiled at 1:24,000 scale or larger, and the line work matches GCDB boundary locations and ORMAP standards where possible. The layer is available from the State of Oregon GIS Service Center: <http://www.gis.state.or.us/data/alphalist.html>. For current ownership status, consult official records at appropriate Federal, State, and county offices. Ownership classes grouped to calculate Federal ownership vs. non-Federal ownership by the Water Resources Planning Team.
2. National Land Cover Dataset (NLCD) - Originator: U.S. Geological Survey (USGS); Publication date: 19990631; Title: Oregon Land Cover Data Set, Edition: 1; Geospatial data presentation form: Raster digital data; Publisher: U.S. Geological Survey, Sioux Falls, SD, USA; Online linkage: <http://edcwww.cr.usgs.gov/programs/lccp/nationallandcover.html>; Abstract: These data can be used in a geographic information system (GIS) for any number of purposes, such as assessing wildlife habitat, water quality, pesticide runoff, land use change, etc. The State data sets are provided with a 300-meter buffer beyond the State border to facilitate combining the State files into larger regions.
3. ESTIMATES FROM THE 1997 NRI DATABASE (REVISED DECEMBER 2000) REPLACE ALL PREVIOUS REPORTS AND ESTIMATES. Comparisons made using data published for the 1982, 1987, or 1992 NRI may produce erroneous results. This is because of changes in statistical estimation protocols and because all data collected prior to 1997 were simultaneously reviewed (edited) as 1997 NRI data were collected. All definitions are available in the glossary. In addition, this December 2000 revision of the 1997 NRI data updates information released in December 1999 and corrects a computer error discovered in March 2000. For more information: <http://www.nrcs.usda.gov/technical/NRI/>
4. Irrigated Adjudicated Water Rights – Water Rights Information System (WRIS), Oregon Water Resources Department, <http://www.wrd.state.or.us/maps/wrlexport.shtml>
5. StreamNet is a cooperative venture of the Pacific Northwest's fish and wildlife agencies and tribes and is administered by the [Pacific States Marine Fisheries Commission](#). StreamNet provided data and data services in support of the region's fish and wildlife program and other efforts to manage and restore the region's aquatic resources. Official StreamNet website: <http://www.streamnet.org/>
6. Natural Resources Conservation Service, Watershed Projects Planned and Authorized, <http://www.nrcs.usda.gov/programs/watershed/Purpose>.
7. Natural Resources Conservation Service, Watershed Plans, Studies, and Assessments completed, http://www.nrcs.usda.gov/programs/watershed/Surveys_Plng.html#Watershed%20Surveys%20and%20Plan
8. Oregon Department of Environmental Quality Total Maximum Daily Loads, <http://www.deq.state.or.us/wq/TMDLs/TMDLs.htm>
9. Oregon Department of Agriculture, Agricultural Water Quality Management Plans, http://www.oregon.gov/ODA/NRD/water_agplans.shtml

Footnotes/Bibliography Continued

[Back to Contents](#)

All data is provided "as is." There are no warranties, express or implied, including the warranty of fitness for a particular purpose, accompanying this document. Use for general planning purposes only.

10. Oregon Watershed Enhancement Board, <http://oregon.gov/OWEB/WSHEDS/index.shtml>
11. Watershed Assessments completed by local watershed councils following the Oregon Watershed Assessment Manual, http://oregon.gov/OWEB/docs/pubs/ws_assess_manual.shtml.
12. NRCS Field Office Technical Guide, Section II, Threatened and Endangered List.
13. Magnuson-Stevens Fishery Conservation and Management Act, Public Law 94-265. As amended through October 11, 1996.
14. Data were taken from the 2002 Agricultural Census and adjusted by percent of HUC in the county or by percent of zip code area in the HUC, depending on the level of data available. Data were also taken from the U.S. Population Census, 2000.
15. Conservation participation was estimated using NRCS Social Sciences Technical Note 1801, [Guide for Estimating Participation in Conservation](#), 2004. Four categories of indicators were evaluated: Personal characteristics, farm structural characteristics, perceptions of conservation, and community context. Estimates are based on information received from local conservationists in the watershed.
16. Social capital is an indicator of the community's ability and willingness to work together to solve problems. A high amount of social capital helps a community to be physically healthy, socially progressive, and economically vigorous. A low amount of social capital typically results in community conflict, lack of trust and respect, and unsuccessful attempts to solve problems. The evaluation is based on NRCS Technical Report Release 4.1, March, 2002: [Adding Up Social Capital: An Investment in Communities](#). Local conservationists provided information to measure social capital. Scores range from 0 to 76.
17. [Surface and Groundwater Resource Protection Map](#)
 - a. 2002 303d Listed Streams designated by Oregon Department of Environmental Quality and approved by the Environmental Protection Agency, Section 303d Clean Water Act, <http://www.deq.state.or.us/wq/303dlist/303dpage.htm>
 - b. Groundwater Management Areas designated by the Oregon Department of Environmental Quality, Oregon Revised Statutes – Ground Water ORS 468B.150 to ORS 468B.190, <http://www.deq.state.or.us/wq/groundwa/wqgw.htm>
 - c. Groundwater Restricted Areas designated by Oregon Water Resources Commission, Oregon Department of Water Resources, http://egov.oregon.gov/OWRD/PUBS/aquabook_protections.shtml
 - d. The Sole Source Aquifer (SSA) Protection Program is authorized by Section 1424(e) of the Safe Drinking Water Act of 1974 (Public Law 93-523, 42 U.S.C. 300 et. seq), <http://www.epa.gov/safewater/ssanp.html>
18. Subbasin assessments and plans are developed by local groups (SWCDs, watershed councils, tribes, and others) as part of the Northwest Power and Conservation Council's fish and wildlife program in the Columbia River Basin. This program is funded and implemented by the Bonneville Power Administration. <http://www.nwcouncil.org/fw/subbasinplanning/Default.htm>.