

Mapunit_Name	Prime Farmland Code
Chapman loam, high precipitation, 0 to 3 percent slopes	1
Chapman-Chehalis complex, 0 to 3 percent slopes	1
Cehalem silty clay loam, 0 to 3 percent slopes	2
Cehalem silty clay loam, 0 to 3 percent slopes, occasionally flooded	2
Cehalem silty clay loam, sedimentary, 0 to 3 percent slopes	2
Cehalem silty clay loam, volcanic, 0 to 3 percent slopes	2
Chehalis silt loam	1
Chehalis silt loam, 0 to 3 percent slopes	1
Chehalis silt loam, high precipitation, 0 to 3 percent slopes	1
Chehalis silt loam, occasional overflow	1
Chehalis silty clay loam	1
Chehalis silty clay loam, 0 to 3 percent slopes	1
Chehalis silty clay loam, occasional overflow	1
Chehalis silty clay loam, occasionally flooded	1
Chenoweth loam, 1 to 7 percent slopes	4
Cherryhill silt loam, 1 to 7 percent slopes	4
Chesnimnus gravelly loam, 0 to 3 percent slopes	4
Chesnimnus silt loam, 0 to 3 percent slopes	4
Cheval silt loam, 0 to 2 percent slopes	6
Chilcott silt loam, 2 to 5 percent slopes	4
Clackamas gravelly loam	2
Clackamas gravelly silt loam	2
Clackamas silt loam	2
Clackamas variant silt loam	1
Clawson sandy loam, 0 to 3 percent slopes	2
Clawson sandy loam, 2 to 5 percent slopes	2
Clawson sandy loam, 2 to 7 percent slopes	2
Clinefalls sandy loam, 0 to 3 percent slopes	4
Cloquato silt loam	1
Cloquato silt loam, 0 to 3 percent slopes	1
Cloquato silt loam, high precipitation, 0 to 3 percent slopes	1
Clovkamp loamy sand, 0 to 3 percent slopes	4
Clovkamp loamy sand, bedrock substratum, 0 to 3 percent slopes	4
Coburg complex, rarely and occasionally flooded, 0 to 3 percent slopes	1
Coburg silty clay loam	1
Coburg silty clay loam, 0 to 3 percent slopes	1
Coburg silty clay loam, 0 to 5 percent slopes	1
Coburg silty clay loam, flooded, 0 to 3 percent slopes	1
Coburg silty clay loam, occasionally flooded	1
Coburg silty clay loam, rarely flooded, 0 to 3 percent slopes	1
Coleman loam, 0 to 7 percent slopes	2
Condon and Valby silt loams, 1 to 7 percent slopes	4
Condon silt loam, 1 to 7 percent slopes	4
Conley silty clay loam, 0 to 2 percent slopes	6
Conley silty clay loam, 2 to 5 percent slopes	6
Conley silty clay loam, 2 to 8 percent slopes	6

Mapunit_Name	Prime Farmland Code
Cornelius and Kinton silt loams, 2 to 7 percent slopes	1
Cornelius silt loam, 3 to 8 percent slopes	1
Cornelius variant silt loam, 0 to 3 percent slopes	1
Cottrell silty clay loam, 2 to 12 percent slopes	1
Cottrell silty clay loam, 2 to 8 percent slopes	1
Coughanour silt loam, 0 to 2 percent slopes	4
Coughanour silt loam, 2 to 7 percent slopes	4
Court gravelly ashy sandy loam, 1 to 8 percent slopes	4
Court sandy loam, 1 to 8 percent slopes	4
Courtrock loam, 2 to 7 percent slopes	4
Crump muck, 0 to 1 percent slopes	6
Crump silty clay loam, drained, 0 to 1 percent slopes	4
Crump-Ozamis complex, drained, 0 to 1 percent slopes	4
Culbertson loam, 0 to 8 percent slopes	1
Cumulic Haploxerolls, 0 to 2 percent slopes *1	4
Dardry-Newbar complex, 0 to 5 percent slopes	1
Darow silty clay loam, 1 to 5 percent slopes	1
Dayville silt loam	4
Dee silt loam, 0 to 8 percent slopes	2
Defenbaugh loam, 0 to 2 percent slopes	4
Dehill fine sandy loam, 0 to 5 percent slopes	4
Deschutes ashy sandy loam, 0 to 3 percent slopes	4
Deschutes ashy sandy loam, dry, 0 to 3 percent slopes	4
Deschutes sandy loam, 0 to 3 percent slopes	4
Deschutes sandy loam, 3 to 8 percent slopes	4
Deschutes sandy loam, dry, 0 to 3 percent slopes	4
Deschutes-Houstake complex, 0 to 8 percent slopes	4
Deskamp loamy sand, 0 to 3 percent slopes	4
Deskamp loamy sand, 3 to 8 percent slopes	4
Deskamp sandy loam, 3 to 8 percent slopes	4
Deter clay loam, 0 to 2 percent slopes	4
Deter clay loam, 2 to 7 percent slopes	4
Deter loam, 0 to 5 percent slopes	4
Deter loam, low precipitation, 0 to 5 percent slopes	4
Dixon gravelly fine sandy loam, 0 to 5 percent slopes	4
Dixon gravelly fine sandy loam, alkali, 0 to 2 percent slopes	4
Dodes loam, 0 to 2 percent slopes	4
Donica gravelly loam, 0 to 5 percent slopes	4
Dotta sandy loam, 0 to 5 percent slopes, MLRA 21	4
Drews loam, 0 to 5 percent slopes, goose lake valley, northern part, MLRA 21	4
Drewsey very fine sandy loam, 1 to 5 percent slopes	4
Drewsgap loam, 0 to 5 percent slopes	4
Drybed silt loam, 0 to 8 percent slopes	4
Dryck gravelly loam, 0 to 2 percent slopes	4
Dryck loam, 0 to 2 percent slopes	4
Duart silt loam, 1 to 7 percent slopes	4

Mapunit_Name	Prime Farmland Code
Dufur silt loam, 1 to 7 percent slopes	4
Dumont gravelly clay loam, 1 to 12 percent slopes	1
Dumont gravelly loam, 2 to 12 percent slopes	1
Ellisforde silt loam, 1 to 7 percent slopes	4
Endersby fine sandy loam	4
Endersby fine sandy loam, 0 to 3 percent slopes	4
Endersby loam	4
Endersby-Hermiston complex, 0 to 3 percent slopes	4
Enko loam, 1 to 10 percent slopes	4
Enko loamy sand, 2 to 8 percent slopes	4
Enko sandy loam, 0 to 6 percent slopes	4
Enko-Catlow complex, 1 to 7 percent slopes	4
Enko-McConnel complex, 0 to 5 percent slopes	4
Era ashy loam, 0 to 3 percent slopes	4
Era ashy sandy loam, 0 to 3 percent slopes	4
Era ashy sandy loam, 3 to 8 percent slopes	4
Era sandy loam, 3 to 8 percent slopes	4
Era sandy loam, cobbly substratum, 0 to 3 percent slopes	4
Era soils, 1 to 8 percent slopes	4
Esquatzel silt loam	4
Esquatzel silt loam, 0 to 3 percent slopes	4
Evans loam	1
Evans loam, 0 to 3 percent slopes	1
Evans silt loam, 0 to 3 percent slopes	1
Falk variant fine sandy loam	4
Faloma silt loam	5
Faloma silt loam, protected	2
Foehlin gravelly loam, 0 to 3 percent slopes, MLRA 5	1
Foehlin gravelly loam, 0 to 3 percent slopes, high precip	1
Foehlin gravelly loam, 0 to 3 percent slopes, warm	1
Foehlin gravelly loam, 3 to 12 percent slopes	1
Fordney gravelly loamy sand, 0 to 5 percent slopes	4
Fordney gravelly loamy sand, 5 to 15 percent slopes	4
Fordney loamy fine sand, 0 to 2 percent slopes, north, MLRA 21	4
Fordney loamy fine sand, 2 to 20 percent slopes	4
Fordney loamy fine sand, terrace, 0 to 3 percent slopes	4
Freels silt loam, 0 to 3 percent slopes	4
Freezener gravelly loam, 1 to 12 percent slopes	1
Garbutt silt loam, 0 to 2 percent slopes	4
Garbutt silt loam, 2 to 5 percent slopes	4
Gelderman-Jory complex, 2 to 12 percent slopes	1
Gelsinger silt loam, 2 to 8 percent slopes	4
Glasgow silt loam, 2 to 7 percent slopes	4
Glide fine sandy loam, 0 to 3 percent slopes	4
Goodrich gravelly loam, 0 to 7 percent slopes	4
Goose Lake silt loam, 0 to 1 percent slopes	6

Mapunit_Name	Prime Farmland Code
Greenleaf silt loam, 0 to 2 percent slopes	4
Greenleaf silt loam, 2 to 5 percent slopes	4
Gregory silty clay loam, 0 to 3 percent slopes	2
Gurdane silty clay loam, 0 to 7 percent slopes	4
Hack loam, 0 to 3 percent slopes	4
Hack loam, 3 to 7 percent slopes	4
Harana silt loam	4
Harana silty clay loam	4
Harriman loam, 0 to 2 percent slopes	4
Harriman loam, 0 to 5 percent slopes	4
Harriman loam, 2 to 5 percent slopes	4
Harriman loamy fine sand, 0 to 2 percent slopes	4
Helvetia silt loam, 0 to 12 percent slopes	1
Helvetia silt loam, 2 to 12 percent slopes	1
Helvetia silt loam, 2 to 7 percent slopes	1
Helvetia silt loam, 3 to 8 percent slopes	1
Hermiston silt loam	4
Hermiston silt loam, 0 to 3 percent slopes	4
Hershal silt loam, 0 to 2 percent slopes	6
Hibbard silt loam, 2 to 7 percent slopes	4
Hillsboro loam, 0 to 3 percent slopes	1
Hillsboro loam, 3 to 7 percent slopes	1
Holcomb silt loam	2
Holcomb silt loam, 0 to 3 percent slopes	2
Holcomb silty clay loam	2
Holland sandy loam, cool, 2 to 7 percent slopes	4
Homehollow ashy sandy loam, 0 to 3 percent slopes	4
Hood loam, 0 to 3 percent slopes	1
Hood loam, 3 to 8 percent slopes	1
Hot Lake silt loam	4
Houstake ashy sandy loam, 0 to 3 percent slopes	4
Houstake sandy loam, 0 to 3 percent slopes	4
Houstake sandy loam, dry, 0 to 3 percent slopes	4
Houstake sandy loam, very gravelly substratum, 0 to 3 percent slopes	4
Huberly silt loam, 0 to 3 percent slopes	2
Hukill gravelly loam, 1 to 12 percent slopes	1
Hullt clay loam, 2 to 7 percent slopes	1
Hurwal silt loam, 2 to 8 percent slopes	4
Hurwal silt loam, moist, 2 to 8 percent slopes	4
Hutchinson silt loam, 2 to 7 percent slopes	4
Imbler coarse sandy loam, 1 to 5 percent slopes	4
Imbler fine sandy loam, 1 to 5 percent slopes	4
Iris silt loam, 0 to 1 percent slopes	4
Irrigon fine sandy loam, 2 to 5 percent slopes	4
Jerome sandy loam	4
Jett silt loam	4

Mapunit_Name	Prime Farmland Code
Jett silt loam, 0 to 3 percent slopes	4
Jimbo silt loam	1
Jimbo-Haflinger complex, 0 to 3 percent slopes	1
Jimbo-Haflinger complex, 0 to 5 percent slopes	1
Jory silt loam, 2 to 12 percent slopes	1
Jory silty clay loam, 2 to 12 percent slopes	1
Jory silty clay loam, 2 to 7 percent slopes	1
Jory silty clay loam, 2 to 8 percent slopes	1
Jory silty clay loam, basalt bedrock, 2 to 12 percent slopes	1
Jory silty clay loam, diabase, 2 to 12 percent slopes	1
Jory silty clay loam, sedimentary bedrock, 2 to 12 percent slopes	1
Jory silty clay loam, sediments, 2 to 12 percent slopes	1
Jory-Bellpine complex, 2 to 12 percent slopes	1
Jory-Gelderman silt loams, 2 to 12 percent slopes	1
Jory-Gelderman silty clay loams, 2 to 12 percent slopes	1
Jory-Nekia complex, 2 to 12 percent slopes	1
Josephine gravelly loam, 3 to 12 percent slopes	1
Josset loam, 0 to 2 percent slopes	4
Kerby loam	1
Kerby loam, 0 to 3 percent slopes	1
Kerby loam, wet, 0 to 3 percent slopes	2
Kimberly fine sandy loam	4
Kimberly fine sandy loam, 0 to 3 percent slopes	4
Kimberly silt loam, 0 to 3 percent slopes	4
Kinton silt loam, 3 to 8 percent slopes	1
Krebs silt loam, 2 to 5 percent slopes	4
Kubli loam, 0 to 3 percent slopes	2
Kubli loam, 3 to 7 percent slopes	2
La Grande silt loam	4
La Grande silt loam, 0 to 3 percent slopes	4
La Grande silty clay loam	4
Ladd loam, 2 to 7 percent slopes	4
LaFollette sandy loam, 0 to 3 percent slopes	4
LaFollette sandy loam, 3 to 8 percent slopes	4
Lakeview loam, 0 to 2 percent slopes, goose lake valley area, mlra, 21	4
Lakeview silty clay loam, MLRA 21	4
Lakeview silty clay loam, 0 to 2 percent slopes	4
Lakeview silty clay loam, low precipitation, 0 to 2 percent slopes	4
Langrell gravelly loam, 0 to 3 percent slopes	4
Langrell-Snow complex, 0 to 3 percent slopes	4
Latourell loam, 0 to 3 percent slopes	1
Latourell loam, 3 to 8 percent slopes	1
Latourell silt loam, 0 to 3 percent slopes	1
Latourell silt loam, 3 to 8 percent slopes	1
Laurelwood silt loam, 3 to 7 percent slopes	1
Laurelwood silt loam, 3 to 8 percent slopes	1

Mapunit_Name	Prime Farmland Code
Legler clay loam, 0 to 2 percent slopes	4
Legler silty clay loam, 0 to 3 percent slopes	4
Linslaw loam	2
Linslaw loam, 0 to 3 percent slopes	2
Linslaw loam, 3 to 8 percent slopes	2
Lostine silt loam, 0 to 3 percent slopes	4
Loupence silt loam, 0 to 2 percent slopes	6
Madras loam, 0 to 3 percent slopes	4
Madras loam, 3 to 8 percent slopes	4
Madras loam, 0 to 8 percent slopes	4
Madras loam, 1 to 12 percent slopes	4
Madras sandy loam, 0 to 3 percent slopes	4
Madras sandy loam, 3 to 8 percent slopes	4
Malabon silty clay loam	1
Malabon silty clay loam, 0 to 3 percent slopes	1
Malabon silty clay loam, flooded, 0 to 3 percent slopes	1
Malabon silty clay loam, occasionally flooded	1
Malabon silty clay loam, rarely flooded, 0 to 3 percent slopes	1
Malabon variant loam	1
Manita loam, 2 to 7 percent slopes, MLRA 5	1
Marks creek loam, 0 to 3 percent slopes	4
Matterhorn gravelly fine sandy loam, 0 to 3 percent slopes	4
Maupin loam, 0 to 5 percent slopes	4
Maupin silt loam, 0 to 8 percent slopes	4
Maupin variant loam	4
McAlpin silty clay loam	1
McAlpin silty clay loam, 0 to 3 percent slopes	1
McAlpin silty clay loam, 3 to 6 percent slopes	1
McAlpin silty clay loam, high precipitation, 0 to 3 percent slopes	1
McAlpin silty clay loam, high precipitation, 3 to 6 percent slopes	1
McAlpin silty clay loam, rarely flooded, 0 to 3 percent slopes	1
McBee silt loam	3
McBee silty clay loam *2	1
McBee silty clay loam *3	3
McBee silty clay loam, 0 to 3 percent slopes	1
McBee silty clay loam, 0 to 3 percent slopes, nonflooded	1
McBee silty clay loam, nonflooded, 0 to 3 percent slopes	1
McBee variant loam	2
McConnel cobbly sandy loam, 3 to 8 percent slopes	4
McConnel very gravelly sandy loam, 0 to 2 percent slopes	4
McConnel very gravelly sandy loam, 2 to 15 percent slopes	4
McNab clay loam, 0 to 3 percent slopes	1
Meadowridge-Era complex, 1 to 12 percent slopes	4
Medford clay loam, 0 to 7 percent slopes	1
Medford clay loam, gravelly substratum, 0 to 7 percent slopes	1
Medford silty clay loam, 0 to 3 percent slopes	1

Mapunit_Name	Prime Farmland Code
Melbourne silty clay loam, 2 to 7 percent slopes	1
Mershon silt loam, 0 to 8 percent slopes	1
Metolius ashy sandy loam, 0 to 2 percent slopes	4
Metolius sandy loam, 0 to 8 percent slopes	4
Mikkalo silt loam, 2 to 7 percent slopes	4
Minam gravelly loam, 2 to 8 percent slopes	4
Minam loam, 2 to 8 percent slopes	4
Mippon ashy loam, 0 to 3 percent slopes	4
Moag silty clay loam	5
Moag silty clay loam, protected	2
Modoc fine sandy loam, 0 to 2 percent slopes	4
Modoc fine sandy loam, 2 to 5 percent slopes	4
Mondovi silt loam, 0 to 3 percent slopes	4
Morfitt loam, 0 to 2 percent slopes	4
Morrow silt loam, 1 to 7 percent slopes	4
Multnomah loam, 0 to 3 percent slopes	1
Multnomah silt loam, 0 to 3 percent slopes	1
Multnomah silt loam, 3 to 8 percent slopes	1
Multnomah variant loam, 0 to 8 percent slopes	1
Nekia silty clay loam, 2 to 12 percent slopes	1
Nekia silty clay loam, 2 to 7 percent slopes	1
Nekia silty clay loam, 2 to 8 percent slopes	1
Newberg fine sandy loam	4
Newberg fine sandy loam, 0 to 3 percent slopes	4
Newberg fine sandy loam, high precipitation, 0 to 3 percent slopes	4
Newberg loam	4
Newberg loam, 0 to 3 percent slopes	4
Newberg loamy sand, 0 to 3 percent slopes	4
Newberg silt loam	4
Newberg silt loam, 0 to 3 percent slopes	4
Norad silt loam, 0 to 1 percent slopes	4
Norad silt loam, 0 to 2 percent slopes	4
Norad-Spangenburg complex, 0 to 2 percent slopes	4
North Powder loam, 2 to 12 percent slopes	4
North Powder loam, 2 to 15 percent slopes	4
Nyssa silt loam, 0 to 2 percent slopes	4
Nyssa silt loam, 2 to 5 percent slopes	4
Nyssa silt loam, gravel substratum, 0 to 2 percent slopes	4
Nyssa silt loam, gravel substratum, 2 to 5 percent slopes	4
Nyssa-Malheur silt loams, 0 to 2 percent slopes	4
Nyssa-Malheur silt loams, 2 to 5 percent slopes	4
Oak Grove loam, 0 to 8 percent slopes	1
Ochoco-Prineville complex 0 to 3 percent slopes	4
Ochoco-Prineville complex, 3 to 8 percent slopes	4
Olallie clay loam, 0 to 3 percent slopes	6
Olex silt loam, 0 to 5 percent slopes	4

Mapunit_Name	Prime Farmland Code
Oliphant silt loam 0 to 3 percent slopes	4
Onyx silt loam	4
Onyx silt loam, 0 to 3 percent slopes	4
Owyhee silt loam, 0 to 2 percent slopes	4
Owyhee silt loam, 2 to 5 percent slopes	4
Ozamis loam, 0 to 1 percent slopes	6
Ozamis silt loam, 0 to 1 percent slopes	6
Ozamis silty clay loam, 0 to 1 percent slopes	6
Packard gravelly loam, 0 to 5 percent slopes	1
Packard gravelly loam, flooded, 0 to 3 percent slopes	1
Palouse silt loam, 0 to 5 percent slopes	1
Palouse silt loam, 1 to 7 percent slopes	1
Parkdale loam, 0 to 8 percent slopes	1
Pedigo silt loam	4
Pedigo silt loam, 0 to 3 percent slopes	4
Pelton-Willowdale complex, 0 to 3 percent slopes	4
Pengra silt loam, 1 to 4 percent slopes	2
Pengra silt loam, 2 to 12 percent slopes	2
Phys silt loam, 1 to 5 percent slopes	4
Pilot Rock silt loam, 1 to 7 percent slopes	4
Plainview sandy loam, 0 to 3 percent slopes	4
Plainview sandy loam, 3 to 8 percent slopes	4
Poden silt loam	4
Poe fine sandy loam	4
Poe loamy fine sand	4
Pollard loam, 2 to 7 percent slopes, MLRA 5	1
Powder loam, 0 to 3 percent slopes	4
Powder silt loam	4
Powder silt loam, 0 to 2 percent slopes	4
Powder silt loam, 0 to 3 percent slopes	4
Powder silt loam, occasional overflow	4
Powell silt loam, 0 to 3 percent slopes	2
Powell silt loam, 0 to 8 percent slopes	2
Powell silt loam, 3 to 8 percent slopes	2
Powval silt loam, 0 to 3 percent slopes	4
Powval silt loam, 0 to 3 percent slopes, warm	4
Pritchard silty clay loam, 2 to 7 percent slopes	4
Prosser silt loam, 0 to 2 percent slopes	4
Prosser silt loam, 2 to 7 percent slopes	4
Quafeno loam, 0 to 3 percent slopes	1
Quafeno loam, 3 to 8 percent slopes	1
Quatama loam, 0 to 3 percent slopes	1
Quatama loam, 3 to 7 percent slopes	1
Quatama loam, 3 to 8 percent slopes	1
Quatama silt loam, 0 to 3 percent slopes	1
Quatama silt loam, 3 to 8 percent slopes	1

Mapunit_Name	Prime Farmland Code
Rafton silt loam	5
Rafton silt loam, protected	2
Rafton-Sauvie-Moag complex	5
Ramo silty clay loam, 2 to 8 percent slopes	4
Reavis silt loam, 0 to 3 percent slopes	4
Redbell silt loam, 0 to 5 percent slopes	2
Redmond ashy sandy loam, 0 to 3 percent slopes	4
Redmond sandy loam, 0 to 3 percent slopes	4
Redmount gravelly silt loam, 0 to 3 percent slopes	4
Redmount silt loam, 0 to 3 percent slopes	4
Redmount silt loam, 3 to 8 percent slopes	4
Redmount-Cheval complex, 0 to 2 percent slopes	4
Rhea silt loam, 1 to 7 percent slopes	4
Ricco silty clay loam	6
Rio King loam, 1 to 6 percent slopes	4
Ritzville silt loam, 0 to 2 percent slopes	4
Ritzville silt loam, 2 to 7 percent slopes	4
Ritzville very fine sandy loam, 2 to 7 percent slopes	4
Roloff silt loam, 0 to 2 percent slopes	4
Roloff silt loam, 2 to 7 percent slopes	4
Roseburg loam, 0 to 3 percent slopes	1
Rosehaven loam, 3 to 12 percent slopes	1
Royal fine sandy loam, 2 to 5 percent slopes	4
Royal silt loam, 0 to 3 percent slopes	4
Ruch gravelly silt loam, 2 to 7 percent slopes, low precip	1
Ruch silt loam, 2 to 7 percent slopes	1
Ruch-Selmac complex, 2 to 7 percent slopes	1
Sagehill fine sandy loam, 0 to 2 percent slopes	4
Sagehill fine sandy loam, 2 to 5 percent slopes	4
Sagehill fine sandy loam, hummocky, 2 to 5 percent slopes	4
Salem gravelly silt loam	1
Salem gravelly silt loam, 0 to 3 percent slopes	1
Salem gravelly silt loam, 0 to 7 percent slopes	1
Salem silt loam, 0 to 7 percent slopes	1
Salisbury loam, 0 to 5 percent slopes	4
Salkum silt loam, 2 to 6 percent slopes	1
Salkum silty clay loam, 2 to 6 percent slopes	1
Salkum silty clay loam, 2 to 8 percent slopes	1
Salkum silty clay loam, basin, 0 to 6 percent slopes	1
Santiam silt loam, 0 to 3 percent slopes	1
Santiam silt loam, 2 to 8 percent slopes	1
Santiam silt loam, 3 to 6 percent slopes	1
Saturn variant silt loam	1
Saum silt loam, 2 to 7 percent slopes	1
Saum silt loam, 3 to 8 percent slopes	1
Sauvie silt loam	5

Mapunit_Name	Prime Farmland Code
Sauvie silt loam, protected	2
Sauvie silty clay loam, protected	2
Sawtell silt loam, 0 to 8 percent slopes	1
Schrier silt loam, 2 to 8 percent slopes	4
Schrier silt loam, shaly substratum, 2 to 7 percent slopes	4
Selmac loam, 2 to 7 percent slopes, low precip	2
Sevenoaks loamy sand, 0 to 3 percent slopes	4
Shano silt loam, 2 to 7 percent slopes	4
Shefflein loam, 2 to 7 percent slopes	1
Sibold fine sandy loam, 0 to 5 percent slopes	1
Sifton gravelly loam	1
Sifton gravelly loam, occasionally flooded	1
Sifton loam	1
Silverlake silt loam, 0 to 3 percent slopes	4
Sinamox silt loam, 1 to 7 percent slopes	4
Snow silt loam	4
Snow silt loam, 0 to 3 percent slopes	4
Spangenburg complex, 0 to 2 percent slopes	4
Spangenburg silty clay loam, 0 to 1 percent slopes	4
Spangenburg silty clay loam, moist, 0 to 1 percent slopes	4
Spangenburg silty clay loam, thick surface, 0 to 2 percent slopes	4
Springwater loam, 2 to 8 percent slopes	1
Steiwer silt loam, 3 to 6 percent slopes	1
Taunton fine sandy loam, 0 to 2 percent slopes	4
Taunton fine sandy loam, 1 to 7 percent slopes	4
Taunton fine sandy loam, 2 to 5 percent slopes	4
Terrabella clay loam, 0 to 3 percent slopes	2
Tetherow sandy loam, 0 to 3 percent slopes	4
Tetherow sandy loam, 3 to 8 percent slopes	4
Thatuna silt loam, 1 to 7 percent slopes	2
Tippett-Zumwalt complex, 0 to 3 percent slopes	1
Topper silt loam, 2 to 8 percent slopes	4
Truesdale fine sandy loam, 0 to 2 percent slopes	4
Truesdale fine sandy loam, 2 to 5 percent slopes	4
Truesdale fine sandy loam, 5 to 8 percent slopes	4
Tulana mucky silty clay loam, drained, 0 to 1 percent slopes	4
Tulana silt loam	6
Tulana silt loam, sandy substratum	6
Tumalo sandy loam, 0 to 3 percent slopes	4
Tumalo sandy loam, 3 to 8 percent slopes	4
Turbyfill fine sandy loam, 0 to 2 percent slopes	4
Turbyfill fine sandy loam, 2 to 5 percent slopes	4
Tygh fine sandy loam	7
Valby silt loam, 1 to 7 percent slopes	4
Van Horn fine sandy loam, 0 to 8 percent slopes	1
Van Horn loam, 0 to 8 percent slopes	1

Mapunit_Name	Prime Farmland Code
Van Horn variant loam, 0 to 8 percent slopes	1
Veazie loam	7
Veazie loam, 0 to 3 percent slopes	7
Veazie silt loam, 0 to 3 percent slopes	4
Veneta loam, 0 to 7 percent slopes	1
Veneta loam, 0 to 12 percent slopes	1
Veneta variant silt loam, 0 to 7 percent slopes	1
Virtue silt loam, 0 to 2 percent slopes	4
Virtue silt loam, 2 to 5 percent slopes	4
Virtue silt loam, 2 to 7 percent slopes	4
Waha silt loam, 1 to 7 percent slopes	4
Waha silty clay loam, 1 to 12 percent slopes	4
Walla Walla silt loam, 1 to 7 percent slopes	4
Walla Walla silt loam, 3 to 7 percent slopes	4
Walla Walla silt loam, hardpan substratum, 1 to 7 percent slopes	4
Wamic loam, 1 to 5 percent slopes	4
Wapato silt loam	5
Wapato silty clay loam	5
Wapato silty clay loam, 0 to 3 percent slopes	5
Wapato silty clay loam, high precipitation, 0 to 3 percent slopes	5
Wapinitia silt loam, 0 to 8 percent slopes	4
Wapinitia variant silt loam, 1 to 7 percent slopes	4
Warden silt loam, 0 to 2 percent slopes	4
Warden silt loam, 2 to 5 percent slopes	4
Warden very fine sandy loam, 2 to 5 percent slopes	4
Watama silt loam, 2 to 8 percent slopes	4
Watama-Wapinitia silt loams, 0 to 5 percent slopes	4
Wato very fine sandy loam, 3 to 7 percent slopes	4
Wellsdale loam, 2 to 12 percent slopes	1
Wellsdale-Willakenzie-Dupee complex, 2 to 12 percent slopes	1
Wenas-Loupence-Cumulic Haploxerolls complex, 0 to 3 percent slopes	6
Willakenzie clay loam, 2 to 12 percent slopes	1
Willakenzie loam, 2 to 12 percent slopes	1
Willakenzie silty clay loam, 2 to 12 percent slopes	1
Willamette silt loam	1
Willamette silt loam, 0 to 3 percent slopes	1
Willamette silt loam, 3 to 7 percent slopes	1
Willamette silt loam, 3 to 8 percent slopes	1
Willamette silt loam, gravelly substratum, 0 to 3 percent slopes	1
Willamette silt loam, wet, 0 to 3 percent slopes	1
Willamette silt loam, wet, 3 to 7 percent slopes	1
Willis silt loam, 2 to 5 percent slopes	4
Willis silt loam, 2 to 7 percent slopes	4
Willowdale loam, 0 to 2 percent slopes	4
Willowdale loam, 0 to 3 percent slopes	4
Willowdale-Dryck-Fluvaquents complex, 0 to 2 percent slopes	4

Mapunit_Name	Prime Farmland Code
Wind River fine sandy loam, 0 to 8 percent slopes	4
Windygap clay loam, 2 to 12 percent slopes	1
Windygap silt loam, 2 to 12 percent slopes	1
Wingdale silt loam, 0 to 2 percent slopes	6
Wingville silt loam	4
Wingville silt loam, 0 to 2 percent slopes	4
Wolfpeak sandy loam, 3 to 12 percent slopes	1
Wollent silt loam	2
Woodburn silt loam	1
Woodburn silt loam, 0 to 3 percent slopes	1
Woodburn silt loam, 3 to 7 percent slopes	1
Woodburn silt loam, 3 to 8 percent slopes	1
Wyeast silt loam, 0 to 8 percent slopes	2
Xerolls, silty, 0 to 3 percent slopes	4
Yakima silt loam, 0 to 3 percent slopes	4
Zorravista fine sand, 0 to 5 percent slopes	4
Zorravista-Hinton complex, 0 to 8 percent slopes	4

*1 only in Baker and Union Soil Surveys

*2 only in Clackamas, Linn, Marion, and Yamhill Soil Surveys

*3 only in Lane, Polk, and Washington Soil Surveys