

ADAIR COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/18/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BaB	PHEL	Baxter cherty silt loam, 2 to 6 percent slopes
BaC	PHEL	Baxter cherty silt loam, 6 to 12 percent slopes
BaC2	PHEL	Baxter cherty silt loam, 6 to 12 percent slopes, eroded
BaD	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
BaD2	HEL	Baxter cherty silt loam, 12 to 20 percent slopes, eroded
BaE2	HEL	Baxter cherty silt loam, 20 to 30 percent slopes, eroded
BcD3	HEL	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
BcE3	HEL	Baxter cherty silty clay loam, 20 to 30 percent slopes, severely eroded
BeB	PHEL	Bewleyville silt loam, 2 to 6 percent slopes
BeC	HEL	Bewleyville silt loam, 6 to 12 percent slopes
BeC2	HEL	Bewleyville silt loam, 6 to 12 percent slopes, eroded
BoC	PHEL	Bodine cherty silt loam, 6 to 12 percent slopes
BoD	HEL	Bodine cherty silt loam, 12 to 20 percent slopes
BoE	HEL	Bodine cherty silt loam, 20 to 30 percent slopes
BoF	HEL	Bodine cherty silt loam, 30 to 50 percent slopes
Br	NHEL	Bruno loamy fine sand
CaE2	HEL	Caneyville very rocky soils, 20 to 30 percent slopes, eroded
CaE3	HEL	Caneyville very rocky soils, 20 to 30 percent slopes, severely eroded
CaF2	HEL	Caneyville very rocky soils, 30 to 45 percent slopes, eroded
CaF3	HEL	Caneyville very rocky soils, 30 to 45 percent slopes, severely eroded
CbB	PHEL	Captina silt loam, 2 to 6 percent slopes
CfC2	HEL	Christian fine sandy loam, 6 to 12 percent slopes, eroded
CfD2	HEL	Christian fine sandy loam, 12 to 20 percent slopes, eroded
ChB	PHEL	Christian silt loam, 2 to 6 percent slopes
ChC	HEL	Christian silt loam, 6 to 12 percent slopes
ChC2	HEL	Christian silt loam, 6 to 12 percent slopes, eroded
ChD	HEL	Christian silt loam, 12 to 20 percent slopes
ChD2	HEL	Christian silt loam, 12 to 20 percent slopes, eroded
CmC3	HEL	Christian silty clay loam, 6 to 12 percent slopes, severely eroded
CmD3	HEL	Christian silty clay loam, 12 to 20 percent slopes, severely eroded
CrD2	HEL	Christian very rocky soils, 8 to 20 percent slopes, eroded
CrD3	HEL	Christian very rocky soils, 12 to 20 percent slopes, severely eroded
CsC2	PHEL	Christian-Baxter cherty loams, 6 to 12 percent slopes, eroded

CsD2	HEL	Christian-Baxter cherty loams, 12 to 20 percent slopes, eroded
CsE2	HEL	Christian-Baxter cherty loams, 20 to 30 percent slopes, eroded
CsE3	HEL	Christian-Baxter cherty loams, 20 to 30 percent slopes, severely eroded
CtE	HEL	Colyer shaly silt loam, 12 to 30 percent slopes
CvC2	HEL	Cookeville silt loam, 6 to 12 percent slopes, eroded
DcB	PHEL	Dickson silt loam, 2 to 6 percent slopes
Du	NHEL	Dunning silt loam
EtB	PHEL	Etowah silt loam, 2 to 6 percent slopes
EtC	HEL	Etowah silt loam, 6 to 12 percent slopes
FtB	PHEL	Frankstown cherty silt loam, 2 to 6 percent slopes
FtC	HEL	Frankstown cherty silt loam, 6 to 12 percent slopes
FtC2	HEL	Frankstown cherty silt loam, 6 to 12 percent slopes, eroded
FtD	HEL	Frankstown cherty silt loam, 12 to 20 percent slopes
FtD2	HEL	Frankstown cherty silt loam, 12 to 20 percent slopes, eroded
Gn	HEL	Gullied land
Gu	NHEL	Guthrie silt loam
HcB	PHEL	Humphreys cherty silt loam, 2 to 6 percent slopes
HcC	PHEL	Humphreys cherty silt loam, 6 to 12 percent slopes
HcC2	PHEL	Humphreys cherty silt loam, 6 to 12 percent slopes, eroded
HcD2	PHEL	Humphreys cherty silt loam, 12 to 20 percent slopes, eroded
HcE	PHEL	Humphreys cherty silt loam, 20 to 30 percent slopes
HcE2	PHEL	Humphreys cherty silt loam, 20 to 30 percent slopes, eroded
HdC	PHEL	Humphreys silt loam, 6 to 12 percent slopes
HeD2	HEL	Humphreys cherty silt loam, shallow, 12 to 20 percent slopes, eroded
Hf	NHEL	Huntington fine sandy loam
Hg	NHEL	Huntington gravelly loam
Hu	NHEL	Huntington silt loam
LaA	NHEL	Landisburg cherty silt loam, 0 to 2 percent slopes
LaB	PHEL	Landisburg cherty silt loam, 2 to 6 percent slopes
LaC	HEL	Landisburg cherty silt loam, 6 to 12 percent slopes
LaC2	HEL	Landisburg cherty silt loam, 6 to 12 percent slopes, eroded
LaD2	HEL	Landisburg cherty silt loam, 12 to 20 percent slopes, eroded
LdA	NHEL	Landisburg silt loam, 0 to 2 percent slopes
LdB	PHEL	Landisburg silt loam, 2 to 6 percent slopes
LdC	HEL	Landisburg silt loam, 6 to 12 percent slopes
LdC2	HEL	Landisburg silt loam, 6 to 12 percent slopes, eroded
Lf	NHEL	Lawrence silt loam
Ls	NHEL	Lindside silt loam
Me	NHEL	Melvin silt loam
MoB	PHEL	Mountview silt loam, 2 to 6 percent slopes
MoC	HEL	Mountview silt loam, 6 to 12 percent slopes
MoC2	HEL	Mountview silt loam, 6 to 12 percent slopes, eroded
MsB	PHEL	Mountview silt loam, shallow, 2 to 6 percent slopes
MsC	HEL	Mountview silt loam, shallow, 6 to 12 percent slopes

MsC2	HEL	Mountview silt loam, shallow, 6 to 12 percent slopes, eroded
MsD	HEL	Mountview silt loam, shallow, 12 to 20 percent slopes
MsD2	HEL	Mountview silt loam, shallow, 12 to 20 percent slopes, eroded
MuE	HEL	Muskingum very fine sandy loam, 18 to 30 percent slopes
NdB	PHEL	Needmore silt loam, 2 to 6 percent slopes
NdC	HEL	Needmore silt loam, 6 to 12 percent slopes
NeD3	HEL	Needmore silty clay, 8 to 20 percent slopes, severely eroded
NfB2	PHEL	Needmore silty clay loam, 2 to 6 percent slopes, eroded
NfC2	HEL	Needmore silty clay loam, 6 to 12 percent slopes, eroded
NfD2	HEL	Needmore silty clay loam, 12 to 20 percent slopes, eroded
Nh	NHEL	Newark gravelly silt loam
Nk	NHEL	Newark silt loam
PmB	PHEL	Pembroke silt loam, 2 to 6 percent slopes
PmC	HEL	Pembroke silt loam, 6 to 12 percent slopes
Rb	NHEL	Robertsville silt loam
RcD	HEL	Rockcastle silt loam, 12 to 20 percent slopes
RcE	HEL	Rockcastle silt loam, 20 to 30 percent slopes
RcF	HEL	Rockcastle silt loam, 30 to 40 percent slopes
Rk	HEL	Rock land
Ro	HEL	Rock outcrop
SaA	NHEL	Sango silt loam, 0 to 2 percent slopes
SaB	PHEL	Sango silt loam, 2 to 6 percent slopes
SeB	NHEL	Sequatchie silt loam, 0 to 4 percent slopes
Sg	NHEL	Staser gravelly loam
Sm	NHEL	Staser loam
St	NHEL	Staser silt loam
Ta	NHEL	Taft silt loam
TbC2	HEL	Talbott silt loam, 6 to 12 percent slopes, eroded
TrD2	HEL	Talbott very rocky silt loam, 12 to 20 percent slopes, eroded
TrE2	HEL	Talbott very rocky silt loam, 20 to 30 percent slopes, eroded
TvD3	HEL	Talbott very rocky silty clay, 12 to 20 percent slopes, severely eroded
TvE3	HEL	Talbott very rocky silty clay, 20 to 30 percent slopes, severely eroded
WeB	PHEL	Westmoreland shaly silt loam, 2 to 6 percent slopes
WeC	HEL	Westmoreland shaly silt loam, 6 to 12 percent slopes
WeD	HEL	Westmoreland shaly silt loam, 12 to 20 percent slopes
WeE	HEL	Westmoreland shaly silt loam, 20 to 30 percent slopes
WeF	HEL	Westmoreland shaly silt loam, 30 to 55 percent slopes
WmE3	HEL	Westmoreland shaly silty clay loam, 12 to 30 percent slopes, severely eroded
WmF3	HEL	Westmoreland shaly silty clay loam, 30 to 50 percent slopes, severely eroded
Wt	NHEL	Whitwell silt loam
Wv	NHEL	Wolftever silt loam

***CLASS**

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land