

BARREN COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/4/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BaB	NHEL	Baxter cherty silt loam, 2 to 6 percent slopes
BaC2	HEL	Baxter cherty silt loam, 6 to 12 percent slopes, eroded
BaD2	HEL	Baxter cherty silt loam, 12 to 20 percent slopes, eroded
BaE2	HEL	Baxter cherty silt loam, 20 to 30 percent slopes, eroded
BcD3	HEL	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
BeD2	HEL	Baxter very rocky silt loam, 6 to 20 percent slopes, eroded
BeE2	HEL	Baxter very rocky silt loam, 20 to 30 percent slopes, eroded
BoC	HEL	Bodine cherty silt loam, 6 to 12 percent slopes
BoD	HEL	Bodine cherty silt loam, 12 to 20 percent slopes
BoE	HEL	Bodine cherty silt loam, 20 to 35 percent slopes
CaD2	HEL	Caneyville very rocky silty clay loam, 6 to 20 percent slopes, eroded
CcD3	HEL	Caneyville very rocky silty clay, 12 to 25 percent slopes, severely eroded
CeB	NHEL	Christian cherty loam, 2 to 6 percent slopes
CeC2	HEL	Christian cherty loam, 6 to 12 percent slopes, eroded
CeD2	HEL	Christian cherty loam, 12 to 20 percent slopes, eroded
ChC3	HEL	Christian cherty sandy clay loam, 6 to 12 percent slopes, severely eroded
ChD3	HEL	Christian cherty sandy clay loam, 12 to 20 percent slopes, severely eroded
CIB	NHEL	Christian silt loam, 2 to 6 percent slopes
CIC2	HEL	Christian silt loam, 6 to 12 percent slopes, eroded
CmC3	HEL	Christian silty clay loam, 6 to 12 percent slopes, severely eroded
CnB	NHEL	Clarksville cherty silt loam, 2 to 6 percent slopes
CnC2	HEL	Clarksville cherty silt loam, 6 to 12 percent slopes, eroded
CnD2	HEL	Clarksville cherty silt loam, 12 to 20 percent slopes, eroded
CnE2	HEL	Clarksville cherty silt loam, 20 to 30 percent slopes, eroded
CrB	NHEL	Crider silt loam, 2 to 6 percent slopes
CrC2	HEL	Crider silt loam, 6 to 12 percent slopes, eroded
CtB2	NHEL	Cumberland cherty silt loam, 2 to 6 percent slopes, eroded
CtC2	HEL	Cumberland cherty silt loam, 6 to 12 percent slopes, eroded
CtD2	HEL	Cumberland cherty silt loam, 12 to 30 percent slopes, eroded

CuC3	HEL	Cumberland cherty silty clay, 6 to 12 percent slopes, severely eroded
CuD3	HEL	Cumberland cherty silty clay, 12 to 20 percent slopes, severely eroded
DcA	NHEL	Dickson silt loam, 0 to 2 percent slopes
DcB	HEL	Dickson silt loam, 2 to 6 percent slopes
DcC2	HEL	Dickson silt loam, 6 to 12 percent slopes, eroded
Do	NHEL	Dowellton silt loam
FdD2	HEL	Fredonia very rocky silty clay loam, 6 to 20 percent slopes, eroded
FrC3	HEL	Fredonia very rocky silty clay, 6 to 12 percent slopes, severely eroded
GaB	HEL	Garmon silt loam, 2 to 6 percent slopes
GaC2	HEL	Garmon silt loam, 6 to 12 percent slopes, eroded
GaD	HEL	Garmon silt loam, 12 to 20 percent slopes
GaE	HEL	Garmon silt loam, 20 to 35 percent slopes
GmE3	HEL	Garmon shaly silt loam, 15 to 25 percent slopes, severely eroded
Gu	HEL	Gullied land
Ha	NHEL	Hamblen silt loam
HuB	NHEL	Humphreys cherty silt loam, 2 to 6 percent slopes
HuC2	HEL	Humphreys cherty silt loam, 6 to 12 percent slopes, eroded
Me	NHEL	Melvin silt loam
Mf	NHEL	Morganfield silt loam
MoB	HEL	Mountview silt loam, 2 to 6 percent slopes
MoC2	HEL	Mountview silt loam, 6 to 12 percent slopes, eroded
NdB	HEL	Needmore silt loam, 2 to 6 percent slopes
NeC2	HEL	Needmore silty clay loam, 6 to 12 percent slopes, eroded
NmC3	HEL	Needmore silty clay, 6 to 12 percent slopes, severely eroded
Nn	NHEL	Newark silt loam
NoB	NHEL	Nolichucky fine sandy loam, 2 to 6 percent slopes
NoC2	HEL	Nolichucky fine sandy loam, 6 to 12 percent slopes, eroded
PbB	NHEL	Pembroke silt loam, 2 to 6 percent slopes
PbC2	HEL	Pembroke silt loam, 6 to 12 percent slopes, eroded
PeC3	HEL	Pembroke silty clay loam, 6 to 12 percent slopes, severely eroded

Rg	NHEL	Robinsonville gravelly silt loam
SaA	NHEL	Sango silt loam, 0 to 2 percent slopes
SaB	HEL	Sango silt loam, 2 to 6 percent slopes
St	NHEL	Staser silt loam
Ta	NHEL	Taft silt loam
TbB2	HEL	Talbott cherty silty clay loam, 2 to 6 percent slopes, eroded
TbC2	HEL	Talbott cherty silty clay loam, 6 to 12 percent slopes, eroded
TbD2	HEL	Talbott cherty silty clay loam, 12 to 20 percent slopes, eroded
TcC3	HEL	Talbott cherty silty clay, 6 to 12 percent slopes, severely eroded
TIB2	HEL	Talbott silty clay loam, 2 to 6 percent slopes, eroded
TIC2	HEL	Talbott silty clay loam, 6 to 12 percent slopes, eroded
TrB	HEL	Tarklin cherty silt loam, 2 to 6 percent slopes
TrC	HEL	Tarklin cherty silt loam, 6 to 12 percent slopes
WrD	HEL	Weikert and Ramsey stony soils, 12 to 20 percent slopes
WrE	HEL	Weikert and Ramsey stony soils, 20 to 50 percent slopes
WsC	HEL	Wellston silt loam, 6 to 12 percent slopes
ZaB	HEL	Zanesville silt loam, 2 to 6 percent slopes

**\*CLASS**

HEL = Highly Erodible Land  
NHEL = Not Highly Erodible Land  
PHEL = Potentially Highly Erodible Land