

EDMONSON COUNTY, KENTUCKY

Highly Erodible Land Legend

APPROVED – WHC – 11/18/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
476B2	PHEL	Allegheny loam, 2 to 6 percent slopes, eroded
476C2	HEL	Allegheny loam, 6 to 12 percent slopes, eroded
476C3	HEL	Allegheny loam, 6 to 12 percent slopes, severely eroded
476D2	HEL	Allegheny loam, 12 to 20 percent slopes, eroded
476D3	HEL	Allegheny loam, 12 to 20 percent slopes, severely eroded
306B	PHEL	Bedford silt loam, 2 to 6 percent slopes
306C2	HEL	Bedford silt loam, 6 to 12 percent slopes, eroded
910B2	PHEL	Bethesda channery, 2 to 6 percent slopes, eroded
910C2	HEL	Bethesda channery, 6 to 12 percent slopes, eroded
910D2	HEL	Bethesda channery, 12 to 20 percent slopes, eroded
911B2	PHEL	Bethesda channery silty clay loam, 2 to 6 percent slopes, eroded
911C2	HEL	Bethesda channery silty clay loam, 6 to 12 percent slopes, eroded
191	NHEL	Bonnie silt loam
726B2	PHEL	Caneyville silt loam, 2 to 6 percent slopes, eroded
726C2	HEL	Caneyville silt loam, 6 to 12 percent slopes, eroded
726C3	HEL	Caneyville silty clay loam, 6 to 12 percent slopes, severely eroded
724D2	HEL	Caneyville-Rock outcrop complex, 6 to 20 percent slopes, eroded
16	NHEL	Chagrin fine sandy loam
721B2	PHEL	Christian loam, 2 to 6 percent slopes, eroded
721C2	HEL	Christian loam, 6 to 12 percent slopes, eroded
721C3	HEL	Christian clay loam, 6 to 12 percent slopes, severely eroded
721D2	HEL	Christian loam, 12 to 20 percent slopes, eroded
721D3	HEL	Christian clay loam, 12 to 20 percent slopes, severely eroded
282	NHEL	Clifty gravelly silt loam
704C2	HEL	Colbert silty clay loam, 6 to 12 percent slopes, eroded
704D2	HEL	Colbert silty clay loam, 12 to 20 percent slopes, eroded
74B2	PHEL	Crider silt loam, 2 to 6 percent slopes, eroded
74C2	HEL	Crider silt loam, 6 to 12 percent slopes, eroded
74C3	HEL	Crider silty loam, 6 to 12 percent slopes, severely eroded
180	NHEL	Cuba silt loam

641	NHEL	Dunning silty clay loam
39B2	PHEL	Elk silt loam, 2 to 6 percent slopes, eroded
735B2	PHEL	Epley silt loam, 2 to 6 percent slopes, eroded
735C2	HEL	Epley silt loam, 6 to 12 percent slopes, eroded
920B2	PHEL	Fairpoint-Reclaimed silty clay loam, 2 to 6 percent slopes, eroded
920D2	HEL	Fairpoint-(Reclaimed) silty clay loam, 6 to 20 percent Slopes, eroded
950D2	HEL	Fairpoint-Bethesda complex, 12 to 20 percent slopes, eroded
950E2	HEL	Fairpoint-Bethesda Complex, 20 to 35 percent slopes, eroded
633B2	PHEL	Fredonia Rocky silt loam, 2 to 6 percent slopes, eroded
633C2	HEL	Fredonia Rocky silt loam, 6 to 12 percent slopes, eroded
80C2	HEL	Frondorf silt loam, 6 to 12 percent slopes, eroded
80C3	HEL	Frondorf silty clay loam, 6 to 12 percent slopes, severely eroded
80D2	HEL	Frondorf silt loam, 12 to 20 percent slopes, eroded
80D3	HEL	Frondorf silty clay loam, 12 to 20 percent slopes, severely eroded
866	HEL	Frondorf-Weikert Complex, 20 to 50 percent slopes
15	NHEL	Grigsby loam
88	NHEL	Johnsburg silt loam
217	NHEL	Karnak silty clay loam
64	NHEL	Lawrence silt loam
842E2	HEL	Lensberg-Frondorf Complex, 20 to 35 percent slopes, eroded
117	NHEL	Melvin silt loam
332C2	HEL	Muse silt loam, 6 to 12 percent slopes, eroded
332C3	HEL	Muse silty clay loam, 6 to 12 percent slopes, severely eroded
332D2	HEL	Muse silt loam, 12 to 20 percent slopes, eroded
332D3	HEL	Muse silty clay loam, 12 to 20 percent slopes, severely eroded
332E2	HEL	Muse silt loam, 20 to 35 percent slopes, eroded
332E3	HEL	Muse silty clay loam, 20 to 35 percent slopes, severely eroded
112	NHEL	Newark silt loam

10	NHEL	Nolin silt loam
188	NHEL	Philo fine sandy loam
181	NHEL	Pope fine sandy loam
316	NHEL	Robertsville silt loam
52B2	PHEL	Rosine silt loam, 2 to 6 percent slopes, eroded
52C2	HEL	Rosine silt loam, 6 to 12 percent slopes, eroded
52C3	HEL	Rosine silty clay loam, 6 to 12 percent slopes, severely eroded
52D2	HEL	Rosine silt loam, 12 to 20 percent slopes, eroded
52D3	HEL	Rosine silty clay loam, 12 to 20 percent slopes, severely eroded
86B2	PHEL	Sadler silt loam, 2 to 6 percent slopes, eroded
184	NHEL	Stendal silt loam
83B2	PHEL	Wellston silt loam, 2 to 6 percent slopes, eroded
83C2	HEL	Wellston silt loam, 6 to 12 percent slopes, eroded
83C3	HEL	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded
84B2	PHEL	Zanesville silt loam, 2 to 6 percent slopes, eroded
84C2	HEL	Zanesville silt loam, 6 to 12 percent slopes, eroded

*CLASS

HEL = Highly Erodible Land
NHEL = Not Highly Erodible Land
PHEL = Potentially Highly Erodible Land