

ESTILL COUNTY KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 1/8/87

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AgB	PHEL	Allegheny loam, 2 to 6 percent slopes
AgC	HEL	Allegheny loam, 6 to 12 percent slopes
AgD	HEL	Allegheny loam, 12 to 20 percent slopes
AgE	HEL	Allegheny loam, 20 to 30 percent slopes
AhB	PHEL	Allegheny gravelly loam, 2 to 6 percent slopes
AhC	HEL	Allegheny gravelly loam, 6 to 12 percent slopes
AIF	HEL	Alluvial land, steep
Bn	NHEL	Bonnie silt loam
BoF	HEL	Brookside stony silt loam, 30 to 60 percent slopes
Bu	NHEL	Bruno loamy fine sand
CaD	HEL	Caneyville rocky silt loam, 6 to 20 percent slopes
CeE	HEL	Caneyville very rocky silt loam, 20 to 50 percent slopes
CmB	PHEL	Captina silt loam, 2 to 6 percent slopes
CmC	HEL	Captina silt loam, 6 to 12 percent slopes
Cn	NHEL	Clifty gravelly silt loam
CoD	HEL	Colyer silt loam, 6 to 20 percent slopes
CrF	HEL	Colyer shaly silt loam, 20 to 50 percent slopes
CsB	PHEL	Cruze silt loam, 2 to 6 percent slopes
CsC	HEL	Cruze silt loam, 6 to 15 percent slopes
Cu	HEL	Cuba silt loam
DrC	HEL	Dekalb-Ramsey Rock outcrop complex, 6 to 12 percent slopes
DrD	HEL	Dekalb-Ramsey-Rock outcrop complex, 12 to 20 percent slopes
EIA	NHEL	Elk silt loam, 0 to 2 percent slopes
EIB	PHEL	Elk silt loam, 2 to 6 percent slopes
EIC	PHEL	Elk silt loam, 6 to 12 percent slopes
FeE	HEL	Fairmount extremely rocky silty clay loam, 12 to 30 percent slopes
FeF	HEL	Fairmount extremely rocky silty clay loam, 30 to 60 percent slopes
GIC	HEL	Gilpin silt loam, 6 to 12 percent slopes

GID	HEL	Gilpin silt loam, 12 to 20 percent slopes
GID3	HEL	Gilpin silt loam, 12 to 20 percent slopes, severely eroded
GIE	HEL	Gilpin silt loam, 20 to 30 percent slopes
Gu	HEL	Gullied land
HeC	HEL	Hartsells fine sandy loam, 6 to 12 percent slopes
Hu	NHEL	Huntington silt loam
LaA	NHEL	Lanton silt loam, 0 to 2 percent slopes
LbC	HEL	Latham silt loam, 6 to 12 percent slopes
LbD	HEL	Latham silt loam, 12 to 20 percent slopes
LcE	HEL	Latham-Shelocta complex, 20 to 30 percent slopes
LcF	HEL	Latham-Shelocta complex, 30 to 60 percent slopes
Ld	NHEL	Lindside silt loam
Me	NHEL	Melvin silt loam
MoB	PHEL	Monongahela fine sandy loam, 2 to 6 percent slopes
Mr	NHEL	Morehead silt loam
MsC	HEL	Muse silt loam, 6 to 12 percent slopes
MsD	HEL	Muse silt loam, 12 to 20 percent slopes
Ne	NHEL	Newark silt loam
Po	NHEL	Pope loam
Pu	NHEL	Purdy silt loam
SeB	PHEL	Shelocta silt loam, 2 to 6 percent slopes
SeC	HEL	Shelocta silt loam, 6 to 12 percent slopes
SeD	HEL	Shelocta silt loam, 12 to 20 percent slopes
SIF	HEL	Shelocta gravelly silt loam, 20 to 60 percent slopes
SoF	HEL	Shelocta and Jefferson stony soils, 20 to 60 percent slopes
SrE	HEL	Shrouts silty clay loam, 12 to 30 percent slopes
SsE3	HEL	Shrouts clay, 12 to 40 percent slopes, severely eroded
St	NHEL	Stendal silt loam
Su	NHEL	Stendal gravelly silt loam
TrB	PHEL	Trappist silt loam, 2 to 6 percent slopes
TrC	HEL	Trappist silt loam, 6 to 12 percent slopes
WhB	PHEL	Whitley silt loam, 2 to 6 percent slopes
WhC	HEL	Whitley silt loam, 6 to 12 percent slopes
WhD	HEL	Whitley silt loam, 12 to 20 percent slopes
WoC	HEL	Woolper silty clay loam, 6 to 12 percent slopes

\*

HEL = Highly Erodible Land  
NHEL = Not Highly Erodible Land  
PHEL = Potentially Highly Erodible Land