

FAYETTE COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 1/6/87

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
ArA	NHEL	Armour silt loam, 0 to 2 percent slopes
ArB	PHEL	Armour silt loam, 2 to 6 percent slopes
ArC	HEL	Armour silt loam, 6 to 12 percent slopes
BrB	PHEL	Braxton silt loam, 2 to 6 percent slopes
BrC2	PHEL	Braxton silt loam, 6 to 12 percent slopes, eroded
CaA	NHEL	Captina silt loam, 0 to 2 percent slopes
CaB	PHEL	Captina silt loam, 2 to 6 percent slopes
CfF2	HEL	Culleoka flaggy silt loam, 30 to 50 percent slopes, eroded
CsC2	HEL	Culleoka silt loam, 6 to 12 percent slopes, eroded
DoA	NHEL	Donerail silt loam, 0 to 2 percent slopes
DoB	PHEL	Donerail silt loam, 2 to 6 percent slopes
DoC	HEL	Donerail silt loam, 6 to 12 percent slopes
Ea	NHEL	Egam silt loam
Ec	NHEL	Egam silty clay loam
FaD	HEL	Fairmount very rocky silty clay loam, 6 to 20 percent slopes
FaD3	HEL	Fairmount very rocky silty clay loam, 10 to 30 percent slopes, severely eroded
FaF	HEL	Fairmount very rocky silty clay loam, 20 to 50 percent slopes
Hu	NHEL	Huntington silt loam
La	NHEL	Lanton silty clay loam
Lc	NHEL	Lawrence silt loam
Ld	NHEL	Lindside silt loam
LoB	PHEL	Loradale silt loam, 2 to 6 percent slopes
LoC	HEL	Loradale silt loam, 6 to 12 percent slopes
LoC2	HEL	Loradale silt loam, 6 to 12 percent slopes, eroded
LpB	PHEL	Loudon silt loam, phosphatic, 2 to 6 percent slopes
LpC2	HEL	Loudon silt loam, phosphatic, 6 to 12 percent slopes, eroded

LwB	PHEL	Lowell silt loam, 2 to 6 percent slopes
LwC2	HEL	Lowell silt loam, 6 to 12 percent slopes, eroded
LwD2	HEL	Lowell silt loam, 12 to 20 percent slopes, eroded
LyC3	HEL	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded
LyD3	HEL	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded
MIA	NHEL	Maury silt loam, 0 to 2 percent slopes
MIB	PHEL	Maury silt loam, 2 to 6 percent slopes
MIB2	PHEL	Maury silt loam, 2 to 6 percent slopes, eroded
MIC	PHEL	Maury silt loam, 6 to 12 percent slopes
MIC2	PHEL	Maury silt loam, 6 to 12 percent slopes, eroded
MID2	HEL	Maury silt loam, 12 to 20 percent slopes, eroded
MmC3	PHEL	Maury silty clay loam, 6 to 12 percent slopes, severely eroded
MnB	PHEL	McAfee silt loam, 2 to 6 percent slopes
MnC	HEL	McAfee silt loam, 6 to 12 percent slopes
MoC3	HEL	McAfee silty clay, 6 to 12 percent slopes, severely eroded
MoD3	HEL	McAfee silty clay, 12 to 20 percent slopes, severely eroded
MpB2	PHEL	McAfee silty clay loam, 2 to 6 percent slopes, eroded
MpC2	HEL	McAfee silty clay loam, 6 to 12 percent slopes, eroded
MpD2	HEL	McAfee silty clay loam, 12 to 20 percent slopes, eroded
MrD2	HEL	McAfee very rocky silty clay loam, 6 to 20 percent slopes, eroded
MrE2	HEL	McAfee very rocky silty clay loam, 20 to 30 percent slopes, eroded
MsD3	HEL	McAfee very rocky silty clay, 12 to 20 percent slopes, severely eroded
Mt	NHEL	Melvin silt loam
MuA	NHEL	Mercer silt loam, 0 to 2 percent slopes
MuB	PHEL	Mercer silt loam, 2 to 6 percent slopes
MuB2	PHEL	Mercer silt loam, 2 to 6 percent slopes, eroded
MuC	HEL	Mercer silt loam, 6 to 12 percent slopes
MuC2	HEL	Mercer silt loam, 6 to 12 percent slopes, eroded
Ne	NHEL	Newark silt loam
Rk	HEL	Rock land
RuB	PHEL	Russellville silt loam, 2 to 6 percent slopes
RuC2	HEL	Russellville silt loam, 6 to 12 percent slopes, eroded

SaC3	HEL	Salvisa silty clay, 6 to 12 percent slopes, severely eroded
ScB2	PHEL	Salvisa silty clay loam, 2 to 6 percent slopes, eroded
ScC2	HEL	Salvisa silty clay loam, 6 to 12 percent slopes, eroded
ScE2	HEL	Salvisa silty clay loam, 12 to 30 percent slopes, eroded
Ua	PHEL	Urban land – Armour-Maury complex
Um	PHEL	Urban land – Loradale-Mercer complex

***CLASS**

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land