

GRAYSON COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 10/30/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AeB	NHEL	Allegheny silt loam, 2 to 6 percent slopes
BcC3	HEL	Baxter cherty silty clay loam, 6 to 12 percent slopes, severely eroded
BcD3	HEL	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
Bo	NHEL	Bonnie silt loam
Bu	NHEL	Burgin silty clay loam
CcB	HEL	Caneyville silty clay loam, 2 to 6 percent slopes
CcC	HEL	Caneyville silty clay loam, 6 to 12 percent slopes
CcD	HEL	Caneyville silty clay loam, 12 to 20 percent slopes
CeD	HEL	Caneyville very rocky silty clay loam, 10 to 20 percent slopes
CID3	HEL	Caneyville silty clay, 6 to 20 percent slopes, severely eroded
CnD3	HEL	Caneyville very rocky silty clay, 8 to 25 percent slopes, severely eroded
Co	HEL	Caneyville-Rock outcrop complex
CpB	NHEL	Captina silt loam, 2 to 6 percent slopes
CpC	HEL	Captina silt loam, 6 to 12 percent slopes
CrB	PHEL	Christian silt loam, 2 to 6 percent slopes
CrC	HEL	Christian silt loam, 6 to 12 percent slopes
CsC3	HEL	Christian silty clay loam, 6 to 12 percent slopes, severely eroded
Ct	NHEL	Clifty gravelly silt loam
CuB	NHEL	Crider silt loam, 2 to 6 percent slopes
CuC	HEL	Crider silt loam, 6 to 12 percent slopes
CvC3	HEL	Crider silty clay loam, 6 to 12 percent slopes, severely eroded
Cw	NHEL	Cuba silt loam
GIC	HEL	Gilpin silt loam, 6 to 12 percent slopes
GID	HEL	Gilpin silt loam, 12 to 20 percent slopes
GIE	HEL	Gilpin silt loam, 20 to 30 percent slopes
GpC3	HEL	Gilpin silty clay loam, 6 to 12 percent slopes, severely eroded

GpD3	HEL	Gilpin silty clay loam, 12 to 20 percent slopes, severely eroded
GpE3	HEL	Gilpin silty clay loam, 20 to 30 percent slopes, severely eroded
Gu		Gullied land
Jo	NHEL	Johnsburg silt loam
Ld	NHEL	Lindside silt loam
MtB	HEL	Mercer silt loam, 2 to 6 percent slopes
Ne	NHEL	Newark silt loam
No	NHEL	Nolin silt loam
RaD	HEL	Ramsey loam, 10 to 20 percent slopes
RaE3	HEL	Ramsey loam, 10 to 30 percent slopes, severely eroded
RdC	HEL	Rarden silt loam, 6 to 12 percent slopes
RdD	HEL	Rarden silt loam, 12 to 20 percent slopes
ReC3	HEL	Rarden silty clay loam, 6 to 12 percent slopes, severely eroded
ReD3	HEL	Rarden silty clay loam, 12 to 20 percent slopes, severely eroded
SaA	NHEL	Sadler silt loam, 0 to 2 percent slopes
SaB	HEL	Sadler silt loam, 2 to 6 percent slopes
ShB	NHEL	Shelocta gravelly silt loam, 2 to 6 percent slopes
ShC	PHEL	Shelocta gravelly silt loam, 6 to 12 percent slopes
ShD	HEL	Shelocta gravelly silt loam, 12 to 20 percent slopes
ShD3	HEL	Shelocta gravelly silt loam, 12 to 20 percent slopes, severely eroded
Ss	NHEL	Steff silt loam
St	NHEL	Stendal silt loam
WcE	HEL	Weikert channery silt loam, 12 to 30 percent slopes
WcE3	HEL	Weikert channery silt loam, 12 to 30 percent slopes, severely eroded
WgE	HEL	Weikert-Ramsey-Gilpin stony complex, 20 to 30 percent slopes
WgE3	HEL	Weikert-Ramsey-Gilpin stony complex, 20 to 30 percent slopes, severely eroded
WgF	HEL	Weikert-Ramsey-Gilpin stony complex, 30 to 50 percent slopes
WIB	HEL	Wellston silt loam, 2 to 6 percent slopes
WIC	HEL	Wellston silt loam, 6 to 12 percent slopes

WID	HEL	Wellston silt loam, 12 to 20 percent slopes
WnC3	HEL	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded
WnD3	HEL	Wellston silty clay loam, 12 to 20 percent slopes, severely eroded
WaC	HEL	Wellston silt loam, clayey subsoil variant, 6 to 12 percent slopes
WoD	HEL	Wellston silt loam, clayey subsoil variant, 12 to 20 percent slopes
WsC3	HEL	Wellston silty clay loam, clayey subsoil variant, 6 to 12 percent slopes, severely eroded
WsD3	HEL	Wellston silty clay loam, clayey subsoil variant, 12 to 20 percent slopes, severely eroded
ZaB	HEL	Zanesville silt loam, 2 to 6 percent slopes
ZaC	HEL	Zanesville silt loam, 6 to 12 percent slopes
ZcC3	HEL	Zanesville silty clay loam, 6 to 12 percent slopes, severely Eroded

**\*CLASS**

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land