

HARRISON COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 12/15/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AIB	PHEL	Allegheny loam, 2 to 6 percent slopes
AIC2	HEL	Allegheny loam, 6 to 12 percent slopes, eroded
AID2	HEL	Allegheny loam, 12 to 20 percent slopes, eroded
AsA	NHEL	Ashton silt loam, 0 to 2 percent slopes
AsB	PHEL	Ashton silt loam, 2 to 6 percent slopes
AsC	HEL	Ashton silt loam, 6 to 12 percent slopes
BrB	PHEL	Brashear silt loam, 2 to 6 percent slopes
BrC	HEL	Brashear silt loam, 6 to 12 percent slopes
BsC2	HEL	Brashear silty clay loam, 6 to 12 percent slopes, Eroded
BsD2	HEL	Brashear silty clay loam, 12 to 20 percent slopes, Eroded
CaA	NHEL	Captina silt loam, 0 to 2 percent slopes
CaB	PHEL	Captina silt loam, 2 to 6 percent slopes
ChC2	HEL	Cynthiana very stony silty clay loam, 6 to 12 percent slopes, eroded
ChD2	HEL	Cynthiana very stony silty clay loam, 12 to 20 percent slopes, eroded
ChE2	HEL	Cynthiana very stony silty clay loam, 20 to 30 percent slopes, eroded
CnC3	HEL	Cynthiana very stony clay, 6 to 12 percent Slopes, severely eroded
CnD3	HEL	Cynthiana very stony clay, 12 to 20 Percent slopes, severely eroded
CrE3	HEL	Cynthiana very rocky clay, 20 to 30 percent Slopes, severely eroded
EdC3	HEL	Eden flaggy silty clay, 6 to 12 percent slopes, Severely eroded
EdD3	HEL	Eden flaggy silty clay, 12 to 20 percent slopes, Severely eroded
EdE3	HEL	Eden flaggy silty clay, 20 to 30 percent slopes, Severely eroded
Eg	NHEL	Egam silt loam
EkA	NHEL	Elk silt loam, 0 to 2 percent slopes

EkB	PHEL	Elk silt loam, 2 to 6 percent slopes
EkC	HEL	Elk silt loam, 6 to 12 percent slopes
EkD2	HEL	Elk silt loam, 12 to 30 percent slopes, eroded
EtB	PHEL	Etowah silt loam, 2 to 6 percent slopes
EtC2	HEL	Etowah silt loam, 6 to 12 percent slopes, Eroded
FcE	HEL	Fairmount and Cynthiana extremely rocky soils, 20 to 30 percent slopes
FcF	HEL	Fairmount and Cynthiana extremely rocky soils, 30 to 50 percent slopes
FwB	PHEL	Faywood silt loam, 2 to 6 percent slopes
FwC	HEL	Faywood silt loam, 6 to 12 percent slopes
FyB2	PHEL	Faywood silty clay loam, 2 to 6 percent slopes, Eroded
FyC2	HEL	Faywood silty clay loam, 6 to 12 percent slopes, Eroded
FyD2	HEL	Faywood silty clay loam, 12 to 20 percent slopes, Eroded
Gu	HEL	Gullied land
HeB	PHEL	Heitt silt loam, 2 to 6 percent slopes
HsB2	PHEL	Heitt silty clay loam, 2 to 6 percent slopes, Eroded
HsC2	HEL	Heitt silty clay loam, 6 to 12 percent slopes, eroded
Ht	NHEL	Huntington channery silt loam, shallow
HuA	NHEL	Huntington silt loam, 0 to 4 percent slopes
HuD	PHEL	Huntington silt loam, 4 to 20 percent slopes
La	NHEL	Layton silt loam
Lc	NHEL	Lawrence silt loam
Ld	NHEL	Lindside silt loam
LoB	PHEL	Loradale silt loam, 2 to 6 percent slopes
LoC2	HEL	Loradale silt loam, 6 to 12 percent slopes, Eroded
MrB	NHEL	Maury silt loam, 2 to 6 percent slopes
MrC2	HEL	Maury silt loam, 6 to 12 percent slopes, eroded
MsC2	HEL	McAfee silt loam, 6 to 12 percent slopes, eroded
MsD2	HEL	McAfee silt loam, 12 to 20 percent slopes, eroded
MrB	PHEL	Mercer silt loam, 2 to 6 percent slopes
Ne	NHEL	Newark silt loam
Rk	HEL	Rock land

**\*CLASS**

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land