

HART COUNTY, KENTUCKY
 Highly Erodible Land Legend
 Approved – WHC – 10/30/86
 Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AIA	NHEL	Allegheny loam, 0 to 2 percent slopes
AIB	NHEL	Allegheny loam, 2 to 6 percent slopes
BaB	NHEL	Baxter gravelly silt loam, 2 to 6 percent slopes
BaC	HEL	Baxter gravelly silt loam, 6 to 12 percent slopes
BaD	HEL	Baxter gravelly silt loam, 12 to 20 percent slopes
BaE	HEL	Baxter gravelly silt loam, 20 to 30 percent slopes
CnD	HEL	Caneyville silt loam, very rocky, 6 to 20 percent slopes
CnE	HEL	Caneyville silt loam, very rocky, 20 to 30 percent slopes
CoD3	HEL	Caneyville silty clay loam, very rocky, 6 to 20 percent slopes, severely eroded
CrB	NHEL	Crider silt loam, 2 to 6 percent slopes
CrC	HEL	Crider silt loam, 6 to 12 percent slopes
EIB	NHEL	Elk silt loam, 2 to 6 percent slopes
FaB	NHEL	Frederick gravelly silt loam, 2 to 6 percent slopes
FaC	HEL	Frederick gravelly silt loam, 6 to 12 percent slopes
FaD	HEL	Frederick gravelly silt loam, 12 to 20 percent slopes
FaE	HEL	Frederick gravelly silt loam, 20 to 30 percent slopes
FcC3	HEL	Frederick gravelly silty clay loam, 6 to 12 percent slopes, severely eroded
FcD3	HEL	Frederick gravelly silty clay loam, 12 to 20 percent slopes, severely eroded
FdB	HEL	Fredonia silt loam, 2 to 6 percent slopes
FdC	HEL	Fredonia silt loam, very rocky, 6 to 20 percent slopes
GaB	HEL	Gatton silt loam, 2 to 6 percent slopes
Gr	NHEL	Grigsby loam, occasionally flooded
JfD	HEL	Jefferson-Lily complex, 12 to 20 percent slopes
JfE	HEL	Jefferson-Lily complex, 20 to 40 percent slopes
LIC(FwC)	HEL	Lily loam, 6 to 12 percent slopes
LID(FwD)	HEL	Lily loam, 12 to 20 percent slopes
Ln	NHEL	Lindside silt loam, occasionally flooded

Me	NHEL	Melvin silt loam, ponded
NcB	HEL	Nicholson silt loam, 2 to 6 percent slopes
Ne	NHEL	Newark silt loam, occasionally flooded
No	NHEL	Nolin silt loam, occasionally flooded
Np	NHEL	Nolin silt loam, depressional
StB	NHEL	Otwell silt loam, 0 to 2 percent slopes
RnB	NHEL	Riney loam, 2 to 6 percent slopes
RnC(RrC) (AIC)	HEL	Riney loam, 6 to 12 percent slopes
RnD(RrC) (AID)	HEL	Riney loam, 12 to 20 percent slopes
RnE	HEL	Riney loam, 20 to 30 percent slopes
RxE	HEL	Rock outcrop - Caneyville complex, 12 to 30 percent slopes
SnB	NHEL	Sonora silt loam, 2 to 6 percent slopes
SnC	HEL	Sonora silt loam, 6 to 12 percent slopes
TsB	HEL	Tilsit silt loam, 2 to 6 percent slopes
VrB	NHEL	Vertrees silt loam, 2 to 6 percent slopes
VrC	HEL	Vertrees silt loam, 6 to 12 percent slopes
VrD	HEL	Vertrees silt loam, 12 to 20 percent slopes
VrE	HEL	Vertrees silt loam, 20 to 30 percent slopes
VtC3	HEL	Vertrees silty clay loam, 6 to 12 percent slopes, severely eroded
VtD3	HEL	Vertrees silty clay loam, 12 to 20 percent slopes, severely eroded
WaC	HEL	Waynesboro loam, 6 to 12 percent slopes
WaD	HEL	Waynesboro loam, 12 to 20 percent slopes
WeC	HEL	Wellston silt loam, 6 to 12 percent slopes
WeD	HEL	Wellston silt loam, 12 to 20 percent slopes

***CLASS**

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land