

LEWIS COUNTY KENTUCKY
 Highly Erodible Land Legend
 Approved – WHC – 12/15/86
 Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
476B	PHEL	Allegheny loam, 2 to 6 percent slopes
476C	HEL	Allegheny loam, 6 to 12 percent slopes
304	NHEL	Ashton silt loam, rarely flooded
612B	HEL	Beasley silt loam, 2 to 6 percent slopes
612C	HEL	Beasley silt loam, 6 to 12 percent slopes
612C3	HEL	Beasley silty clay, 6 to 12 percent slopes, severely eroded
612D2	HEL	Beasley silty clay loam, 12 to 20 percent slopes, eroded
878E	HEL	Berks-Shelocta complex, 20 to 30 percent slopes
878F	HEL	Berks-Shelocta complex, 30 to 50 percent slopes
191	NHEL	Bonnie silt loam, frequently flooded
100	NHEL	Boonesboro channery silt loam, frequently flooded
723E	HEL	Caneyville-Rock outcrop complex, 12 to 30 percent slopes
827B	PHEL	Cavode silt loam, 2 to 6 percent slopes
827C	HEL	Cavode silt loam, 6 to 12 percent slopes
827C3	HEL	Cavode silty clay loam, 6 to 12 percent slopes, severely eroded
343A	NHEL	Chavies fine sandy loam, 0 to 4 percent slopes
343C	HEL	Chavies fine sandy loam, 4 to 12 percent slopes
630E	HEL	Corydon silt loam, 12 to 30 percent slopes, very rocky
47B	HEL	Cotaco gravelly loam, 2 to 6 percent slopes
47C	HEL	Cotaco gravelly loam, 6 to 12 percent slopes
61B	NHEL	Crider silt loam, 2 to 6 percent slopes
61C	HEL	Crider silt loam, 6 to 12 percent slopes
61C3	HEL	Crider silty clay loam, 6 to 12 percent slopes, severely eroded
336B	NHEL	Cruze silt loam, 2 to 6 percent slopes
336C	HEL	Cruze silt loam, 6 to 12 percent slopes
180	NHEL	Cuba silt loam, frequently flooded
124	NHEL	Dunning silty clay loam, frequently flooded
103	NHEL	Egam silty clay loam, occasionally flooded
379A	NHEL	Elk silt loam, 0 to 4 percent slopes
742E	HEL	Fairmount flaggy silty clay loam, 12 to 30 percent slopes
769F	HEL	Fairmount-Rock outcrop complex, 30 to 50 percent slopes

864C	HEL	Gilpin silt loam, 6 to 12 percent slopes
864D	HEL	Gilpin silt loam, 12 to 20 percent slopes
864E	HEL	Gilpin-Shelocta complex, 20 to 30 percent slopes
16A	NHEL	Grigsby fine sandy loam, frequently flooded
605B	NHEL	Hagerstown silt loam, 2 to 6 percent slopes
605C	HEL	Hagerstown silt loam, 6 to 12 percent slopes
605C3	HEL	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded
10A	NHEL	Huntington silt loam 0 to 5 percent slopes, occasionally flooded
88	NHEL	Johnsburg silt loam
338B	NHEL	Lakin loamy fine sand, 2 to 6 percent slopes
338C	HEL	Lakin loamy fine sand, 6 to 12 percent slopes
338D	HEL	Lakin loamy fine sand, 12 to 30 percent slopes
882B	PHEL	Latham silt loam, 2 to 6 percent slopes
882C2	HEL	Latham silt loam, 6 to 12 percent slopes, eroded
882D	HEL	Latham silt loam, 12 to 20 percent slopes
64	NHEL	Lawrence silt loam
736E	HEL	Lily fine sandy loam, 12 to 30 percent slopes
105	NHEL	Lindside silt loam, frequently flooded
747B	PHEL	Lowell silt loam, 2 to 6 percent slopes
747C	HEL	Lowell silt loam, 6 to 12 percent slopes
747D2	HEL	Lowell silt loam, 12 to 20 percent slopes, eroded
420B	PHEL	Markland silt loam, 2 to 6 percent slopes
420C2	HEL	Markland silt loam, 6 to 12 percent slopes, eroded
420E3	HEL	Markland silty clay, 12 to 30 percent slopes, severely eroded
414	NHEL	McGary silt loam
117	NHEL	Melvin silt loam, frequently flooded
479	NHEL	Morehead silt loam, 0 to 4 percent slopes, rarely flooded
331D	HEL	Muse gravelly silt loam, 12 to 20 percent slopes
331D3	HEL	Muse gravelly silty clay loam, 12 to 20 percent slopes, severely eroded
112	NHEL	Newark silt loam, frequently flooded
62B	PHEL	Nicholson silt loam, 2 to 6 percent slopes
62C	HEL	Nicholson silt loam, 6 to 12 percent slopes
132	NHEL	Nolin silt loam, frequently flooded
615C	HEL	Otway silty clay, 6 to 12 percent slopes
615E	HEL	Otway silty clay, 12 to 30 percent slopes
348A	NHEL	Otwell silt loam, 0 to 2 percent slopes, rarely flooded

348B	PHEL	Otwell silt loam, 2 to 6 percent slopes
348C	HEL	Otwell silt loam, 6 to 12 percent slopes
181A	NHEL	Pope fine sandy loam, 0 to 4 percent slopes, frequently flooded
390	NHEL	Purdy silt loam
339B	PHEL	Renox silt loam, 2 to 6 percent slopes
339C	PHEL	Renox silt loam, 6 to 12 percent slopes
359B	PHEL	Sees silty clay loam, 2 to 6 percent slopes
823C	HEL	Shrouts silty clay loam, 6 to 12 percent slopes
823D	HEL	Shrouts silty clay loam, 12 to 30 percent slopes
823C3	HEL	Shrouts clay, 6 to 12 percent slopes, severely eroded
823D3	HEL	Shrouts clay, 12 to 30 percent slopes, severely eroded
41B	NHEL	Shelocta gravelly loam, 2 to 6 percent slopes
41C	HEL	Shelocta gravelly loam, 6 to 12 percent slopes
41D	HEL	Shelocta gravelly loam, 12 to 20 percent slopes
282	NHEL	Skidmore gravelly loam, frequently flooded
184	NHEL	Stendal silt loam, frequently flooded
86B	PHEL	Tilsit silt loam, 2 to 6 percent slopes
86C	HEL	Tilsit silt loam, 6 to 12 percent slopes
815D2	HEL	Trappist-Colyer complex, 6 to 20 percent slopes, eroded
815E	HEL	Trappist-Muse complex, 20 to 30 percent slopes
815F	HEL	Trappist-Colyer complex, 30 to 60 percent slopes
877F	HEL	Weikert very stony silt loam, 20 to 60 percent slopes
83B	PHEL	Wernock silt loam, 2 to 6 percent slopes
83C	HEL	Wernock silt loam, 6 to 12 percent slopes
83D	HEL	Wernock silt loam, 12 to 20 percent slopes
613B	PHEL	Wharton variant silt loam, 2 to 6 percent slopes
613C	HEL	Wharton variant silt loam, 6 to 12 percent slopes
345B	PHEL	Wheeling silt loam, 2 to 6 percent slopes
345C	HEL	Wheeling silt loam, 6 to 12 percent slopes
345D	HEL	Wheeling fine sandy loam, 12 to 20 percent slopes
377B	PHEL	Whitley silt loam, 2 to 6 percent slopes
377C	HEL	Whitley silt loam, 6 to 12 percent slopes
377D2	HEL	Whitley silt loam, 12 to 20 percent slopes, eroded
358B	PHEL	Woolper silty clay loam, 2 to 6 percent slopes
358C	HEL	Woolper silty clay loam, 6 to 12 percent slopes
358D2	HEL	Woolper silty clay loam, 12 to 20 percent slopes

*

HEL = Highly Erodible Land
NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land