

LIVINGSTON COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 10/27/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
103	NHEL	Armiesburg silt loam, 0 to 4 percent slopes
104	NHEL	Armiesburg silty clay loam, 0 to 4 percent slopes
304A	NHEL	Ashton silt loam, 0 to 4 percent slopes
70E	HEL	Baxter gravelly silt loam, 20 to 50 percent slopes
166	NHEL	Belknap silt loam, 0 to 2 percent slopes
054	HEL	Alluvial land, steep
510C	HEL	Brandon silt loam, 6 to 12 percent slopes
510D	HEL	Brandon silt loam, 12 to 20 percent slopes
510C3	HEL	Brandon silty clay loam, 6 to 12 percent slopes, severely eroded
510D3	HEL	Brandon silty clay loam, 12 to 20 percent slopes, severely eroded
725D	HEL	Caneyville-Crider rock outcrop complex, 12 to 20 percent slopes
725E	HEL	Caneyville-Crider rock outcrop complex, 20 to 50 percent slopes
343B	NHEL	Chavies fine sandy loam, 2 to 6 percent slopes
343D	HEL	Chavies fine sandy loam, 12 to 20 percent slopes
283	NHEL	Clifty silt loam, 0 to 2 percent slopes
164	NHEL	Collins silt loam, 0 to 2 percent slopes
61B	HEL	Crider silt loam, 2 to 6 percent slopes
61C	HEL	Crider silt loam, 6 to 12 percent slopes
61D	HEL	Crider silt loam, 12 to 20 percent slopes
61C3	HEL	Crider silty clay loam, 6 to 12 percent slopes, severely eroded
61D3	HEL	Crider silty clay loam, 12 to 20 percent slopes, severely eroded
279	NHEL	Dunning silty clay, 0 to 2 percent slopes
39A	NHEL	Elk silt loam, 0 to 2 percent slopes
39B	NHEL	Elk silt loam, 2 to 6 percent slopes
39C	HEL	Elk silt loam, 6 to 12 percent slopes
864D	HEL	Frondorf silt loam, 12 to 20 percent slopes
864E	HEL	Frondorf silt loam, 20 to 30 percent slopes
864D3	HEL	Frondorf silty clay loam, 12 to 20 percent slopes, severely eroded
352	NHEL	Ginat silt loam, 0 to 2 percent slopes
73C	HEL	Hammack silt loam, 6 to 12 percent slopes

73D	HEL	Hammack silt loam, 12 to 20 percent slopes
73C3	HEL	Hammack silty clay loam, 6 to 12 percent slopes, severely eroded
73D3	HEL	Hammack silty clay loam, 12 to 20 percent slopes, severely eroded
10	NHEL	Huntington silt loam, 0 to 2 percent slopes
215	NHEL	Karnak silty clay loam, 0 to 2 percent slopes
877E	HEL	Lenberg-Frondorf complex, 20 to 50 percent slopes
415B	HEL	Licking silt loam, 2 to 6 percent slopes
415C3	HEL	Licking silt loam, 6 to 12 percent slopes, severely eroded
105	NHEL	Lindside silt loam, 0 to 2 percent slopes
51B	HEL	Loring silt loam, 2 to 6 percent slopes
51C	HEL	Loring silt loam, 6 to 12 percent slopes
51C3	HEL	Loring silt loam, 6 to 12 percent slopes, severely eroded
51D3	HEL	Loring silt loam, 12 to 20 percent slopes, severely eroded
414	NHEL	McGary silt loam, 0 to 2 percent slopes
117	NHEL	Melvin silt loam, 0 to 2 percent slopes
50B	HEL	Memphis silt loam, 2 to 6 percent slopes
50C	HEL	Memphis silt loam, 6 to 12 percent slopes
50D	HEL	Memphis silt loam, 12 to 20 percent slopes
50C3	HEL	Memphis silt loam, 6 to 12 percent slopes, severely eroded
50D3	HEL	Memphis silt loam, 12 to 20 percent slopes, severely eroded
112	NHEL	Newark silt loam, 0 to 2 percent slopes
114	NHEL	Newark silty clay loam, 0 to 2 percent slopes
62B	HEL	Nicholson silt loam, 2 to 6 percent slopes
62C	HEL	Nicholson silt loam, 6 to 12 percent slopes
62D	HEL	Nicholson silt loam, 12 to 20 percent slopes
62C3	HEL	Nicholson silt loam, 6 to 12 percent slopes, severely eroded
62D3	HEL	Nicholson silt loam, 12 to 20 percent slopes, severely eroded
102	NHEL	Nolin silt loam, 0 to 2 percent slopes
348B	HEL	Otwell silt loam, 2 to 6 percent slopes
348C3	HEL	Otwell silt loam, 6 to 12 percent slopes, severely eroded
16	NHEL	Robinsonville fine sandy loam, 0 to 2 percent slopes
052	NHEL	Robinsonville-Huntington complex, 0 to 4 percent slopes
508E	HEL	Saffell gravelly silt loam, 20 to 40 percent slopes
168	NHEL	Waverly silt loam, 0 to 2 percent slopes
350	NHEL	Weinbach silt loam, 0 to 2 percent slopes

345A	NHEL	Wheeling silt loam, 0 to 2 percent slopes
345B	NHEL	Wheeling silt loam, 2 to 6 percent slopes
345C	HEL	Wheeling silt loam, 6 to 12 percent slopes
345D	HEL	Wheeling silt loam, 12 to 20 percent slopes
84C	HEL	Zanesville silt loam, 6 to 12 percent slopes
84D	HEL	Zanesville silt loam, 12 to 20 percent slopes
84C3	HEL	Zanesville silt loam, 6 to 12 percent slopes, severely eroded
84D3	HEL	Zanesville silt loam, 12 to 20 percent slopes, severely eroded

***CLASS**

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land