

MEADE COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/4/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
70B2	PHEL	Baxter cherty silt loam, 2 to 6 percent slopes, eroded
70C2	PHEL	Baxter cherty silt loam, 6 to 12 percent slopes, eroded
70D2	HEL	Baxter cherty silt loam, 12 to 20 percent slopes, eroded
70C3	PHEL	Baxter cherty silty clay loam, 6 to 12 percent slopes, severely eroded
70D3	HEL	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
191	NHEL	Bonnie silt loam, occasionally flooded
726C2	HEL	Caneyville silt loam, 6 to 12 percent slopes, eroded
726D2	HEL	Caneyville silt loam, 12 to 20 percent slopes, eroded
726C3	HEL	Caneyville silty clay, 6 to 12 percent slopes, severely eroded
726D3	HEL	Caneyville silty clay, 12 to 20 percent slopes, severely eroded
724D	HEL	Caneyville–rock outcrop complex, 12 to 20 percent slopes
16	NHEL	Chagrin fine sandy loam
282	NHEL	Clifty gravelly silt loam, occasionally flooded
61B2	PHEL	Crider silt loam, 2 to 6 percent slopes, eroded
61C2	PHEL	Crider silt loam, 6 to 12 percent slopes, eroded
61D2	HEL	Crider silt loam, 12 to 20 percent slopes, eroded
61C3	PHEL	Crider silty clay loam, 6 to 12 percent slopes, severely eroded
61D3	HEL	Crider silty clay loam, 12 to 20 percent slopes, severely eroded
180	NHEL	Cuba silt loam, occasionally flooded
345A	NHEL	Elk silt loam, 0 to 2 percent slopes
345B	PHEL	Elk silt loam, 2 to 6 percent slopes
345C2	PHEL	Elk silt loam, 6 to 12 percent slopes, eroded
345C3	PHEL	Elk silt loam, 6 to 12 percent slopes, severely eroded
345D3	HEL	Elk silt loam, 6 to 12 percent slopes, severely eroded
632C2	HEL	Fredonia very rocky silty clay loam, 6 to 12 percent slopes, eroded
632D2	HEL	Fredonia very rocky silty clay loam, 12 to 30 percent slopes, eroded

632C3	HEL	Fredonia very rocky silty clay, 6 to 12 percent slopes, severely eroded
632D3	HEL	Fredonia very rocky silty clay, 12 to 30 percent slopes, severely eroded
864C2	HEL	Gilpin silt loam, 6 to 12 percent slopes, eroded
864C3	HEL	Gilpin silty clay loam, 6 to 12 percent slopes, severely eroded
864D	HEL	Gilpin-Wellston complex, 12 to 20 percent slopes
864E	HEL	Gilpin-Wellston complex, 20 to 30 percent slopes
877F	HEL	Gilpin-Wellston complex, 30 to 60 percent slopes
864E3	HEL	Gilpin-Wellston complex, 20 to 30 percent slopes, severely eroded
51B2	PHEL	Hosmer silt loam, 2 to 6 percent slopes, eroded
51C2	HEL	Hosmer silt loam, 6 to 12 percent slopes, eroded
10	NHEL	Huntington silt loam, occasionally flooded
88	NHEL	Johnsburg silt loam
105	NHEL	Lindside silt loam, occasionally flooded
420C3	HEL	Markland silty clay loam, 6 to 12 percent slopes, severely eroded
420D3	HEL	Markland silty clay loam, 12 to 20 percent slopes, severely eroded
414	NHEL	McGary silt loam
117	NHEL	Melvin silt loam, occasionally flooded
112	NHEL	Newark silt loam, occasionally flooded
610A	NHEL	Nicholson silt loam, 0 to 2 percent slopes
610B2	PHEL	Nicholson silt loam, 2 to 6 percent slopes, eroded
132	NHEL	Nolin silt loam, occasionally flooded
800C2	HEL	Rosine silt loam, 6 to 12 percent slopes, eroded
800C3	HEL	Rosine silty clay loam 6 to 12 percent slopes, severely eroded
800D2	HEL	Rosine-Caneyville complex, 12 to 20 percent slopes, eroded
800D3	HEL	Rosine-Caneyville complex, 12 to 20 percent slopes, severely eroded
86A	NHEL	Sadler silt loam, 0 to 2 percent slopes
86B2	PHEL	Sadler silt loam, 2 to 6 percent slopes, eroded
348A	NHEL	Sciotoville silt loam, 0 to 2 percent slopes
348B	PHEL	Sciotoville silt loam, 2 to 6 percent slopes
187	NHEL	Steff silt loam, occasionally flooded

184	NHEL	Stendal silt loam, occasionally flooded
350	NHEL	Weinbach silt loam
83C2	PHEL	Wellston silt loam, 6 to 12 percent slopes, eroded
83D2	HEL	Wellston silt loam, 12 to 20 percent slopes, eroded
83C3	HEL	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded
83D3	HEL	Wellston silty clay loam, 12 to 20 percent slopes, severely eroded
84B2	PHEL	Zanesville silt loam, 2 to 6 percent slopes, eroded
84C2	HEL	Zanesville silt loam, 6 to 12 percent slopes, eroded
84C3	HEL	Zanesville silty clay loam, 6 to 12 percent slopes, severely eroded

Provisional Mapping Units

8G	HEL	Rock outcrop
50B2	PHEL	Alford silt loam, 2 to 6 percent slopes, eroded
50C2	HEL	Alford silt loam 6 to 12 percent slopes, eroded
50D2	HEL	Alford silt loam, 12 to 20 percent slopes, eroded
345E	HEL	Elk silt loam, 20 to 40 percent slopes
800E	HEL	Rosine-Gilpin-Faywood complex, 20 to 30 percent slopes

\*CLASS

HEL = Highly Erodible Land  
NHEL = Not Highly Erodible Land  
PHEL = Potentially Highly Erodible Land