

METCALFE COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/10/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BaB	NHEL	Baxter cherty silt loam, 2 to 6 percent slopes
BaB2	NHEL	Baxter cherty silt loam, 2 to 6 percent slopes, eroded
BaC	HEL	Baxter cherty silt loam, 6 to 12 percent slopes
BaC2	HEL	Baxter cherty silt loam, 6 to 12 percent slopes, eroded
BaD	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
BaD2	HEL	Baxter cherty silt loam, 12 to 20 percent slopes, eroded
BaE	HEL	Baxter cherty silt loam, 20 to 30 percent slopes
BaE2	HEL	Baxter cherty silt loam, 20 to 30 percent slopes, eroded
BcC3	HEL	Baxter cherty silty clay loam, 6 to 12 percent slopes, severely eroded
BcD3	HEL	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
BcE3	HEL	Baxter cherty silty clay loam, 20 to 30 percent slopes, severely eroded
BeC2	HEL	Baxter-Talbott rocky silt loams, 6 to 12 percent slopes, eroded
BeD2	HEL	Baxter-Talbott rocky silt loams, 12 to 20 percent slopes, eroded
BeE2	HEL	Baxter-Talbott rocky silt loams, 20 to 30 percent slopes, eroded
BfD3	HEL	Baxter-Talbott rocky silty clay loams, 12 to 20 percent slopes, severely eroded
BoD	HEL	Bodine cherty silt loam, 12 to 20 percent slopes
BoE	HEL	Bodine cherty silt loam, 20 to 35 percent slopes
CaE	HEL	Caneyville rocky complex, 20 to 30 percent slopes
CaE3	HEL	Caneyville rocky complex, 20 to 30 percent slopes, severely eroded
CaF	HEL	Caneyville rocky complex, 30 to 50 percent slopes
CbA	NHEL	Captina silt loam, 0 to 2 percent slopes
CbB	HEL	Captina silt loam, 2 to 6 percent slopes
CcD3	HEL	Christian clay loam, 6 to 20 percent slopes, severely eroded
CdB	NHEL	Christian loam, 2 to 6 percent slopes
CdC	HEL	Christian loam, 6 to 12 percent slopes
CdC2	HEL	Christian loam, 6 to 12 percent slopes, eroded
CdD2	HEL	Christian loam, 12 to 20 percent slopes, eroded
CeD	HEL	Christian rocky soils, 12 to 20 percent slopes
CkB	HEL	Clarksville cherty silt loam, 2 to 6 percent slopes

CkC	HEL	Clarksville cherty silt loam, 6 to 12 percent slopes
CkC2	HEL	Clarksville cherty silt loam, 6 to 12 percent slopes, eroded
CkD2	HEL	Clarksville cherty silt loam, 12 to 20 percent slopes, eroded
CkE2	HEL	Clarksville cherty silt loam, 20 to 30 percent slopes, eroded
CrB	NHEL	Crider silt loam, 2 to 6 percent slopes
CrB2	NHEL	Crider silt loam, 2 to 6 percent slopes, eroded
CuB	NHEL	Cumberland cherty silt loam, 2 to 6 percent slopes
CuB2	NHEL	Cumberland cherty silt loam, 2 to 6 percent slopes, eroded
CuC2	HEL	Cumberland cherty silt loam, 6 to 12 percent slopes, eroded
CuD2	HEL	Cumberland cherty silt loam, 12 to 20 percent slopes, eroded
CvD3	HEL	Cumberland cherty silty clay, 12 to 20 percent slopes, severely eroded
DaD	HEL	Dandridge and Westmoreland shaly silt loams, 12 to 20 percent slopes
DaF	HEL	Dandridge and Westmoreland shaly silt loams, 20 to 50 percent slopes
DbD3	HEL	Dandridge and Westmoreland shaly silty clay loams, 12 to 20 percent slopes, severely eroded
DbF3	HEL	Dandridge and Westmoreland shaly silty clay loams, 20 to 50 percent slopes, severely eroded
DcB	HEL	Dandridge and Westmoreland silt loams, 2 to 6 percent slopes
DcC	HEL	Dandridge and Westmoreland silt loams, 6 to 12 percent slopes
DeB	NHEL	Dewey silt loam, 2 to 6 percent slopes
DeC2	HEL	Dewey silt loam, 6 to 12 percent slopes, eroded
DeD2	HEL	Dewey silt loam, 12 to 20 percent slopes, eroded
DkA	NHEL	Dickson silt loam, 0 to 2 percent slopes
DkB	HEL	Dickson silt loam, 2 to 6 percent slopes
DkB2	HEL	Dickson silt loam, 2 to 6 percent slopes, eroded
DkC2	HEL	Dickson silt loam, 6 to 12 percent slopes, eroded
EkB	NHEL	Elk silt loam, 2 to 6 percent slopes
HcB	NHEL	Humphreys cherty silt loam, 2 to 6 percent slopes
HcC	HEL	Humphreys cherty silt loam, 6 to 12 percent slopes
HcC2	HEL	Humphreys cherty silt loam, 6 to 12 percent slopes, eroded
Hg	NHEL	Huntington gravelly silt loam
Hu	NHEL	Huntington silt loam

LaC2	HEL	Landisburg cherty silt loam, 6 to 12 percent slopes, eroded
LdB	HEL	Landisburg silt loam, 2 to 6 percent slopes
LdC2	HEL	Landisburg silt loam, 6 to 12 percent slopes, eroded
Ls	NHEL	Linside silt loam
MoB	NHEL	Mountview silt loam, 2 to 6 percent slopes
MoC2	HEL	Mountview silt loam, 6 to 12 percent slopes, eroded
Me	NHEL	Melvin silt loam
MuC	HEL	Muse silt loam, 6 to 12 percent slopes
Nk	NHEL	Newark silt loam
PmB	NHEL	Pembroke silt loam, 2 to 6 percent slopes
PmC2	HEL	Pembroke silt loam, 6 to 12 percent slopes, eroded
RaC	HEL	Renox silt loam, 6 to 12 percent slopes
Rb	NHEL	Robertsville silt loam
Rf	NHEL	Robinsonville fine sandy loam
SaA	NHEL	Sango silt loam, 0 to 2 percent slopes
SaB	HEL	Sango silt loam, 2 to 6 percent slopes
Ta	NHEL	Taft silt loam
TbC	HEL	Talbott silt loam, 6 to 12 percent slopes
TcC2	HEL	Talbott silty clay loam, 6 to 12 percent slopes, eroded

*CLASS

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land