

MORGAN COUNTY KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 1/8/87

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
44B	PHEL	Allegheny gravelly loam, 2 to 6 percent slopes
44C	HEL	Allegheny gravelly loam, 6 to 12 percent slopes
44D	HEL	Allegheny gravelly loam, 12 to 20 percent slopes
878G	HEL	Berks silt loam, 50 to 70 percent slopes
700B	NHEL	Bethesda-Fairpoint complex, 0 to 6 percent slopes
700F	HEL	Bethesda-Fairpoint complex, 6 to 60 percent slopes
191	NHEL	Bonnie silt loam
380A	NHEL	Chavies fine sandy loam, 0 to 2 percent slopes
380B	NHEL	Chavies fine sandy loam, 2 to 6 percent slopes
380C	PHEL	Chavies fine sandy loam, 6 to 12 percent slopes
805C	HEL	Clymer fine sandy loam, 6 to 12 percent slopes
805D	HEL	Clymer fine sandy loam, 12 to 20 percent slopes
46B	PHEL	Cotaco loam, 2 to 6 percent slopes
47B	PHEL	Cotaco gravelly loam, 2 to 6 percent slopes
490F	HEL	Cranston gravelly silt loam, 30 to 60 percent slopes
180	NHEL	Cuba silt loam
857D	HEL	Dekalb and Ramsey fine sandy loams, 6 to 20 percent slopes
857E	HEL	Dekalb and Ramsey fine sandy loams, 20 to 40 percent slopes
379A	NHEL	Elk silt loam, 0 to 2 percent slopes
379B	PHEL	Elk silt loam, 2 to 6 percent slopes
379C	HEL	Elk silt loam, 6 to 12 percent slopes
864B	PHEL	Gilpin silt loam, 2 to 6 percent slopes
864C	HEL	Gilpin silt loam, 6 to 12 percent slopes
864D	HEL	Gilpin silt loam, 12 to 20 percent slopes
896F	HEL	Gilpin and Litz soils, 30 to 60 percent slopes
387	PHEL	Johnsburg silt loam
892C	HEL	Latham silt loam, 6 to 12 percent slopes
892D	HEL	Latham silt loam, 12 to 20 percent slopes
89E	HEL	Latham-Gilpin complex, 15 to 25 percent slopes

383B	PHEL	Monongahela fine sandy loam, 2 to 6 percent slopes
383C	HEL	Monongahela fine sandy loam, 6 to 12 percent slopes
480	NHEL	Morehead silt loam
438D	HEL	Muse-Shelocta silt loams, 12 to 20 percent slopes
438E	HEL	Muse-Shelocta silt loams, 20 to 30 percent slopes
438F	HEL	Muse-Shelocta silt loams, 30 to 50 percent slopes
181A	NHEL	Pope fine sandy loam, 0 to 4 percent slopes
181C	PHEL	Pope fine sandy loam, 4 to 12 percent slopes
297	NHEL	Pope gravelly fine sandy loam
90	NHEL	Purdy silt loam
85F	HEL	Ramsey-Dekalb-Rock outcrop complex, 20 to 60 percent slopes
390	NHEL	Robertsville silt loam
92F	HEL	Shelocta-Latham-Gilpin complex, 25 to 50 percent slopes
187	NHEL	Steff silt loam
185	NHEL	Stendal fine sandy loam
184	NHEL	Stendal silt loam
707C1	HEL	Talbott very rocky silt loam, 6 to 20 percent slopes
707E1	HEL	Talbott very rocky soils, 20 to 40 percent slopes
376B	PHEL	Tate loam, 2 to 6 percent slopes
376C	PHEL	Tate loam, 6 to 12 percent slopes
376D	HEL	Tate loam, 12 to 20 percent slopes
41B	PHEL	Tate gravelly loam, 2 to 6 percent slopes
41C	PHEL	Tate gravelly loam, 6 to 12 percent slopes
41D	HEL	Tate gravelly loam, 12 to 20 percent slopes
41E	HEL	Tate gravelly loam, 20 to 30 percent slopes
41F	HEL	Tate gravelly loam, 30 to 50 percent slopes
43F	HEL	Tate stony sandy loam, 30 to 50 percent slopes
793C	PHEL	Tate-Murrill sandy loams, 6 to 20 percent slopes
793E	HEL	Tate-Murrill stony loams, 20 to 30 percent slopes
793F	HEL	Tate-Murrill stony loams, 30 to 60 percent slopes
869F	HEL	Tate-Muse complex, 30 to 60 percent slopes
86B	PHEL	Tilsit silt loam, 2 to 6 percent slopes
86C	HEL	Tilsit silt loam, 6 to 12 percent slopes
83B	PHEL	Whitley-like silt loam, 2 to 6 percent slopes
83C	HEL	Whitley-like silt loam, 6 to 12 percent slopes
83D	HEL	Whitley-like silt loam, 12 to 20 percent slopes

*

HEL = Highly Erodible Land
NHEL = Not Highly Erodible Land
PHEL = Potentially Highly Erodible Land