

NELSON COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/4/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BaD	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
BeB	HEL	Beasley silt loam, 2 to 6 percent slopes
BaC2	HEL	Beasley silt loam, 6 to 12 percent slopes, eroded
BeD2	HEL	Beasley silt loam, 12 to 20 percent slopes, eroded
BIC3	HEL	Beasley silty clay loam, 6 to 12 percent slopes, severely eroded
BID3	HEL	Beasley silty clay loam, 12 to 20 percent slopes, severely eroded
BrA	NHEL	Bedford silt loam, 0 to 2 percent slopes
BrB	HEL	Bedford silt loam, 2 to 6 percent slopes
BrC2	HEL	Bedford silt loam, 6 to 12 percent slopes, eroded
ChD	HEL	Colyer silt loam, 6 to 20 percent slopes
CIE3	HEL	Colyer shaly silty loam, 6 to 30 percent slopes, severely eroded
CmF	HEL	Colyer shaly silt loam, 20 to 50 percent slopes
CnB	HEL	Corydon silt loam, 2 to 6 percent slopes
CnC2	HEL	Corydon silt loam, 6 to 12 percent slopes, eroded
CnD2	HEL	Corydon silt loam, 12 to 20 percent slopes, eroded
CoD3	HEL	Corydon silty clay loam, 6 to 20 percent slopes, severely eroded
CrD2	HEL	Corydon very rocky silt loam, 6 to 20 percent slopes, eroded
CsE3	HEL	Corydon very rocky silty clay, 12 to 30 percent slopes, severely eroded
CrC	HEL	Crider silt loam, 6 to 12 percent slopes
Du	NHEL	Dunning silty clay loam
EcF2	HEL	Eden silty clay loam, 30 to 50 percent slopes, eroded
EeC3	HEL	Eden silty clay, 6 to 12 percent slopes, severely eroded
EeE3	HEL	Eden silty clay, 12 to 30 percent slopes, severely eroded
EfE3	HEL	Eden flaggy clay, 20 to 30 percent slopes, severely eroded
EfF3	HEL	Eden flaggy clay, 30 to 50 percent slopes, severely eroded

EkA	NHEL	Elk silt loam, 0 to 2 percent slopes
EkB	NHEL	Elk silt loam, 2 to 6 percent slopes
EkC	HEL	Elk silt loam, 6 to 12 percent slopes
FaD	HEL	Fairmount silty clay loam, 6 to 20 percent slopes
FfE	HEL	Fairmount flaggy silty clay loam, 12 to 30 percent slopes
FmD3	HEL	Fairmount flaggy clay, 6 to 20 percent slopes, severely eroded
FmF3	HEL	Fairmount flaggy clay, 20 to 50 percent slopes, severely eroded
FwC2	HEL	Faywood silty clay loam, 6 to 12 percent slopes
FwD2	HEL	Faywood silty clay loam, 12 to 20 percent slopes, eroded
FyD3	HEL	Faywood silty clay, 6 to 20 percent slopes, severely eroded
Ga	HEL	Gullied land, acid shaly materials
Gc	HEL	Gullied land, calcareous shaly materials
HaB	NHEL	Hagerstown silt loam, 2 to 6 percent slopes
HaC	HEL	Hagerstown silt loam, 6 to 12 percent slopes
HgD3	HEL	Hagerstown silty clay loam, 6 to 20 percent slopes, severely eroded
HuA	NHEL	Huntington silt loam, 0 to 4 percent slopes
HuC	HEL	Huntington silt loam, 4 to 12 percent slopes
Hv	NHEL	Huntington silt loam, gravelly variant
Lc	NHEL	Lawrence silt loam
Ld	NHEL	Lindside silt loam
LwB	PHEL	Lowell silt loam, 2 to 6 percent slopes
LwC2	HEL	Lowell silt loam, 6 to 12 percent slopes, eroded
LwD2	HEL	Lowell silt loam, 12 to 20 percent slopes, eroded
LyC3	HEL	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded
LyD3	HEL	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded
MkC	HEL	Markland silt loam, 2 to 12 percent slopes
MkD2	HEL	Markland silt loam, 12 to 20 percent slopes, eroded
MIC3	HEL	Markland silty clay, 6 to 12 percent slopes, severely eroded
MID3	HEL	Markland silty clay, 12 to 20 percent slopes, severely eroded
Mr	NHEL	McGary silt loam
Mt	NHEL	Melvin silt loam

Ne	NHEL	Newark silt loam
NhB	HEL	Nicholson silt loam, 2 to 6 percent slopes
OtC	HEL	Otway silty clay loam, 6 to 12 percent slopes
OtE	HEL	Otway silty clay loam, 12 to 30 percent slopes
PbA	NHEL	Pembroke silt loam, 0 to 2 percent slopes
PbB	NHEL	Pembroke silt loam, 2 to 6 percent slopes
PbC	HEL	Pembroke silt loam, 6 to 12 percent slopes
PeC3	HEL	Pembroke silty clay loam, 6 to 12 percent slopes, severely eroded
Rb	NHEL	Robertsville silt loam
RcD	HEL	Rockcastle silt loam, 12 to 20 percent slopes
RcF	HEL	Rockcastle silt loam, 20 to 50 percent slopes
RkE3	HEL	Rockcastle shaly silty clay, 12 to 30 percent slopes, severely eroded
RIF	HEL	Rockcastle-Weikert complex, 20 to 50 percent slopes
Ro	HEL	Rock land – Corydon complex
RuA	NHEL	Russellville silt loam, 0 to 2 percent slopes
RuB	PHEL	Russellville silt loam, 2 to 6 percent slopes
ShB	HEL	Shelbyville silt loam, 2 to 6 percent slopes
SoC	HEL	Shrouts-Otway complex, 6 to 12 percent slopes
SoE	HEL	Shrouts-Otway complex, 12 to 30 percent slopes
TIB	HEL	Tilsit silt loam, 2 to 6 percent slopes
TIC2	HEL	Tilsit silt loam, 6 to 12 percent slopes
TpB	HEL	Trappist silt loam, 2 to 6 percent slopes
TpB2	HEL	Trappist silt loam, 2 to 6 percent slopes, eroded
TpC	HEL	Trappist silt loam, 6 to 12 percent slopes
TpC2	HEL	Trappist silt loam, 6 to 12 percent slopes, eroded
TpD	HEL	Trappist silt loam, 12 to 20 percent slopes
TpD3	HEL	Trappist silt loam, 12 to 20 percent slopes, eroded
TrC3	HEL	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded
TrD3	HEL	Trappist silty clay loam, 12 to 20 percent slopes, severely eroded
TsB	HEL	Trimble cherty silt loam, 2 to 6 percent slopes
TsC	HEL	Trimble cherty silt loam, 6 to 12 percent slopes
TsD	HEL	Trimble cherty silt loam, 12 to 20 percent slopes
TrD3	HEL	Trimble cherty silty clay loam, 12 to 20 percent slopes, severely eroded
WhB	HEL	Whitley silt loam, 2 to 6 percent slopes
WhC	HEL	Whitley silt loam, 6 to 12 percent slopes

WhD	HEL	Whitley silt loam, 12 to 20 percent slopes
WoB	HEL	Woolper silty clay loam, 2 to 6 percent slopes
WoC	HEL	Woolper silty clay loam, 6 to 12 percent slopes
WoD2	HEL	Woolper silty clay loam, 12 to 20 percent slopes, eroded
ZaB	HEL	Zanesville silt loam, 2 to 6 percent slopes
ZaC2	HEL	Zanesville silt loam, 6 to 12 percent slopes, eroded

***CLASS**

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land