

SIMPSON COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 10/30/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BaB	NHEL	Baxter cherty silt loam, 2 to 6 percent slopes
BaC	HEL	Baxter cherty silt loam, 6 to 12 percent slopes
BaD	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
BaE	HEL	Baxter cherty silt loam, 20 to 30 percent slopes
BeB	NHEL	Bewleyville silt loam, 2 to 6 percent slopes
BeC	HEL	Bewleyville silt loam, 6 to 12 percent slopes
Du	NHEL	Dunning silty clay
EIA	NHEL	Elk silt loam, 0 to 2 percent slopes
EIB	NHEL	Elk silt loam, 2 to 6 percent slopes
FcB	HEL	Fredonia-Vertrees complex, 2 to 6 percent slopes
FdC	HEL	Fredonia-Rock outcrop complex, 6 to 12 percent slopes
La	NHEL	Lawrence silt loam
MoA	NHEL	Mountview silt loam, 0 to 2 percent slopes
MoB	NHEL	Mountview silt loam, 2 to 6 percent slopes
MoC	HEL	Mountview silt loam, 6 to 12 percent slopes
Ne	NHEL	Newark silt loam
NhA	NHEL	Nicholson silt loam, 0 to 2 percent slopes
NhB	HEL	Nicholson silt loam, 2 to 6 percent slopes
No	NHEL	Nolin silt loam
PeA	NHEL	Pembroke silt loam, 0 to 2 percent slopes
PeB	NHEL	Pembroke silt loam, 2 to 6 percent slopes
PeC	HEL	Pembroke silt loam, 6 to 12 percent slopes
PfC3	HEL	Pembroke silty clay loam, 6 to 12 percent slopes, severely eroded
Pt		Pits
Rb	NHEL	Robertsville silt loam
RfE	HEL	Rock outcrop-Fredonia complex, 12 to 30 percent slopes
VrB	HEL	Vertrees silt loam, 2 to 6 percent slopes
VrC	HEL	Vertrees silt loam, 6 to 12 percent slopes
VsC3	HEL	Vertrees silty clay loam, 6 to 12 percent slopes, severely

eroded

**\*CLASS**

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land