

TODD COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/4/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BaD	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
CaB	HEL	Caneyville silt loam, 2 to 6 percent slopes
CaC	HEL	Caneyville silt loam, 6 to 12 percent slopes
CnD3	HEL	Caneyville silty clay, 6 to 20 percent slopes, severely eroded
CoD	HEL	Caneyville-Rock outcrop complex, 6 to 30 percent slopes
CrA	NHEL	Crider silt loam, 0 to 2 percent slopes
CrB	NHEL	Crider silt loam, 2 to 6 percent slopes
CrC2	HEL	Crider silt loam, 6 to 12 percent slopes, eroded
DkF	HEL	Dekalb-Frondorf-Rock outcrop complex, 20 to 45 percent slopes
Du	NHEL	Dunning silt loam, occasionally flooded
EIA	NHEL	Elk silt loam, 0 to 2 percent slopes, rarely flooded
EIB	NHEL	Elk silt loam, 2 to 6 percent slopes, rarely flooded
EIC	HEL	Elk silt loam, 6 to 12 percent slopes, rarely flooded
EpB	HEL	Epley silt loam, 2 to 6 percent slopes
FdC	HEL	Fredonia silt loam, very rocky, 2 to 12 percent slopes
FnC2	HEL	Frondorf silt loam, 6 to 12 percent slopes, eroded
FnC3	HEL	Frondorf silt loam, 6 to 12 percent slopes, severely eroded
FwD	HEL	Frondorf-Weikert complex, 12 to 20 percent slopes
FwF	HEL	Frondorf-Weikert complex, 20 to 45 percent slopes
HbB	NHEL	Hammack-Baxter complex, 2 to 6 percent slopes
HbC2	HEL	Hammack-Baxter complex, 6 to 12 percent slopes, eroded
HbC3	HEL	Hammack-Baxter complex, 6 to 12 percent slopes, severely eroded
Jo	NHEL	Johnsburg silt loam
La	NHEL	Lawrence silt loam, occasionally flooded
Ln	NHEL	Lindside silt loam, occasionally flooded
Me	NHEL	Melvin silt loam, occasionally flooded

Ne	NHEL	Newark silt loam, occasionally flooded
NhA	NHEL	Nicholson silt loam, 0 to 2 percent slopes
NhB	HEL	Nicholson silt loam, 2 to 6 percent slopes
NhC2	HEL	Nicholson silt loam, 6 to 12 percent slopes, eroded
No	NHEL	Nolin silt loam, occasionally flooded
PmA	NHEL	Pembroke silt loam, 0 to 2 percent slopes
PmB	NHEL	Pembroke silt loam, 2 to 6 percent slopes
PmC2	HEL	Pembroke silt loam, 6 to 12 percent slopes, eroded
ReC2	HEL	Riney loam, 6 to 12 percent slopes, eroded
ReD2	HEL	Riney loam, 12 to 20 percent slopes, eroded
RmE3	HEL	Riney gravelly loam, 12 to 30 percent slopes, severely eroded
Ro	NHEL	Robertsville silt loam, occasionally flooded
SaA	NHEL	Sadler silt loam, 0 to 2 percent slopes
SaB	HEL	Sadler silt loam, 2 to 6 percent slopes
Sk	NHEL	Skidmore gravelly loam, occasionally flooded
VeC2	HEL	Vertrees silty clay loam, 6 to 12 percent slopes, eroded
WeB	HEL	Wellston silt loam, 2 to 6 percent slopes
WeC2	HEL	Wellston silt loam, 6 to 12 percent slopes, eroded
WeD	HEL	Wellston silt loam, 12 to 20 percent slopes
W1C3	HEL	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded
W1D3	HEL	Wellston silty clay loam, 12 to 20 percent slopes, severely eroded
ZaB	HEL	Zanesville silt loam, 2 to 6 percent slopes
ZaC2	HEL	Zanesville silt loam, 6 to 12 percent slopes, eroded
ZnC3	HEL	Zanesville silty clay loam, 6 to 12 percent slopes, severely eroded

*CLASS

HEL = Highly Erodible Land
NHEL = Not Highly Erodible Land
PHEL = Potentially Highly Erodible Land