

BATH COUNTY KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 1/9/87

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AgB	PHEL	Allegheny loam, 2 to 6 percent slopes
AgC	HEL	Allegheny loam, 6 to 12 percent slopes
AgC2	HEL	Allegheny loam, 6 to 12 percent slopes, eroded
AgD	HEL	Allegheny loam, 12 to 20 percent slopes
AgD2	HEL	Allegheny loam, 12 to 20 percent slopes, eroded
AsB	PHEL	Ashton silt loam, 2 to 6 percent slopes
AsC	PHEL	Ashton silt loam, 6 to 12 percent slopes
AsD	HEL	Ashton silt loam, 12 to 20 percent slopes
At	NHEL	Atkins silt loam
Ay	NHEL	Atkins silty clay loam
BaB	PHEL	Beasley silt loam, 2 to 6 percent slopes
BcB2	PHEL	Beasley silty clay loam, 2 to 6 percent slopes, eroded
BcC2	HEL	Beasley silty clay loam, 6 to 12 percent slopes, eroded
BcD2	HEL	Beasley silty clay loam, 12 to 20 percent slopes, eroded
BcE2	HEL	Beasley silty clay loam, 20 to 30 percent slopes, eroded
BeD3	HEL	Beasley silty clay, 12 to 20 percent slopes, eroded
BfA	NHEL	Bedford silt loam, 0 to 2 percent slopes
BfB	PHEL	Bedford silt loam, 2 to 6 percent slopes
B	NHEL	Blago silt loam, 0 to 4 percent slopes
CaA	NHEL	Captina silt loam, 0 to 2 percent slopes
CaB	PHEL	Captina silt loam, 2 to 6 percent slopes
CaC2	HEL	Captina silt loam, 6 to 12 percent slopes, eroded
CoD	HEL	Colyer shaly silt loam, 12 to 20 percent slopes
CoE	HEL	Colyer shaly silt loam, 20 to 30 percent slopes
CoF	HEL	Colyer shaly silt loam, 30 to 50 percent slopes
CoG	HEL	Colyer shaly silt loam, 50 to 60 percent slopes
CsE2	HEL	Colyer shaly silty clay loam, 12 to 30 percent slopes, eroded
CzB	PHEL	Cruze silt loam, 2 to 8 percent slopes
Du	NHEL	Dunning silty clay loam
EdD2	HEL	Eden soils, 12 to 20 percent slopes, eroded

EdE2	HEL	Eden soils, 20 to 30 percent slopes, eroded
EdF2	HEL	Eden soils, 30 to 50 percent slopes, eroded
Eg	NHEL	Egam silty clay loam
EkB	PHEL	Elk silt loam, 2 to 6 percent slopes
EkC2	PHEL	Elk silt loam, 6 to 12 percent slopes, eroded
EkD2	HEL	Elk silt loam, 12 to 20 percent slopes, eroded
FaD3	HEL	Fairmount flaggy clay, 6 to 20 percent slopes, severely eroded
FaE3	HEL	Fairmount flaggy clay, 20 to 30 percent slopes, severely eroded
FaF3	HEL	Fairmount flaggy clay, 30 to 60 percent slopes, severely eroded
FfC	HEL	Fairmount flaggy silty clay loam, 6 to 12 percent slopes
FfD	HEL	Fairmount flaggy silty clay loam, 12 to 20 percent slopes
FmD2	HEL	Fairmount-rock land complex, 6 to 20 percent slope, eroded
FmE2	HEL	Fairmount-rock land complex, 20 to 30 percent slopes, eroded
FnD2	HEL	Fleming cherty silt loam, 12 to 20 percent slopes, eroded
FaD	HEL	Fleming cherty silty clay loam, thin solum, 12 to 25 percent slopes
FsC2	HEL	Fleming silt loam, 6 to 12 percent slopes, eroded
FsD2	HEL	Fleming silt loam, 12 to 20 percent slopes, eroded
Gn	HEL	Gullied land
Gu	NHEL	Guthrie silt loam
HaC2	HEL	Hagerstown cherty silt loam, 6 to 12 percent slopes, eroded
HgA	NHEL	Hagerstown silt loam, 0 to 2 percent slopes
HgB	PHEL	Hagerstown silt loam, 2 to 6 percent slopes
HgC2	HEL	Hagerstown silt loam, 6 to 12 percent slopes, eroded
HgD2	HEL	Hagerstown silt loam, 12 to 20 percent slopes, eroded
Hn	NHEL	Huntington gravelly silt loam
Ha	NHEL	Huntington silt loam
Hs	NHEL	Huntington stony silt loam, shallow
JeC	PHEL	Jefferson gravelly silt loam, 2 to 12 percent slopes
JeD	HEL	Jefferson gravelly silt loam, 12 to 20 percent slopes
JoA	NHEL	Johnsburg and Cavode silt loams, 0 to 2 percent slopes
JoB	NHEL	Johnsburg and Cavode silt loams, 2 to 6 percent slopes
JoC	HEL	Johnsburg and Cavode silt loams, 6 to 12 percent slopes
JoC2	HEL	Johnsburg and Cavode silt loams, 6 to 12 percent slopes, eroded

LaB	PHEL	Landisburg cherty silt loam, 2 to 12 percent slopes
Lc	NHEL	Lawrence silt loam
Li	NHEL	Lindside silt loam
LoB	PHEL	Lowell silt loam, 2 to 6 percent slopes
LoB2	PHEL	Lowell silt loam, 2 to 6 percent slopes, eroded
LoC	HEL	Lowell silt loam, 6 to 12 percent slopes
LoC2	HEL	Lowell silt loam, 6 to 12 percent slopes, eroded
LoD2	HEL	Lowell silt loam, 12 to 20 percent slopes, eroded
LpC3	HEL	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded
LpD3	HEL	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded
LrB2	PHEL	Lowell silty clay loam, shallow, 2 to 6 percent slopes, eroded
LrC2	HEL	Lowell silty clay loam, shallow, 6 to 12 percent slopes, eroded
LrD2	HEL	Lowell silty clay loam, shallow, 12 to 20 percent slopes, eroded
LrE2	HEL	Lowell silty clay loam, shallow, 20 to 30 percent slopes, eroded
LrF2	HEL	Lowell silty clay loam, shallow, 30 to 50 percent slopes, eroded
LsD3	HEL	Lowell silty clay, shallow, 12 to 20 percent slopes, severely eroded
LsE3	HEL	Lowell silty clay, shallow, 20 to 30 percent slopes, severely eroded
LvD2	HEL	Lowell very rocky silty clay loam, 6 to 20 percent slopes, eroded
LwE3	HEL	Lowell very rocky silty clay, 20 to 30 percent slopes, severely eroded
Me	NHEL	Melvin silt loam
MfB	PHEL	Monongahela fine sandy loam, 2 to 6 percent slopes
MIC	HEL	Monongahela fine sandy loam, 6 to 12 percent slopes
MfC2	HEL	Monongahela fine sandy loam, 6 to 12 percent slopes, eroded
MgA	NHEL	Monongahela silt loam, 0 to 2 percent slopes
MgB	PHEL	Monongahela silt loam, 2 to 6 percent slopes
MgC	HEL	Monongahela silt loam, 6 to 12 percent slopes
MgC2	HEL	Monongahela silt loam, 6 to 12 percent slopes, eroded
Mu	NHEL	Mullins silt loam
MnC	HEL	Muse silt loam, 6 to 12 percent slopes
MnD	HEL	Muse silt loam, 12 to 20 percent slopes
MsC2	HEL	Muse silty clay loam, 6 to 12 percent slopes, eroded

MsD2	HEL	Muse silty clay loam, 12 to 20 percent slopes, eroded
MuD	HEL	Muskingum stony silt loam, 6 to 20 percent slopes
MuE	HEL	Muskingum stony silt loam, 20 to 30 percent slopes
MuF	HEL	Muskingum stony silt loam, 30 to 50 percent slopes
MuG	HEL	Muskingum stony silt loam, 50 to 80 percent slopes
Ne	NHEL	Newark silt loam
NkB	PHEL	Nicholson silt loam, 0 to 6 percent slopes
OtC	HEL	Otway silty clay, 6 to 12 percent slopes
OtC2	HEL	Otway silty clay, 6 to 12 percent slopes, eroded
OtD2	HEL	Otway silty clay, 12 to 20 percent slopes, eroded
OtE2	HEL	Otway silty clay, 20 to 30 percent slopes, eroded
OtF2	HEL	Otway silty clay, 30 to 50 percent slopes, eroded
Ph	NHEL	Philo silt loam
Pm	NHEL	Pope fine sandy loam
Pn	NHEL	Pope gravelly silt loam
Po	NHEL	Pope silt loam
Pr	NHEL	Purdy silt loam
RaB	PHEL	Rarden silt loam, 2 to 6 percent slopes
RaC	HEL	Rarden silt loam, 6 to 12 percent slopes
RaD	HEL	Rarden silt loam, 12 to 20 percent slopes
RcC2	HEL	Rarden silty clay loam, 6 to 12 percent slopes, eroded
RcD2	HEL	Rarden silty clay loam, 12 to 20 percent slopes, eroded
Ro	NHEL	Robertsville silt loam
RkD	HEL	Rockcastle silt loam, 12 to 20 percent slopes
RkE	HEL	Rockcastle silt loam, 20 to 30 percent slopes
RkF	HEL	Rockcastle silt loam, 30 to 50 percent slopes
RsD2	HEL	Rockcastle silty clay, 12 to 20 percent slopes, eroded
RsE2	HEL	Rockcastle silty clay, 20 to 30 percent slopes, eroded
Rt	HEL	Rock land
SaB	PHEL	Sees silty clay loam, 2 to 6 percent slopes
SaC	HEL	Sees silty clay loam, 6 to 12 percent slopes
SeA	NHEL	Sequatchie silty clay loam, heavy variant, 0 to 4 percent slopes
SeB	PHEL	Shelbyville silt loam, 2 to 6 percent slopes
SeC	HEL	Shelbyville silt loam, 6 to 12 percent slopes
SeC2	HEL	Shelbyville silt loam, 6 to 12 percent slopes, eroded
ShD2	HEL	Shrouts clay, 6 to 20 percent slopes, eroded
ShE2	HEL	Shrouts clay, 20 to 30 percent slopes, eroded
SsD	HEL	Shrouts silty clay loam, 6 to 20 percent slopes
St	NHEL	Stendal silt loam

Ta	NHEL	Taft silt loam
Te	HEL	Terrace escarpments
TsB	PHEL	Tilsit silt loam, 2 to 6 percent slopes
TsC	HEL	Tilsit silt loam, 6 to 12 percent slopes
TtB	PHEL	Trappist silt loam, 2 to 6 percent slopes
TtC2	HEL	Trappist silt loam, 6 to 12 percent slopes, eroded
TtD2	HEL	Trappist silt loam, 12 to 20 percent slopes, eroded
Tv	NHEL	Tyler fine sandy loam
Ty	NHEL	Tyler silt loam
Wh	NHEL	Whitwell silt loam
WoB	PHEL	Woolper silty clay loam, 2 to 6 percent slopes
WoC	HEL	Woolper silty clay loam, 6 to 12 percent slopes
WoD2	HEL	Woolper silty clay loam, 12 to 20 percent slopes, eroded

*

HEL	=	Highly Erodible Land
NHEL	=	Not Highly Erodible Land
PHEL	=	Potentially Highly Erodible Land