

LINCOLN COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/18/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
304B	NHEL	Ashton silt loam, 2 to 6 percent slopes
70C	HEL	Baxter cherty silt loam, 6 to 12 percent slopes
70C3	HEL	Baxter cherty silty clay loam, 6 to 12 percent slopes, severely eroded
70D	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
70D3	HEL	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
70E	HEL	Baxter cherty silt loam, 20 to 30 percent slopes
70E3	HEL	Baxter cherty silty clay loam, 20 to 30 percent slopes, severely eroded
612B	HEL	Beasley silt loam, 2 to 6 percent slopes
612C	HEL	Beasley silt loam, 6 to 12 percent slopes
612C3	HEL	Beasley silty clay loam, 6 to 12 percent slopes, severely eroded
612D	HEL	Beasley silt loam, 12 to 20 percent slopes
612D3	HEL	Beasley silty clay loam, 12 to 20 percent slopes, severely eroded
19	NHEL	Boonesboro silt loam
620B	HEL	Brassfield loam, 2 to 6 percent slopes, eroded
620C	HEL	Brassfield loam, 6 to 12 percent slopes, severely eroded
620D	HEL	Brassfield loam, 12 to 20 percent slopes, severely eroded
620E	HEL	Brassfield loam, 20 to 30 percent slopes, severely eroded
306A	NHEL	Captina silt loam, 0 to 2 percent slopes
306B	HEL	Captina silt loam, 2 to 6 percent slopes
306C	HEL	Captina silt loam, 6 to 12 percent slopes
827A	NHEL	Cavode silt loam, 0 to 2 percent slopes
827B	HEL	Cavode silt loam, 2 to 6 percent slopes
827C	HEL	Cavode silt loam, 6 to 12 percent slopes
138	NHEL	Chagrin gravelly silt loam
721B	HEL	Christian silt loam, 2 to 6 percent slopes
721C	HEL	Christian silt loam, 6 to 12 percent slopes
721C3	HEL	Christian silt loam, 6 to 12 percent slopes, severely eroded
38B	NHEL	Chenault gravelly silt loam, 2 to 6 percent slopes
38C	HEL	Chenault gravelly silt loam, 6 to 12 percent slopes
38D	HEL	Chenault gravelly silt loam, 12 to 20 percent slopes
709B	PHEL	Clarksville cherty silt loam, 2 to 6 percent slopes
709C	HEL	Clarksville cherty silt loam, 6 to 12 percent slopes
709D	HEL	Clarksville cherty silt loam, 12 to 20 percent slopes
806B	HEL	Clymer loam, 2 to 6 percent slopes

806C	HEL	Clymer loam, 6 to 12 percent slopes
806D	HEL	Clymer loam, 12 to 20 percent slopes
813D	HEL	Colyer shaly silt loam, 12 to 20 percent slopes
813D3	HEL	Colyer shaly silty clay loam, 12 to 20 percent slopes, severely eroded
813E	HEL	Colyer shaly silt loam, 20 to 30 percent slopes
630D	HEL	Corydon very rocky silt loam, 12 to 20 percent slopes
630D3	HEL	Corydon very rocky silty clay loam, 12 to 30 percent slopes, severely eroded
630E	HEL	Corydon very rocky silt loam, 20 to 30 percent slopes
012	HEL	Corydon – rock outcrop complex
124	NHEL	Dunning silty clay loam
740C	HEL	Eden silty clay, 6 to 12 percent slopes, eroded
740D	HEL	Eden silty clay, 12 to 20 percent slopes, eroded
740E	HEL	Eden silty clay, 20 to 30 percent slopes, eroded
103	NHEL	Egan silty clay loam
39A	NHEL	Elk silt loam, 0 to 2 percent slopes
39B	NHEL	Elk silt loam, 2 to 6 percent slopes
39C	HEL	Elk silt loam, 6 to 12 percent slopes
742D	HEL	Fairmount flaggy silty clay loam, 12 to 20 percent slopes
742D3	HEL	Fairmount flaggy silty clay, 12 to 20 percent slopes, severely eroded
742E	HEL	Fairmount flaggy silty clay loam, 20 to 30 percent slopes
742E3	HEL	Fairmount flaggy silty clay, 20 to 30 percent slopes, severely eroded
769F	HEL	Fairmount very rocky silty clay loam, 30 to 50 percent slopes
747B	HEL	Faywood silt loam, 2 to 6 percent slopes
747C	HEL	Faywood silt loam, 6 to 12 percent slopes
747C3	HEL	Faywood silty clay loam, 6 to 12 percent slopes, severely eroded
747D	HEL	Faywood silt loam, 12 to 20 percent slopes
747D3	HEL	Faywood silty clay loam, 12 to 20 percent slopes, severely eroded
747E	HEL	Faywood silt loam, 20 to 30 percent slopes
747E3	HEL	Faywood silty clay loam, 20 to 30 percent slopes, severely eroded
720F	HEL	Garmon shaly silt loam, 30 to 60 percent slopes
06	HEL	Gullied land, acid soil materials
07	HEL	Gullied land, marl
605C	HEL	Hagerstown silt loam, 6 to 12 percent slopes, eroded
605C3	HEL	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded
605D	HEL	Hagerstown silt loam, 12 to 20 percent slopes
605D3	HEL	Hagerstown silty clay loam, 12 to 20 percent slopes, severely eroded
312	NHEL	Haymond silt loam
10A	NHEL	Huntington silt loam, 0 to 4 percent slopes
10C	HEL	Huntington silt loam, 4 to 20 percent slopes
88	NHEL	Johnsburg silt loam
328B	NHEL	Landisburg cherty silt loam, 2 to 6 percent slopes

328C	HEL	Landisburg cherty silt loam, 6 to 12 percent slopes
328D	HEL	Landisburg cherty silt loam, 12 to 20 percent slopes
64	NHEL	Lawrence silt loam, 0 to 4 percent slopes
105	NHEL	Lindside silt loam
141	NHEL	Lindside gravelly silt loam
602B	HEL	Lowell silt loam, 2 to 6 percent slopes
602C	HEL	Lowell silt loam, 6 to 12 percent slopes
602C3	HEL	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded
602D	HEL	Lowell silt loam, 12 to 20 percent slopes
602D3	HEL	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded
627B	HEL	Mercer silt loam, 2 to 6 percent slopes
627C	HEL	Mercer silt loam, 6 to 12 percent slopes
117	NHEL	Melvin silt loam
710B	NHEL	Mountview silt loam, 2 to 6 percent slopes
710C	HEL	Mountview silt loam, 6 to 12 percent slopes
332B	HEL	Muse silt loam, 2 to 6 percent slopes
332C	HEL	Muse silt loam, 6 to 12 percent slopes
332C3	HEL	Muse silt loam, 6 to 12 percent slopes, severely eroded
332D	HEL	Muse silt loam, 12 to 20 percent slopes
332D3	HEL	Muse silty clay loam, 12 to 20 percent slopes, severely eroded
112	NHEL	Newark silt loam
615C	HEL	Otway silty clay loam, 6 to 12 percent slopes, eroded
615D	HEL	Otway silty clay loam, 12 to 20 percent slopes, eroded
60A	NHEL	Pembroke silt loam, 0 to 2 percent slopes
60B	HEL	Pembroke silt loam, 2 to 6 percent slopes
316	NHEL	Robertsville silt loam
820D	HEL	Rockcastle silt loam, 12 to 20 percent slopes
820D3	HEL	Rockcastle shaly silt loam, 12 to 20 percent slopes
842F	HEL	Rockcastle shaly silt loam, 20 to 40 percent slopes
754C	HEL	Salvisa silt loam, 6 to 12 percent slopes, eroded
754C3	HEL	Salvisa silty clay, 6 to 12 percent slopes, severely eroded
754D	HEL	Salvisa silt loam, 12 to 20 percent slopes, eroded
754D3	HEL	Salvisa silty clay, 12 to 20 percent slopes, severely eroded
359B	NHEL	Sees silty clay loam, 2 to 6 percent slopes
600B	NHEL	Shelbyville silt loam, 2 to 6 percent slopes
600C	HEL	Shelbyville silt loam, 6 to 12 percent slopes
600C3	HEL	Shelbyville silty clay loam, 6 to 12 percent slopes, severely eroded
823C	HEL	Shrouts silty clay, 6 to 12 percent slopes, severely eroded
823D	HEL	Shrouts silty clay, 12 to 20 percent slopes, severely eroded
823E	HEL	Shrouts silty clay, 20 to 30 percent slopes, severely eroded
86A	NHEL	Tilsit silt loam, 0 to 2 percent slopes
86B	HEL	Tilsit silt loam, 2 to 6 percent slopes
86C	HEL	Tilsit silt loam, 6 to 12 percent slopes
816B	HEL	Trappist silt loam, 2 to 6 percent slopes
816C	HEL	Trappist silt loam, 6 to 12 percent slopes
816C3	HEL	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded

816D	HEL	Trappist silt loam, 12 to 20 percent slopes
816D3	HEL	Trappist silty clay loam, 12 to 20 percent slopes, severely eroded
36C	HEL	Trimble cherty silt loam, 6 to 12 percent slopes
36D	HEL	Trimble cherty silt loam, 12 to 20 percent slopes
36E	HEL	Trimble cherty silt loam, 20 to 30 percent slopes
83B	NHEL	Wellston silt loam, 2 to 6 percent slopes
83C	HEL	Wellston silt loam, 6 to 12 percent slopes
83C3	HEL	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded
302	NHEL	Wolftever silt loam
358B	HEL	Woolper silty clay loam, 2 to 6 percent slopes
358C	HEL	Woolper silty clay loam, 6 to 12 percent slopes
358D	HEL	Woolper silty clay loam, 12 to 20 percent slopes

*CLASS

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land