

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Adams loamy sand, 0 to 3 percent slopes	280A
Adams loamy sand, 3 to 8 percent slopes	280B
Adams loamy sand, 8 to 15 percent slopes	280C
Agawam fine sandy loam, 0 to 3 percent slopes	275A
Agawam fine sandy loam, 15 to 25 percent slopes	275D
Agawam fine sandy loam, 3 to 8 percent slopes	275B
Allagash fine sandy loam, 3 to 8 percent slopes	281B
Allagash fine sandy loam, 8 to 15 percent slopes	281C
Amenia silt loam, 0 to 3 percent slopes	500A
Amenia silt loam, 15 to 25 percent slopes	500D
Amenia silt loam, 15 to 25 percent slopes, extremely stony	502D
Amenia silt loam, 15 to 25 percent slopes, very stony	501D
Amenia silt loam, 3 to 8 percent slopes	500B
Amenia silt loam, 3 to 8 percent slopes, extremely stony	502B
Amenia silt loam, 3 to 8 percent slopes, very stony	501B
Amenia silt loam, 8 to 15 percent slopes	500C
Amenia silt loam, 8 to 15 percent slopes, extremely stony	502C
Amenia silt loam, 8 to 15 percent slopes, very stony	501C
Amostown fine sandy loam, 0 to 5 percent slopes	258A
Amostown fine sandy loam, 0 to 6 percent slopes	258B
Amostown-Windsor silty substratum-Urban land complex, 0 to 3 percent slopes	741A
Annisquam fine sandy loam, 15 to 35 percent slopes, extremely bouldery	722E
Annisquam fine sandy loam, 3 to 8 percent slopes, extremely bouldery	722B
Annisquam fine sandy loam, 8 to 15 percent slopes, extremely bouldery	722C
Aquepts, 0 to 3 percent slopes	657A
Ashfield fine sandy loam, 1 to 8 percent slopes	375B
Ashfield fine sandy loam, 15 to 25 percent slopes	375D
Ashfield fine sandy loam, 15 to 25 percent slopes, very stony	376D
Ashfield fine sandy loam, 3 to 8 percent slopes	375B
Ashfield fine sandy loam, 3 to 8 percent slopes, very stony	376B
Ashfield fine sandy loam, 8 to 15 percent slopes	375C
Ashfield fine sandy loam, 8 to 15 percent slopes, very stony	376C
Barnstable - Plymouth complex, 15 to 35 percent slopes	486E
Barnstable - Plymouth complex, 15 to 35 percent slopes, very bouldery	483E
Barnstable - Plymouth complex, 3 to 8 percent slopes	486B
Barnstable - Plymouth complex, 8 to 15 percent slopes	486C
Barnstable - Plymouth complex, 8 to 15 percent slopes, very bouldery	483C
Barnstable loamy sand, 0 to 3 percent slopes	430A
Barnstable loamy sand, 3 to 8 percent slopes	430B
Barnstable loamy sand, 3 to 8 percent slopes, extremely bouldery	433B
Barnstable loamy sand, 3 to 8 percent slopes, very stony	431B
Barnstable loamy sand, 8 to 15 percent slopes	430C
Barnstable loamy sand, 8 to 15 percent slopes, extremely bouldery	433C
Barnstable loamy sand, 8 to 15 percent slopes, very stony	431C
Barnstable sandy loam, 15 to 25 percent slopes, very stony	431D
Barnstable sandy loam, 3 to 8 percent slopes	430B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Barnstable sandy loam, 3 to 8 percent slopes, very stony	431B
Barnstable sandy loam, 8 to 15 percent slopes	430C
Barnstable sandy loam, 8 to 15 percent slopes, very stony	431C
Barnstable-Plymouth complex, rolling, bouldery	488C
Barnstable-Plymouth-Nantucket complex, rolling	490C
Barnstable-Plymouth-Nantucket complex, rolling, very bouldery	494C
Beaches	610
Beaches, extremely bouldery	609
Beaches, gravel	703
Beaches, sandy	610
Beaches, tidal flats	708A
Becket fine sandy loam, 15 to 25 percent slopes	351D
Becket fine sandy loam, 3 to 8 percent slopes	351B
Becket fine sandy loam, 8 to 15 percent slopes	351C
Becket-Monadnock association, 15 to 45 percent slopes, extremely stony	900E
Becket-Skerry association, 3 to 15 percent slopes, extremely stony	908C
Belgrade silt loam, 0 to 8 percent slopes	225B
Belgrade very fine sandy loam, 0 to 3 percent slopes	225A
Belgrade very fine sandy loam, 0 to 8 percent slopes	225B
Belgrade very fine sandy loam, 3 to 8 percent slopes	225B
Belgrade very fine sandy loam, 8 to 15 percent slopes	225C
Berkshire and Monadnock soils 15 to 25 percent slopes, very stony	459D
Berkshire and Monadnock soils, 3 to 8 percent slopes, very stony	459B
Berkshire and Monadnock soils, 8 to 15 percent slopes, very stony	459C
Berkshire-Marlow association, 15 to 45 percent slopes, extremely stony	901E
Berkshire-Marlow association, 15 to 45 percent slopes, steep, extremely stony	901E
Berkshire-Tunbridge complex, 15 to 25 percent slopes, rocky	127D
Berkshire-Tunbridge complex, 8 to 15 percent slopes, rocky	127C
Bernardston silt loam, 15 to 25 percent slopes	330D
Bernardston silt loam, 15 to 25 percent slopes, very stony	331D
Bernardston silt loam, 25 to 45 percent slopes, very stony	331F
Bernardston silt loam, 3 to 8 percent slopes	330B
Bernardston silt loam, 3 to 8 percent slopes, very stony	331B
Bernardston silt loam, 8 to 15 percent slopes	330C
Bernardston very fine sandy loam, 15 to 25 percent slopes	330D
Bernardston very fine sandy loam, 25 to 35 percent slopes	330E
Bernardston very fine sandy loam, 3 to 8 percent slopes	330B
Bernardston very fine sandy loam, 8 to 15 percent slopes	330C
Berryland loamy sand, 0 to 2 percent slopes	11A
Berryland mucky loamy coarse sand, 0 to 2 percent slopes	11A
Berryland Variant loamy sand, 0 to 3 percent slopes	25A
Birchwood - Urban land complex, 0 to 8 percent slopes	634B
Birchwood fine sandy loam, 3 to 8 percent slopes	320B
Birchwood sand, 0 to 3 percent slopes	320A
Birchwood sand, 0 to 3 percent slopes, very stony	321A
Birchwood sand, 3 to 8 percent slopes	320B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Birchwood sand, 3 to 8 percent slopes, very stony	321B
Birchwood sand, 8 to 15 percent slopes	320C
Birchwood sand, 8 to 15 percent slopes, very stony	321C
Birdsall mucky silt loam, 0 to 1 percent slopes	44A
Birdsall mucky silt loam, 0 to 2 percent slopes	9A
Birdsall silt loam, 0 to 3 percent slopes	9A
Boxford-Urban land complex, gently sloping	620B
Broadbrook gravelly silt loam, 3 to 8 percent slopes	340B
Broadbrook gravelly silt loam, 8 to 15 percent slopes	340C
Broadbrook silt loam, 15 to 25 percent slopes, very stony	341D
Broadbrook silt loam, 3 to 8 percent slopes, extremely stony	726B
Broadbrook silt loam, 3 to 8 percent slopes, very stony	341B
Broadbrook silt loam, 8 to 15 percent slopes, very stony	341C
Broadbrook very fine sandy loam, 0 to 3 percent slopes	340A
Broadbrook very fine sandy loam, 15 to 25 percent slopes, very stony	341D
Broadbrook very fine sandy loam, 3 to 8 percent slopes	340B
Broadbrook very fine sandy loam, 3 to 8 percent slopes, very stony	341B
Broadbrook very fine sandy loam, 8 to 15 percent slopes	340C
Broadbrook very fine sandy loam, 8 to 15 percent slopes, very stony	341C
Broadbrook very fine sandy loam, 8 to 25 percent slopes	340D
Brockton sandy loam, 0 to 3 percent slopes	47A
Brockton sandy loam, 0 to 3 percent slopes, extremely stony	48A
Brookfield fine sandy loam, 15 to 25 percent slopes, extremely stony	401D
Brookfield fine sandy loam, 15 to 35 percent slopes, extremely stony	401E
Brookfield fine sandy loam, 3 to 8 percent slopes	400B
Brookfield fine sandy loam, 3 to 8 percent slopes, extremely stony	401B
Brookfield fine sandy loam, 8 to 15 percent slopes, extremely stony	401C
Brookfield-Brimfield-Rock outcrop complex, 3 to 15 percent slopes	100C
Brookfield-Brimfield-Rock outcrop complex, strongly sloping	100C
Brookfield-Rock outcrop-Brimfield complex, 15 to 25 percent slopes	728D
Brookfield-Rock outcrop-Brimfield complex, 3 to 15 percent slopes	728C
Bucksport and Wonsqueak mucks, 0 to 3 percent slopes	59A
Bucksport mucky peat, 0 to 1 percent slopes	850A
Bucksport mucky peat, 0 to 1 percent slopes, ponded	851A
Buxton silt loam, 0 to 3 percent slopes	228A
Buxton Variant silt loam, 0 to 8 percent slopes	729B
Canton - Urban land - Rock outcrop complex, 3 to 15 percent slopes	635C
Canton - Urban land complex, 0 to 8 percent slopes	628B
Canton and Charlton fine sandy loams, steep, extremely stony	710E
Canton fine sandy loam, 15 to 25 percent slopes	420D
Canton fine sandy loam, 15 to 25 percent slopes, extremely bouldery	424D
Canton fine sandy loam, 15 to 25 percent slopes, extremely stony	422D
Canton fine sandy loam, 15 to 25 percent slopes, very stony	421D
Canton fine sandy loam, 15 to 35 percent slopes	420D
Canton fine sandy loam, 25 to 45 percent slopes, very stony	421F
Canton fine sandy loam, 3 to 8 percent slopes, extremely bouldery	424B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Canton fine sandy loam, 8 to 15 percent slopes, extremely bouldery	424C
Canton fine sandy loam, 8 to 15 percent slopes, very stony	421C
Canton fine sandy loam, 8 to 20 percent slopes	420C
Canton very fine sandy loam, 0 to 3 percent slopes	420A
Canton very fine sandy loam, 15 to 35 percent slopes, extremely bouldery	424E
Canton very fine sandy loam, 15 to 35 percent slopes, very stony	421E
Canton very fine sandy loam, 3 to 8 percent slopes	420B
Canton very fine sandy loam, 3 to 8 percent slopes, extremely bouldery	424B
Canton very fine sandy loam, 3 to 8 percent slopes, very stony	421B
Canton very fine sandy loam, 8 to 15 percent slopes	420C
Canton very fine sandy loam, 8 to 15 percent slopes, extremely bouldery	424C
Canton very fine sandy loam, 8 to 15 percent slopes, very stony	421C
Canton-Charlton-Urban land complex, 3 to 15 percent slopes	629C
Canton-Chatfield-Hollis complex, 15 to 25 percent slopes, rocky	112D
Canton-Chatfield-Hollis complex, 3 to 8 percent slopes, rocky	112B
Canton-Chatfield-Hollis complex, 8 to 15 percent slopes, rocky	112C
Canton-Urban land complex, 3 to 15 percent slopes	628C
Canton-Urban land complex, sloping	628C
Cardigan-Kearsarge complex, 15 to 25 percent slopes, very rocky	142D
Cardigan-Kearsarge complex, 25 to 60 percent slopes, very rocky	142F
Cardigan-Kearsarge complex, 3 to 8 percent slopes, very rocky	142B
Cardigan-Kearsarge complex, 8 to 15 percent slopes, very rocky	142C
Carver - Merrimac complex, 0 to 3 percent slopes	278A
Carver - Merrimac complex, 3 to 8 percent slopes	278B
Carver - Merrimac complex, 8 to 15 percent slopes	278C
Carver - Urban land complex, 0 to 8 percent slopes	637B
Carver coarse sand, 0 to 3 percent slopes	252A
Carver coarse sand, 15 to 35 percent slopes	252D, 252E
Carver coarse sand, 3 to 8 percent slopes	252B
Carver coarse sand, 8 to 15 percent slopes	252C
Carver loamy coarse sand, 0 to 3 percent slopes	259A
Carver loamy coarse sand, 15 to 25 percent slopes	259D
Carver loamy coarse sand, 3 to 8 percent slopes	259B
Carver-Hinesburg loamy coarse sands, hilly	263D
Carver-Hinesburg loamy coarse sands, rolling	263C
Carver-Hinesburg loamy coarse sands, undulating	263B
Charlton - Paxton fine sandy loams, 15 to 25 percent slopes, rocky	705D
Charlton - Paxton fine sandy loams, 3 to 8 percent slopes, rocky	705B
Charlton - Paxton fine sandy loams, 8 to 15 percent slopes, extremely stony	902C
Charlton - Paxton fine sandy loams, 8 to 15 percent slopes, rocky	705C
Charlton - Rock outcrop - Paxton complex, 15 to 35 percent slopes	706E
Charlton - Rock outcrop - Paxton complex, 3 to 15 percent slopes	706C
Charlton and Gloucester fine sandy loams, 25 to 35 percent slopes , very stony	743E
Charlton and Narragansett soils, 25 to 35 percent slopes, extremely stony	730E
Charlton fine sandy loam, 15 to 25 percent slopes, extremely stony	407D
Charlton fine sandy loam, 25 to 45 percent slopes, very stony	406F

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Charlton fine sandy loam, 3 to 8 percent slopes, extremely stony	407B
Charlton fine sandy loam, 3 to 8 percent slopes, stony	404B
Charlton fine sandy loam, 8 to 15 percent slopes, extremely stony	407C
Charlton fine sandy loam, 8 to 15 percent slopes, stony	404C
Charlton-Chatfield association, 3 to 15 percent slopes, extremely stony	926C
Charlton-Chatfield-Hollis association, 15 to 45 percent slopes, very rocky	925E
Charlton-Chatfield-Hollis association, 25 to 35 percent slopes, very rocky	925E
Charlton-Chatfield-Hollis complex, 15 to 25 percent slopes, rocky	125D
Charlton-Chatfield-Hollis complex, 3 to 8 percent slopes, rocky	125B
Charlton-Chatfield-Hollis complex, 8 to 15 percent slopes, rocky	125C
Charlton-Hollis-Rock outcrop complex, strongly sloping	103C
Charlton-Hollis-Urban land complex, 3 to 15 percent slopes	630C
Charlton-Paxton association, 15 to 45 percent slopes, extremely stony	902E
Charlton-Rock outcrop-Hollis complex, 15 to 25 percent slopes	711D
Charlton-Rock outcrop-Hollis complex, 3 to 15 percent slopes	711C
Charlton-Rock outcrop-Hollis complex, 3 to 8 percent slopes	711B
Charlton-Rock outcrop-Hollis complex, 8 to 15 percent slopes	711C
Charlton-Rock outcrop-Hollis complex, sloping	711C
Charlton-Urban land-Hollis complex, 3 to 15 percent slopes, rocky	631C
Chatfield - Hollis - association, 8 to 15 percent slopes, extremely stony	903C
Chatfield - Rock outcrop - Canton complex, 15 to 35 percent slopes	111E
Chatfield - Rock outcrop - Canton complex, 8 to 15 percent slopes	111C
Chatfield-Canton complex, 25 to 50 percent slopes, rocky	119F
Chatfield-Hollis complex, 15 to 25 percent slopes, rocky	109D
Chatfield-Hollis complex, 25 to 60 percent slopes, rocky	109F
Chatfield-Hollis complex, 3 to 8 percent slopes, rocky	109B
Chatfield-Hollis complex, 8 to 15 percent slopes, rocky	109C
Chatfield-Hollis-Association, rolling, extremely stony	903C
Cheshire fine sandy loam, 15 to 25 percent slopes	462D
Cheshire fine sandy loam, 3 to 8 percent slopes	462B
Cheshire fine sandy loam, 8 to 15 percent slopes	462C
Chichester fine sandy loam, 15 to 25 percent slopes	444D
Chichester fine sandy loam, 15 to 25 percent slopes, very stony	445D
Chichester fine sandy loam, 25 to 45 percent slopes, very stony	445F
Chichester fine sandy loam, 3 to 8 percent slopes	444B
Chichester fine sandy loam, 3 to 8 percent slopes, very stony	445B
Chichester fine sandy loam, 8 to 15 percent slopes	444C
Chichester fine sandy loam, 8 to 15 percent slopes, very stony	445C
Chilmark sandy loam, 15 to 25 percent slopes, very stony	181D
Chilmark sandy loam, 3 to 8 percent slopes	180B
Chilmark sandy loam, 3 to 8 percent slopes, very stony	181B
Chilmark sandy loam, 8 to 15 percent slopes	180C
Chilmark sandy loam, 8 to 15 percent slopes, very stony	181C
Colrain fine sandy loam, 15 to 25 percent slopes, very stony	466D
Colrain fine sandy loam, 25 to 45 percent slopes, very stony	466F
Colrain fine sandy loam, 3 to 8 percent slopes, very stony	466B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Colrain fine sandy loam, 8 to 15 percent slopes, very stony	466C
Colrain-Millsite complex, 15 to 25 percent slopes, rocky	118D
Colrain-Millsite complex, 3 to 8 percent slopes, rocky	118B
Colrain-Millsite complex, 8 to 15 percent slopes, rocky	118C
Colton gravelly loamy sand, 0 to 3 percent slopes	282A
Colton gravelly loamy sand, 15 to 25 percent slopes	282D
Colton gravelly loamy sand, 3 to 8 percent slopes	282B
Colton gravelly loamy sand, 8 to 15 percent slopes	282C
Colton-Adams complex, 15 to 25 percent slopes	283D
Colton-Adams complex, 3 to 8 percent slopes	283B
Colton-Adams complex, 8 to 15 percent slopes	283C
Copake fine sandy loam, 0 to 3 percent slopes	267A
Copake fine sandy loam, 15 to 25 percent slopes	267D
Copake fine sandy loam, 3 to 8 percent slopes	267B
Copake fine sandy loam, 8 to 15 percent slopes	267C
Copake-Urban land complex, 0 to 15 percent slopes	632C
Croghan loamy fine sand, 0 to 3 percent slopes	284A
Croghan loamy fine sand, 3 to 8 percent slopes	284B
Dam	751
Deerfield - Urban land complex, 0 to 3 percent slopes	619A
Deerfield fine sand, 0 to 3 percent slopes	256A
Deerfield fine sand, 3 to 8 percent slopes	256B
Deerfield loamy fine sand	256A
Deerfield loamy fine sand, 0 to 5 percent slopes	256A
Deerfield loamy sand, 0 to 3 percent slopes	256A
Deerfield loamy sand, 0 to 5 percent slopes	256B
Dummerston-Macomber complex, 15 to 25 percent slopes, rocky	151D
Dummerston-Macomber complex, 3 to 8 percent slopes, rocky	151B
Dummerston-Macomber complex, 8 to 15 percent slopes, rocky	151C
Dumps	652
Dumps, landfill	652
Dune land	611
Dune land - Hooksan complex, 8 to 15 percent slopes	613C
Dutchess channery silt loam, 15 to 25 percent slopes	470D
Dutchess channery silt loam, 15 to 25 percent slopes, very stony	471D
Dutchess channery silt loam, 25 to 60 percent slopes, very stony	471F
Dutchess channery silt loam, 3 to 15 percent slopes, very stony	471C
Dutchess channery silt loam, 3 to 8 percent slopes	470B
Dutchess channery silt loam, 8 to 15 percent slopes	470C
Dutchess-Cardigan complex, 15 to 25 percent slopes	141D
Dutchess-Cardigan complex, 3 to 8 percent slopes	141B
Dutchess-Cardigan complex, 8 to 15 percent slopes	141C
Eastchop loamy fine sand, 0 to 3 percent slopes	264A
Eastchop loamy fine sand, 3 to 8 percent slopes	264B
Eastchop loamy fine sand, 8 to 15 percent slopes	264C
Eastchop loamy sand, 15 to 35 percent slopes	264D

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Eastchop loamy sand, 15 to 35 percent slopes, very stony	285D
Eastchop loamy sand, 3 to 8 percent slopes	264B
Eastchop loamy sand, 3 to 8 percent slopes, very stony	285B
Eastchop loamy sand, 8 to 15 percent slopes	264C
Eastchop loamy sand, 8 to 15 percent slopes, very stony	285C
Eastchop-Montauk complex, rolling, very bouldery	456C
Eldridge fine sandy loam, 0 to 3 percent slopes	221A
Eldridge fine sandy loam, 3 to 8 percent slopes	221B
Eldridge loamy sand, 0 to 6 percent slopes	221B
Elmridge fine sandy loam, 0 to 3 percent slopes	723A
Elmridge fine sandy loam, 3 to 8 percent slopes	723B
Elmwood fine sandy loam, 0 to 3 percent slopes	240A
Elmwood fine sandy loam, 3 to 8 percent slopes	240B
Endoaquents, 0 to 3 percent slopes, sanded surface	658A
Enfield silt loam, 0 to 3 percent slopes	265A
Enfield silt loam, 3 to 8 percent slopes	265B
Enfield silt loam, 8 to 15 percent slopes	265C
Enosburg fine sandy loam, 0 to 3 percent slopes	727A, 731A
Enosburg fine sandy loam, 3 to 8 percent slopes	727B
Enosburg loamy sand, 0 to 3 percent slopes	731A
Essex gravelly fine sandy loam, 15 to 25 percent slopes, extremely stony	387D
Essex gravelly fine sandy loam, 3 to 8 percent slopes	385B
Essex gravelly fine sandy loam, 3 to 8 percent slopes, extremely stony	387B
Essex gravelly fine sandy loam, 3 to 8 percent slopes, very stony	386B
Essex gravelly fine sandy loam, 8 to 15 percent slopes, extremely stony	387C
Essex gravelly fine sandy loam, 8 to 15 percent slopes, very stony	386C
Essex sandy loam, 15 to 25 percent slopes, very stony	386D
Essex sandy loam, 3 to 8 percent slopes, very stony	386B
Essex sandy loam, 8 to 15 percent slopes, very stony	386C
Evesboro sand, 0 to 3 percent slopes	294A
Evesboro sand, 3 to 8 percent slopes	294B
Evesboro sand, 3 to 8 percent slopes, overblown	291B
Evesboro sand, 8 to 15 percent slopes	294C
Farmington loam, 3 to 15 percent slopes, rocky	107C
Farmington-Rock outcrop complex, 15 to 35 percent slopes	108E
Farmington-Rock outcrop complex, 3 to 15 percent slopes	108C
Fluvaquents, frequently flooded, 0 to 3 percent slopes	616A
Fredon fine sandy loam, 0 to 3 percent slopes	34A
Freetown and Swansea mucks, coastal lowland, 0 to 1 percent slopes	52A, 54A
Freetown and Swansea soils, 0 to 1 percent slopes	54A
Freetown coarse sand, 0 to 3 percent slopes, sanded surface	55A
Freetown muck, 0 to 1 percent slopes	52, 52A
Freetown muck, 0 to 1 percent slopes, Connecticut Valley	52A
Freetown muck, ponded, 0 to 1 percent slopes	53, 53A
Freetown muck, ponded, 0 to 1 percent slopes, coastal lowland	53A
Freetown, Swansea coarse sands, 0 to 3 percent slopes, sanded surface and inactive	55A, 704A

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Fullam loam, 3 to 8 percent slopes, very stony	525B
Fullam loam, 8 to 15 percent slopes, very stony	525C
Fullam-Lanesboro association, rolling, very stony	930C
Gloucester - Canton complex, 15 to 35 percent slopes	439E
Gloucester - Canton complex, 15 to 35 percent slopes, extremely bouldery	453E
Gloucester - Canton complex, 3 to 8 percent slopes	439B
Gloucester - Canton complex, 3 to 8 percent slopes, extremely bouldery	453B
Gloucester - Canton complex, 8 to 15 percent slopes	439C
Gloucester - Canton complex, 8 to 15 percent slopes, extremely bouldery	453C
Gloucester - Hinckley complex, rolling, very stony	446C
Gloucester - Hinckley complex, undulating, very stony	446B
Gloucester and Canton soils, steep, extremely stony	447E
Gloucester fine sandy loam, 15 to 25 percent slopes, very stony	441D
Gloucester fine sandy loam, 3 to 8 percent slopes	440B
Gloucester fine sandy loam, 3 to 8 percent slopes, stony	534B
Gloucester fine sandy loam, 3 to 8 percent slopes, very stony	441B
Gloucester fine sandy loam, 8 to 15 percent slopes	440C
Gloucester fine sandy loam, 8 to 15 percent slopes, stony	534C
Gloucester fine sandy loam, 8 to 15 percent slopes, very stony	441C
Gloucester gravelly fine sandy loam, 15 to 25 percent slopes, extremely stony	442D
Gloucester gravelly fine sandy loam, 3 to 8 percent slopes	440B
Gloucester gravelly fine sandy loam, 3 to 8 percent slopes, extremely stony	442B
Gloucester gravelly fine sandy loam, 3 to 8 percent slopes, very stony	441B
Gloucester gravelly fine sandy loam, 8 to 15 percent slopes, extremely stony	442C
Gloucester gravelly fine sandy loam, 8 to 15 percent slopes, very stony	441C
Gloucester sandy loam, 15 to 25 percent slopes	440D
Gloucester sandy loam, 15 to 25 percent slopes, extremely stony	442D
Gloucester sandy loam, 15 to 25 percent slopes, very stony	441D
Gloucester sandy loam, 25 to 45 percent slopes, very stony	441F
Gloucester sandy loam, 3 to 8 percent slopes	440B
Gloucester sandy loam, 3 to 8 percent slopes, extremely stony	442B
Gloucester sandy loam, 3 to 8 percent slopes, very stony	441B
Gloucester sandy loam, 8 to 15 percent slopes	440C
Gloucester sandy loam, 8 to 15 percent slopes, extremely stony	442C
Gloucester sandy loam, 8 to 15 percent slopes, very stony	441C
Greenwood and Chocorua mucks, 0 to 3 percent slopes	56A
Groton and Hinckley gravelly sandy loams, 25 to 35 percent slopes	298E
Groton gravelly sandy loam, 0 to 3 percent slopes	269A
Groton gravelly sandy loam, 15 to 25 percent slopes	269D
Groton gravelly sandy loam, 3 to 8 percent slopes	269B
Groton gravelly sandy loam, 8 to 15 percent slopes	269C
Hadley silt loam, 0 to 3 percent slopes	96A
Hadley very fine sandy loam, 0 to 3 percent slopes, occasionally flooded	96A
Hadley very fine sandy loam, 0 to 3 percent slopes, protected	90A
Hadley very fine sandy loam, high bottom, 0 to 3 percent slopes	90A
Hadley very fine sandy loam, high bottom, 3 to 8 percent slopes	90B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Hadley-Winooski-Urban land complex, 0 to 3 percent slopes	744A
Halsey fine sandy loam, 0 to 3 percent slopes	35A
Haven silt loam, 0 to 3 percent slopes	251A
Haven silt loam, 3 to 8 percent slopes	251B
Haven very fine sandy loam, 0 to 3 percent slopes	251A
Haven very fine sandy loam, 3 to 8 percent slopes	251B
Haven very fine sandy loam, 8 to 20 percent slopes	251D
Haven-Urban land complex, 0 to 8 percent slopes	624B
Henniker sandy loam, 15 to 25 percent slopes	348D
Henniker sandy loam, 15 to 25 percent slopes, very stony	349D
Henniker sandy loam, 3 to 8 percent slopes	348B
Henniker sandy loam, 3 to 8 percent slopes, very stony	349B
Henniker sandy loam, 8 to 15 percent slopes	348C
Henniker sandy loam, 8 to 15 percent slopes, very stony	349C
Hero loam, 0 to 3 percent slopes	270A
Hero loam, 3 to 8 percent slopes	270B
Hero variant gravelly loam, 0 to 3 percent slopes	271A
Hero variant gravelly loam, 3 to 8 percent slopes	271B
Hinckley and Windsor soils, 25 to 35 percent slopes	257E
Hinckley and Windsor soils, steep	257E
Hinckley gravelly fine sandy loam, 0 to 3 percent slopes	242A
Hinckley gravelly fine sandy loam, 15 to 25 percent slopes	242D
Hinckley gravelly fine sandy loam, 3 to 8 percent slopes	242B
Hinckley gravelly fine sandy loam, 8 to 15 percent slopes	242C
Hinckley gravelly sandy loam, 0 to 3 percent slopes	242A
Hinckley gravelly sandy loam, 15 to 25 percent slopes	242D
Hinckley gravelly sandy loam, 15 to 35 percent slopes	242D
Hinckley gravelly sandy loam, 15 to 35 percent slopes, bouldery	289E
Hinckley gravelly sandy loam, 3 to 8 percent slopes	242B
Hinckley gravelly sandy loam, 3 to 8 percent slopes, bouldery	289B
Hinckley gravelly sandy loam, 8 to 15 percent slopes	242C
Hinckley gravelly sandy loam, 8 to 15 percent slopes, bouldery	289C
Hinckley loamy coarse sand, 0 to 3 percent slopes	253A
Hinckley loamy coarse sand, 15 to 35 percent slopes	253E
Hinckley loamy coarse sand, 3 to 8 percent slopes	253B
Hinckley loamy coarse sand, 8 to 15 percent slopes	253C
Hinckley loamy sand, 0 to 3 percent slopes	253A
Hinckley loamy sand, 15 to 35 percent slopes	253D
Hinckley loamy sand, 3 to 8 percent slopes	253B
Hinckley sandy loam, 0 to 3 percent slopes	245A
Hinckley sandy loam, 15 to 25 percent slopes	245D
Hinckley sandy loam, 15 to 35 percent slopes	245E
Hinckley sandy loam, 3 to 8 percent slopes	245B
Hinckley sandy loam, 3 to 8 percent slopes, very stony	290B
Hinckley sandy loam, 8 to 15 percent slopes, very stony	290C
Hinckley very gravelly sandy loam, 3 to 8 percent slopes	243B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Hinckley very gravelly sandy loam, 8 to 15 percent slopes	243C
Hinckley-Merrimac-Urban land complex, 3 to 15 percent slopes	745C
Hinckley-Urban land complex, 0 to 15 percent slopes	625C
Hinesburg fine sandy loam, 0 to 3 percent slopes	226A
Hinesburg fine sandy loam, 3 to 8 percent slopes	226B
Hinesburg fine sandy loam, 8 to 15 percent slopes	226C
Hinesburg sandy loam, 0 to 3 percent slopes	226A
Hinesburg sandy loam, 3 to 8 percent slopes	226B
Hollis - Chatfield complex, 25 to 45 percent slopes	114E
Hollis- Chatfield association, 25 to 45 percent slopes, extremely stony	912E
Hollis-Chatfield association, steep, extremely stony	912E
Hollis-Chatfield complex, 8 to 15 percent slopes, very rocky	114C
Hollis-Rock outcrop-Charlton complex, 15 to 25 percent slopes	104D
Hollis-Rock outcrop-Charlton complex, 15 to 35 percent slopes	104D
Hollis-Rock outcrop-Charlton complex, 3 to 15 percent slopes	104C
Holyoke very fine sandy loam, 3 to 15 percent slopes, stony	535C
Holyoke very fine sandy loam, 8 to 15 percent slopes, stony	535C
Holyoke-Yalesville complex, 8 to 15 percent slopes, rocky	134C
Hooksan fine sand, 15 to 35 percent slopes	612E
Hooksan fine sand, 3 to 8 percent slopes	612B
Hooksan fine sand, 8 to 15 percent slopes	612C
Hooksan sand, hilly	612D
Hooksan sand, rolling	612C
Hooksan-Dune land complex, hilly	613C
Hoosic gravelly fine sandy loam, 0 to 3 percent slopes	272A
Hoosic gravelly fine sandy loam, 15 to 25 percent slopes	272D
Hoosic gravelly fine sandy loam, 3 to 8 percent slopes	272B
Hoosic gravelly fine sandy loam, 8 to 15 percent slopes	272C
Ipswich - Pawcatuck - Matunuck complex, 0 to 2 percent slopes, very frequently flooded	66A
Ipswich mucky peat, 0 to 2 percent slopes, very frequently flooded	65
Ipswich-Pawcatuck-Matunuck complex, 0 to 1 percent slopes, freshened	666A
Katama sandy loam, 0 to 3 percent slopes	287A
Katama sandy loam, 3 to 8 percent slopes	287B
Kendaia silt loam, 0 to 3 percent slopes	76A
Kendaia silt loam, 0 to 3 percent slopes, extremely stony	78A
Kendaia silt loam, 3 to 8 percent slopes	76B
Kendaia silt loam, 3 to 8 percent slopes, extremely stony	78B
Kendaia silt loam, 8 to 15 percent slopes, extremely stony	78C
Klej and Pompton soils, 0 to 3 percent slopes	295A
Klej loamy coarse sand, sandy substratum, 0 to 5 percent slopes	297A
Lanesboro loam, 15 to 25 percent slopes, very stony	521D
Lanesboro loam, 25 to 45 percent slopes, very stony	521F
Lanesboro loam, 3 to 8 percent slopes, very stony	521B
Lanesboro loam, 8 to 15 percent slopes, very stony	521C
Leicester fine sandy loam, 0 to 3 percent slopes	67A
Leicester fine sandy loam, 3 to 8 percent slopes	67B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Lim very fine sandy loam, 0 to 3 percent slopes	19A
Limerick and Rumney soils, 0 to 3 percent slopes	713A
Limerick silt loam, 0 to 2 percent slopes, frequently flooded	8A
Limerick silt loam, 0 to 3 percent slopes	8A
Ludlow loam, 0 to 8 percent slopes, extremely stony	393B
Ludlow loam, 0 to 8 percent slopes, very stony	391B
Ludlow loam, 3 to 8 percent slopes	390B
Ludlow loam, 8 to 15 percent slopes, extremely stony	393C
Lupton muck, 0 to 1 percent slopes	57A
Lyman-Rock outcrop-Tunbridge complex, 3 to 15 percent slopes	126C
Lyman-Tunbridge association, rolling, extremely stony	904C
Lyman-Tunbridge association, steep, very stony	904E
Lyman-Tunbridge-Berkshire association, 15 to 45 percent slopes, very rocky	913E
Lyman-Tunbridge-Berkshire association, 8 to 15 percent slopes, very rocky	913C
Lyme gravelly loam, 0 to 5 percent slopes, extremely stony	83B
Lyons mucky silt loam, 0 to 3 percent slopes	85A
Lyons mucky silt loam, 0 to 3 percent slopes, extremely stony	86A
Macomber-Taconic complex, 15 to 25 percent slopes, very rocky	152D
Macomber-Taconic complex, 25 to 60 percent slopes, very rocky	152F
Macomber-Taconic complex, 3 to 8 percent slopes, very rocky	152B
Macomber-Taconic complex, 8 to 15 percent slopes, very rocky	152C
Marlow fine sandy loam, 3 to 8 percent slopes	355B
Marlow fine sandy loam, 8 to 15 percent slopes	355C
Marlow loam, 3 to 8 percent slopes	355B
Marlow loam, 8 to 15 percent slopes	355C
Marlow very fine sandy loam, 8 to 15 percent slopes	355C
Marlow very fine sandy loam, 8 to 15 percent slopes, very stony	356C
Marlow-Monadnock complex, 25 to 45 percent slopes, very stony	354F
Marlow-Peru complex, 15 to 25 percent slopes	358D
Marlow-Peru complex, 15 to 25 percent slopes, very stony	359D
Massasoit - Mashpee complex, 0 to 3 percent slopes	37A
Mattapoisett loamy sand, 0 to 3 percent slopes, extremely stony	69A
Mattapoisett loamy sand, 3 to 8 percent slopes, extremely stony	69B
Maybid silt loam, 0 to 3 percent slopes	12A
Maybid variant silty clay loam, 0 to 1 percent slopes	13A
Meckesville loam, 15 to 25 percent slopes	327D
Meckesville loam, 3 to 8 percent slopes	327B
Meckesville loam, 3 to 8 percent slopes, extremely stony	329B
Meckesville loam, 3 to 8 percent slopes, very stony	328B
Meckesville loam, 8 to 15 percent slopes	327C
Meckesville loam, 8 to 15 percent slopes, very stony	328C
Melrose fine sandy loam, 0 to 3 percent slopes	714A
Merrimac - Urban land complex. 0 to 8 percent slopes	626B
Merrimac fine sandy loam 15 to 35 percent slopes	254E
Merrimac fine sandy loam, 0 to 3 percent slopes	254A
Merrimac fine sandy loam, 3 to 8 percent slopes	254B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Merrimac fine sandy loam, 8 to 15 percent slopes	254C
Merrimac sandy loam, 0 to 3 percent slopes	254A
Merrimac sandy loam, 3 to 8 percent slopes	254B
Merrimac-Udipsamments-Urban land complex	299C
Merrimac-Urban land complex, 0 to 8 percent slopes	626B
Merrimac-Urban land complex, gently sloping	626B
Metacomet fine sandy loam, 0 to 3 percent slopes	368A
Metacomet fine sandy loam, 3 to 8 percent slopes	368B
Metacomet fine sandy loam, 3 to 8 percent slopes, very stony	369B
Metacomet fine sandy loam, 8 to 15 percent slopes	368C
Metacomet fine sandy loam, 8 to 15 percent slopes, very stony	369C
Millsite-Chichester complex, 15 to 25 percent slopes, rocky	128D
Millsite-Chichester complex, 25 to 60 percent slopes, rocky	128F
Millsite-Chichester complex, 3 to 8 percent slopes, rocky	128B
Millsite-Chichester complex, 8 to 15 percent slopes, rocky	128C
Millsite-Westminster complex, 15 to 25 percent slopes, rocky	116D
Millsite-Westminster complex, 25 to 50 percent slopes, rocky	116F
Millsite-Westminster complex, 3 to 8 percent slopes, rocky	116B
Millsite-Westminster complex, 3 to 8 percent slopes, very rocky	120B
Millsite-Westminster complex, 8 to 15 percent slopes, rocky	116C
Millsite-Westminster complex, 8 to 15 percent slopes, very rocky	120C
Millsite-Woodstock complex, 15 to 25 percent slopes, very rocky	129D
Millsite-Woodstock complex, 25 to 60 percent slopes, very rocky	129F
Millsite-Woodstock complex, 3 to 8 percent slopes, very rocky	129B
Millsite-Woodstock complex, 8 to 15 percent slopes, very rocky	129C
Miscellaneous water	606
Montauk - Urban land complex, 0 to 8 percent slopes	636B
Montauk fine sandy loam, 15 to 25 percent slopes	300D
Montauk fine sandy loam, 15 to 25 percent slopes, extremely stony	302D
Montauk fine sandy loam, 15 to 25 percent slopes, very stony	301D
Montauk fine sandy loam, 15 to 35 percent slopes	300E
Montauk fine sandy loam, 15 to 35 percent slopes, extremely stony	302E
Montauk fine sandy loam, 15 to 35 percent slopes, very stony	301E
Montauk fine sandy loam, 3 to 15 percent slopes, stony	533C
Montauk fine sandy loam, 3 to 8 percent slopes	300B
Montauk fine sandy loam, 3 to 8 percent slopes, extremely stony	302B
Montauk fine sandy loam, 3 to 8 percent slopes, very stony	301B
Montauk fine sandy loam, 5 to 15 percent slopes, extremely stony	302C
Montauk fine sandy loam, 8 to 15 percent slopes, extremely stony	302C
Montauk-Canton association, 15 to 45 percent slopes, extremely stony	915E
Montauk-Canton association, steep, extremely stony	915E
Montauk-Scituate-Canton association, 3 to 15 percent slopes, extremely stony	927C
Moshup loam, 0 to 3 percent slopes	308A
Moshup loam, 0 to 8 percent slopes, very stony	309B
Moshup loam, 3 to 8 percent slopes	308B
Moshup loam, 3 to 8 percent slopes, very stony	309B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Moshup loam, 8 to 15 percent slopes, very stony	309C
Nantucket sandy loam, 3 to 8 percent slopes	380B
Nantucket sandy loam, 3 to 8 percent slopes, stony	381B
Nantucket sandy loam, 3 to 8 percent slopes, very stony	382B
Nantucket sandy loam, 8 to 15 percent slopes, very stony	382C
Nantucket-Plymouth complex, hilly, very stony	498D
Nantucket-Plymouth complex, rolling	497C
Nantucket-Plymouth complex, rolling, very stony	498C
Nantucket-Plymouth complex, undulating, very stony	498B
Narragansett silt loam, 15 to 25 percent slopes	415D
Narragansett silt loam, 15 to 25 percent slopes, very stony	416D
Narragansett silt loam, 3 to 8 percent slopes	415B
Narragansett silt loam, 3 to 8 percent slopes, very stony	416B
Narragansett silt loam, 8 to 15 percent slopes	415C
Narragansett silt loam, 8 to 15 percent slopes, very stony	416C
Narragansett very fine sandy loam, 15 to 25 percent slopes, extremely stony	417D
Narragansett very fine sandy loam, 3 to 8 percent slopes	415B
Narragansett very fine sandy loam, 3 to 8 percent slopes, extremely stony	417B
Narragansett very fine sandy loam, 3 to 8 percent slopes, very stony	416B
Narragansett very fine sandy loam, 8 to 15 percent slopes	415C
Narragansett very fine sandy loam, 8 to 15 percent slopes, extremely stony	417C
Narragansett very fine sandy loam, 8 to 15 percent slopes, very stony	416C
Narragansett-Hollis-Rock outcrop complex, 15 to 25 percent slopes	106D
Narragansett-Hollis-Rock outcrop complex, 3 to 15 percent slopes	106C
Naumburg fine sandy loam, 0 to 5 percent slopes	29B
Nellis loam, 15 to 25 percent slopes	505D
Nellis loam, 15 to 25 percent slopes, extremely stony	507D
Nellis loam, 15 to 25 percent slopes, very stony	506D
Nellis loam, 3 to 8 percent slopes	505B
Nellis loam, 3 to 8 percent slopes, very stony	506B
Nellis loam, 8 to 15 percent slopes	505C
Nellis loam, 8 to 15 percent slopes, extremely stony	507C
Nellis loam, 8 to 15 percent slopes, very stony	506C
Newfields fine sandy loam, 0 to 3 percent slopes	426A
Newfields fine sandy loam, 0 to 3 percent slopes, extremely stony	427A
Newfields fine sandy loam, 3 to 8 percent slopes	426B
Newfields fine sandy loam, 3 to 8 percent slopes, extremely stony	427B
Newport - Urban land complex, 8 to 15 percent slopes	627C
Newport channery fine sandy loam, 8 to 25 percent slopes	325D
Newport loam, 15 to 35 percent slopes	325E
Newport loam, 15 to 35 percent slopes, very stony	326E
Newport loam, 3 to 8 percent slopes	325B
Newport loam, 3 to 8 percent slopes, very stony	326B
Newport loam, 8 to 15 percent slopes	325C
Newport loam, 8 to 15 percent slopes, very stony	326C
Newport silt loam, 15 to 25 percent slopes	325D

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Newport silt loam, 3 to 8 percent slopes	325B
Newport silt loam, 8 to 15 percent slopes	325C
Newport-Urban land complex, 3 to 15 percent slopes	627C
Ninigret fine sandy loam, 0 to 3 percent slopes	276A
Ninigret fine sandy loam, 0 to 6 percent slopes	276B
Ninigret fine sandy loam, 3 to 8 percent slopes	276B
Ninigret very fine sandy loam, 0 to 3 percent slopes	276A
Ninigret very fine sandy loam, 3 to 8 percent slopes	276B
Nomans land (military)	699
Norwell mucky fine sandy loam, 0 to 3 percent slopes, extremely stony	49A
Norwell mucky fine sandy loam, 3 to 8 percent slopes, extremely stony	49B
Oakville loamy sand, 0 to 3 percent slopes	273A
Oakville loamy sand, 15 to 25 percent slopes	273D
Oakville loamy sand, 3 to 8 percent slopes	273B
Oakville loamy sand, 8 to 15 percent slopes	273C
Occum fine sandy loam, 0 to 3 percent slopes, occasionally flooded	99A
Occum very fine sandy loam, 0 to 3 percent slopes	99A
Oxyaquic Udipsamments, 0 to 3 percent slopes	614A
Palms and Carlisle mucks, 0 to 1 percent slopes	58A
Pawcatuck and Matunuck mucky peats, 0 to 2 percent slopes, very frequently flooded	64A
Pawcatuck mucky peat, 0 to 2 percent slopes, very frequently flooded	63A
Paxton - Urban land complex, 8 to 15 percent slopes	622C
Paxton and Montauk fine sandy loams, steep, extremely stony	392E
Paxton fine sandy loam, 0 to 3 percent slopes	305A
Paxton fine sandy loam, 0 to 8 percent slopes, very stony	306B
Paxton fine sandy loam, 15 to 25 percent slopes, stony	537D
Paxton fine sandy loam, 25 to 35 percent slopes	305E
Paxton fine sandy loam, 25 to 35 percent slopes, extremely stony	307E
Paxton fine sandy loam, 25 to 45 percent slopes, very stony	306F
Paxton fine sandy loam, 3 to 8 percent slopes	305B
Paxton fine sandy loam, 3 to 8 percent slopes, extremely stony	307B
Paxton fine sandy loam, 3 to 8 percent slopes, stony	537B
Paxton fine sandy loam, 8 to 15 percent slopes	305C
Paxton fine sandy loam, 8 to 15 percent slopes, stony	537C
Paxton fine sandy loam, 8 to 15 percent slopes, very stony	306C
Paxton fine sandy loam, steep, very stony	306E
Paxton loam, 15 to 35 percent slopes	305E
Paxton loam, 15 to 35 percent slopes, very stony	306E
Paxton loam, 3 to 8 percent slopes, very stony	306B
Paxton loam, 8 to 15 percent slopes	305C
Paxton loam, 8 to 15 percent slopes, very stony	306C
Paxton-Charlton association, steep, extremely stony	916E
Paxton-Urban land complex, 3 to 15 percent slopes	622C
Paxton-Urban land complex, 8 to 15 percent slopes	622C
Paxton-Urban land complex, sloping	622C
Peacham muck, 0 to 3 percent slopes, extremely stony	74A

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Peru fine sandy loam, 3 to 8 percent slopes	360B
Peru fine sandy loam, 3 to 8 percent slopes, very stony	361B
Peru fine sandy loam, 8 to 15 percent slopes	360C
Peru fine sandy loam, 8 to 15 percent slopes, very stony	361C
Peru loam, 0 to 3 percent slopes	360A
Peru loam, 3 to 8 percent slopes	360B
Peru loam, 8 to 15 percent slopes	360C
Peru-Marlow association, 3 to 15 percent slopes, extremely stony	905C
Peru-Marlow association, rolling, extremely stony	905C
Pillsbury loam, 0 to 8 percent slopes, extremely stony	75B
Pillsbury stony sandy loam, 0 to 5 percent slopes, extremely stony	75B
Pillsbury-Peacham association, 0 to 8 percent slopes, extremely stony	917B
Pillsbury-Peacham-wonsquak association, undulating, extremely stony	922B
Pillsbury-Peacham-Wonsqueak association, undulating, extremely stony	922B
Pipestone loamy coarse sand, 0 to 3 percent slopes	38A
Pipestone loamy fine sand, 0 to 3 percent slopes	38A
Pipestone loamy sand, 0 to 3 percent slopes	38A
Pits - Udorthents complex, gravelly	617
Pits, gravel	600
Pits, quarries	601
Pits, quarry	601
Pits, till	605
Pittsfield loam, 15 to 25 percent slopes	510D
Pittsfield loam, 15 to 25 percent slopes, extremely stony	512D
Pittsfield loam, 15 to 25 percent slopes, very stony	511D
Pittsfield loam, 3 to 8 percent slopes	510B
Pittsfield loam, 3 to 8 percent slopes, extremely stony	512B
Pittsfield loam, 3 to 8 percent slopes, very stony	511B
Pittsfield loam, 8 to 15 percent slopes	510C
Pittsfield loam, 8 to 15 percent slopes, extremely stony	512C
Pittsfield loam, 8 to 15 percent slopes, very stony	511C
Pittsfield-Urban land complex, 0 to 15 percent slopes	633C
Pittstown loam, 0 to 3 percent slopes	345A
Pittstown loam, 0 to 3 percent slopes, very stony	346A
Pittstown loam, 0 to 8 percent slopes	345B
Pittstown loam, 3 to 8 percent slopes	345B
Pittstown loam, 3 to 8 percent slopes, very stony	346B
Pittstown silt loam, 0 to 3 percent slopes	345A
Pittstown silt loam, 3 to 8 percent slopes	345B
Pittstown silt loam, 3 to 8 percent slopes, very stony	346B
Plymouth - Carver complex, 15 to 35 percent slopes	480E
Plymouth - Carver complex, 15 to 35 percent slopes, bouldery	481E
Plymouth - Carver complex, 3 to 8 percent slopes	480B
Plymouth - Carver complex, 3 to 8 percent slopes, bouldery	481B
Plymouth - Carver complex, 8 to 15 percent slopes	480C
Plymouth - Carver complex, 8 to 15 percent slopes, bouldery	481C

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Plymouth - Poquonock complex, 15 to 35 percent slopes, bouldery	478E
Plymouth - Poquonock complex, 3 to 8 percent slopes, bouldery	478B
Plymouth - Poquonock complex, 8 to 15 percent slopes, bouldery	478C
Plymouth loamy coarse sand, 0 to 3 percent slopes	435A
Plymouth loamy coarse sand, 15 to 35 percent slopes	435E
Plymouth loamy coarse sand, 15 to 35 percent slopes, bouldery	437E
Plymouth loamy coarse sand, 15 to 35 percent slopes, extremely bouldery	438E
Plymouth loamy coarse sand, 3 to 8 percent slopes	435B
Plymouth loamy coarse sand, 3 to 8 percent slopes, bouldery	437B
Plymouth loamy coarse sand, 3 to 8 percent slopes, extremely bouldery	438B
Plymouth loamy coarse sand, 3 to 8 percent slopes, very stony	436B
Plymouth loamy coarse sand, 8 to 15 percent slopes, bouldery	437C
Plymouth loamy coarse sand, 8 to 15 percent slopes, extremely bouldery	438C
Plymouth loamy coarse sand, 8 to 15 percent slopes, very stony	436C
Plymouth-Barnstable complex, hilly, extremely bouldery	484D
Plymouth-Barnstable complex, hilly, very bouldery	483D
Plymouth-Barnstable complex, rolling, extremely bouldery	484C
Plymouth-Barnstable complex, rolling, very bouldery	483C
Plymouth-Barnstable-Nantucket complex, hilly, very bouldery	493D
Plymouth-Canton-Nantucket complex, rolling, very bouldery	474C
Plymouth-Evesboro complex, 15 to 25 percent slopes	479D
Plymouth-Montauk complex, hilly, extremely bouldery	475D
Plymouth-Montauk complex, rolling, extremely bouldery	475C
Plymouth-Nantucket complex, hilly, extremely bouldery	476D
Podunk fine sandy loam, 0 to 3 percent slopes	95A
Podunk fine sandy loam, 0 to 3 percent slopes, occasionally flooded	95A
Pollux fine sandy loam 3 to 8 percent slopes	250B
Pollux fine sandy loam, 0 to 3 percent slopes	250A
Pollux fine sandy loam, 0 to 8 percent slopes	250B
Pollux fine sandy loam, 3 to 8 percent slopes	250B
Pompton sandy loam, 0 to 3 percent slopes	408A
Poocham silt loam, 25 to 60 percent slopes	235F
Pootatuck very fine sandy loam, 0 to 3 percent slopes, occasionally flooded	2A
Poquonock loamy sand, 15 to 25 percent slopes, very stony	323D
Poquonock loamy sand, 3 to 8 percent slopes	322B
Poquonock loamy sand, 3 to 8 percent slopes, very stony	323B
Poquonock loamy sand, 8 to 15 percent slopes	322C
Poquonock loamy sand, 8 to 15 percent slopes, very stony	323C
Poquonock sand, 0 to 3 percent slopes	322A
Poquonock sand, 3 to 8 percent slopes	322B
Poquonock sand, 3 to 8 percent slopes, very stony	323B
Poquonock sand, 8 to 15 percent slopes	322C
Poquonock sand, 8 to 15 percent slopes, very stony	323C
Quonset loamy sand, 0 to 3 percent slopes	262A
Quonset loamy sand, 15 to 25 percent slopes	262D
Quonset loamy sand, 3 to 8 percent slopes	262B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Quonset loamy sand, 8 to 15 percent slopes	262C
Quonset sandy loam, 0 to 3 percent slopes	262A
Quonset sandy loam, 15 to 25 percent slopes	262D
Quonset sandy loam, 15 to 35 percent slopes	262E
Quonset sandy loam, 25 to 35 percent slopes	262E
Quonset sandy loam, 3 to 8 percent slopes	262B
Quonset sandy loam, 8 to 15 percent slopes	262C
Rainberry coarse sand, 0 to 3 percent slope, sanded surface, inactive	701A
Rainberry coarse sand, 0 to 3 percent slopes	11A
Rainberry coarse sand, 0 to 3 percent slopes, sanded surface	7A
Rainbow silt loam, 3 to 8 percent slopes	335B
Rainbow silt loam, 3 to 8 percent slopes, very stony	336B
Raynham silt loam, 0 to 3 percent slopes	30, 30A
Raynham silt loam, 0 to 5 percent slopes	30B
Raypol silt loam, 0 to 5 percent slopes	33B
Ridgebury and Leicester fine sandy loams, 0 to 3 percent slopes, extremely stony	715A
Ridgebury and Leicester fine sandy loams, 3 to 8 percent slopes, extremely stony	715B
Ridgebury fine sandy loam, 0 to 3 percent slopes	70A
Ridgebury fine sandy loam, 0 to 3 percent slopes, very stony	88A
Ridgebury fine sandy loam, 0 to 5 percent slopes	70A
Ridgebury fine sandy loam, 0 to 6 percent slopes	70B
Ridgebury fine sandy loam, 2 to 8 percent slopes, extremely stony	71B
Ridgebury fine sandy loam, 3 to 8 percent slopes	70B
Ridgebury fine sandy loam, 3 to 8 percent slopes, very stony	88B
Ridgebury gravelly fine sandy loam, 0 to 5 percent slopes	70B
Ridgebury gravelly fine sandy loam, 0 to 5 percent slopes, extremely stony	71B
Ridgebury sandy loam, 0 to 3 percent slopes	70A
Ridgebury sandy loam, 0 to 3 percent slopes, extremely stony	71A
Ridgebury sandy loam, 3 to 8 percent slopes, extremely stony	71B
Ridgebury Variant silty clay loam, 0 to 3 percent slopes	87A
Ridgebury-Whitman association, 0 to 8 percent slopes, extremely stony	918B
Rippowam fine sandy loam, 0 to 3 percent slopes	4A
Rippowam silt loam, 0 to 3 percent slopes	4
Rippowam very fine sandy loam, 0 to 3 percent slopes	4A
Riverhead sandy loam, 0 to 3 percent slopes	288A
Riverhead sandy loam, 3 to 8 percent slopes	288B
Riverhead sandy loam, 8 to 15 percent slopes	288C
Rock outcrop	735
Rock outcrop-Buxton complex, 15 to 25 percent slopes	716D
Rock outcrop-Buxton complex, 3 to 15 percent slopes	716C
Rock outcrop-Charlton-Hollis complex, 15 to 35 percent slopes	717E
Rock outcrop-Charlton-Hollis complex, 3 to 15 percent slopes	717C
Rock outcrop-Hollis complex, 3 to 35 percent slopes	105E
Rock outcrop-Narragansett-Holyoke complex, 25 to 35 percent slopes	748E
Rock outcrop-Narragansett-Holyoke complex, 3 to 15 percent slopes	748C
Rumney fine sandy loam, 0 to 3 percent slopes	18A

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Rumney fine sandy loam, 0 to 3 percent slopes, frequently flooded	18A
Saco mucky silt loam, 0 to 1 percent slopes	36A
Saco mucky silt loam, 0 to 2 percent slopes, frequently flooded	5A
Saco mucky silt loam, 0 to 3 percent slopes	5A
Saco mucky very fine sandy loam, 0 to 3 percent slopes	36A
Saco silt loam, 0 to 3 percent slopes	5, 5A
Saco variant silt loam, 0 to 3 percent slopes	718A
Scantic silt loam, 0 to 3 percent slopes	16A
Scantic silt loam, 3 to 8 percent slopes	16B
Scantic Variant silt loam, 0 to 3 percent slopes	736A
Scarboro and Birdsall soils, 0 to 3 percent slopes	10
Scarboro and Walpole soils, 0 to 3 percent slopes	3A
Scarboro muck, coastal lowland, 0 to 3 percent slopes	6A
Scarboro mucky fine sandy loam, 0 to 3 percent slopes	39A, 43A, 6A
Scarboro mucky sandy loam, 0 to 2 percent slopes	6A
Scio - Urban land complex, 0 to 8 percent slopes	621B
Scio silt loam, 0 to 3 percent slopes	223A
Scio silt loam, 8 to 15 percent slopes	223C
Scio very fine sandy loam, 0 to 3 percent slopes	223A
Scio very fine sandy loam, 2 to 5 percent slopes	223B
Scio very fine sandy loam, 3 to 8 percent slopes	223B
Scio-Urban land complex, 0 to 8 percent slopes	621B
Scitico silt loam, 0 to 3 percent slopes	14A
Scitico silt loam, 0 to 5 percent slopes	14B
Scituate fine sandy loam, 0 to 3 percent slopes	315A
Scituate fine sandy loam, 15 to 25 percent slopes, extremely stony	317D
Scituate fine sandy loam, 3 to 8 percent slopes, extremely bouldery	318B
Scituate fine sandy loam, 8 to 15 percent slopes, extremely bouldery	318C
Scituate fine sandy loam, 8 to 15 percent slopes, extremely stony	317C
Scituate fine sandy loam, 8 to 15 percent slopes, very stony	316C
Scituate gravelly sandy loam, 0 to 3 percent slopes	315A
Scituate gravelly sandy loam, 0 to 3 percent slopes, very stony	316A
Scituate gravelly sandy loam, 3 to 8 percent slopes	315B
Scituate gravelly sandy loam, 3 to 8 percent slopes, very stony	316B
Scituate gravelly sandy loam, 8 to 15 percent slopes	315C
Scituate gravelly sandy loam, 8 to 15 percent slopes, very stony	316C
Scituate-Montauk association, rolling, extremely stony	919C
Searsport loamy sand, 0 to 3 percent slopes	28A
Shaker fine sandy loam, 0 to 3 percent slopes	725A
Shaker fine sandy loam, 3 to 8 percent slopes	725B
Sheepscot fine sandy loam, 3 to 8 percent slopes	286B
Shelburne fine sandy loam, 15 to 25 percent slopes	370D
Shelburne fine sandy loam, 15 to 25 percent slopes, very stony	371D
Shelburne fine sandy loam, 25 to 45 percent slopes, very stony	371F
Shelburne fine sandy loam, 3 to 8 percent slopes	370B
Shelburne fine sandy loam, 3 to 8 percent slopes, very stony	371B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Shelburne fine sandy loam, 8 to 15 percent slopes	370C
Shelburne fine sandy loam, 8 to 15 percent slopes, very stony	371C
Shelburne loam, 3 to 8 percent slopes	370B
Shelburne loam, 8 to 15 percent slopes	370C
Shelburne-Ashfield association, steep, extremely stony	920E
Skerry fine sandy loam, 3 to 8 percent slopes	365B
Squamscott fine sandy loam, 0 to 3 percent slopes	200A
Stissing silt loam, 0 to 5 percent slopes	79B
Stissing silt loam, 0 to 5 percent slopes, very stony	80B
Stockbridge gravelly silt loam, 15 to 25 percent slopes	515D
Stockbridge gravelly silt loam, 15 to 25 percent slopes , very stony	516D
Stockbridge gravelly silt loam, 3 to 8 percent slopes	515B
Stockbridge gravelly silt loam, 8 to 15 percent slopes	515C
Stockbridge gravelly silt loam, 8 to 15 percent slopes, very stony	516C
Sudbury fine sandy loam, 0 to 3 percent slopes	260A
Sudbury fine sandy loam, 0 to 8 percent slopes	260B
Sudbury fine sandy loam, 2 to 8 percent slopes	260B
Sudbury sandy loam, 0 to 3 percent slopes	260A
Sudbury sandy loam, 3 to 8 percent slopes	260B
Suffield silt loam, 3 to 8 percent slopes	719B
Suncook loamy fine sand, 0 to 5 percent slopes	97B
Suncook loamy sand, 0 to 3 percent slopes	97A
Suncook loamy sand, 0 to 3 percent slopes, occasionally flooded	97A
Sutton fine sandy loam, 0 to 3 percent slopes	410A
Sutton fine sandy loam, 3 to 8 percent slopes	410B
Sutton fine sandy loam, 3 to 8 percent slopes, very stony	411B
Swansea coarse sand, 0 to 3 percent slopes, sanded surface	60A
Swansea muck, 0 to 1 percent slopes	51, 51A
Swanton fine sandy loam, 0 to 3 percent slopes	40A
Swanton fine sandy loam, 3 to 8 percent slopes	40B
Taconic-Macomber association, rolling, very stony	932C
Taconic-Macomber association, steep, very stony	932E
Terrace escarpments	737
Tihonet coarse sand, 0 to 3 percent slopes	23A
Tisbury silt loam, 0 to 3 percent slopes	261A
Tisbury silt loam, 3 to 8 percent slopes	261B
Tisbury very fine sandy loam, 0 to 3 percent slopes	261A
Tunbridge-Berkshire complex, 3 to 8 percent slopes, rocky	147B
Tunbridge-Lyman association, rolling, extremely stony	909C
Tunbridge-Lyman complex, 0 to 8 percent slopes, very rocky	138B
Tunbridge-Lyman complex, 15 to 25 percent slopes, very rocky	138D
Tunbridge-Lyman complex, 25 to 60 percent slopes, very rocky	138F
Tunbridge-Lyman complex, 3 to 8 percent slopes, rocky	122B
Tunbridge-Lyman complex, 8 to 15 percent slopes, rocky	122C
Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky	138C
Tunbridge-Lyman-Berkshire association, 3 to 15 percent slopes, extremely stony	924C

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Udifluents, frequently flooded	615
Udipsamments, 0 to 8 percent slopes	665B
Udipsamments, 15 to 25 percent slopes	707D
Udipsamments, 3 to 15 percent slopes	702C
Udipsamments, 8 to 15 percent slopes	702C
Udipsamments, rolling	702C
Udipsamments, smoothed	665
Udipsamments, wet substratum, 0 to 3 percent slopes	700A
Udorthents - Urban land complex	656
Udorthents - Urban land complex, 0 to 8 percent slopes	656B
Udorthents, 0 to 8 percent slopes, gravelly	659B
Udorthents, 25 to 60 percent slopes, frequently flooded	618F
Udorthents, 8 to 15 percent slopes, gravelly	660C
Udorthents, loamy	654
Udorthents, loamy, 0 to 8 percent slopes	654B
Udorthents, refuse substratum	652
Udorthents, refuse substratum (Dumps/Landfill)	652
Udorthents, refuse substratum, 8 to 35 percent slopes	652E
Udorthents, sandy	653
Udorthents, smooth	651
Udorthents, smooth (earthen dam)	651
Udorthents, smoothed	651
Udorthents, wet substratum	655
Udorthents, wet substratum, 0 to 3 percent slopes	655A
Udorthents-Urban Land complex	656
Unadilla silt loam, 0 to 3 percent slopes	230A
Unadilla silt loam, 3 to 8 percent slopes	230B
Unadilla very fine sandy loam, 0 to 3 percent slopes	230A
Unadilla very fine sandy loam, 3 to 8 percent slopes	230B
Unadilla very fine sandy loam, 8 to 15 percent slopes	230C
Urban land - Hooksan complex, 0 to 8 percent slopes	639B
Urban land, 0 to 8 percent slopes	602B
Urban land, glaciolacustrine substratum, 0 to 8 percent slopes	642B
Urban land, outwash substratum, 0 to 8 percent slopes	641B
Urban land, till substratum, 0 to 8 percent slopes	640B
Urban land, wet substratum	603
Urban land, wet substratum, 0 to 3 percent slopes	603
Urban land, wet substratum. 0 to 3 percent slopes	603A
Urban land-Boxford complex, 0 to 3 percent slopes	604A
Urban land-Hinckley-Windsor association, 0 to 15 percent slopes	739C
Urban Land-Hinckley-Windsor association, 3 to 8 percent slopes	739B
Urban land-Wethersfield-Paxton association, 3 to 25 percent slopes	740D
Walpole fine sandy loam, 0 to 3 percent slopes, very stony	771A
Walpole fine sandy loam, 3 to 8 percent slopes	31B
Walpole sandy loam, 0 to 3 percent slopes	31A
Walpole sandy loam, loamy substratum, 0 to 3 percent slopes	21A

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Walpole Variant fine sandy loam, 0 to 3 percent slopes	21A
Wapanucket loamy sand, 0 to 3 percent slopes	227A
Wapanucket loamy sand, 3 to 8 percent slopes	227B
Wapanucket loamy sand, 8 to 15 percent slopes	227C
Wareham loamy fine sand, 0 to 3 percent slopes	32A
Wareham loamy fine sand, 0 to 5 percent slopes	32B
Warwick channery fine sandy loam, 0 to 3 percent slopes	266A
Warwick channery fine sandy loam, 15 to 25 percent slopes	266D
Warwick channery fine sandy loam, 3 to 8 percent slopes	266B
Warwick channery fine sandy loam, 8 to 15 percent slopes	266C
Warwick fine sandy loam, 0 to 3 percent slopes	266A
Warwick fine sandy loam, 3 to 8 percent slopes	266B
Water	1
Water, ocean	608
Water, saline	607
Water, treatment facility	606
Westbrook mucky peat, 0 to 2 percent slopes, very frequently flooded	62A
Westminster, Lyman and Rock outcrop soils, 25 to 90 percent slopes	137F
Westminster-Millsite association, 25 to 45 percent slopes, extremely stony	921E
Westminster-Millsite association, rolling, extremely stony	921C
Wethersfield fine sandy loam, 15 to 25 percent slopes, extremely stony	399D
Wethersfield fine sandy loam, 15 to 25 percent slopes, very stony	398D
Wethersfield fine sandy loam, 3 to 8 percent slopes	397B
Wethersfield fine sandy loam, 3 to 8 percent slopes, extremely stony	399B
Wethersfield fine sandy loam, 3 to 8 percent slopes, stony	536B
Wethersfield fine sandy loam, 3 to 8 percent slopes, very stony	398B
Wethersfield fine sandy loam, 8 to 15 percent slopes	397C
Wethersfield fine sandy loam, 8 to 15 percent slopes, extremely stony	399C
Wethersfield fine sandy loam, 8 to 15 percent slopes, stony	536C
Wethersfield fine sandy loam, 8 to 15 percent slopes, very stony	398C
Wethersfield very fine sandy loam, 15 to 25 percent slopes	397D
Wethersfield very fine sandy loam, 3 to 8 percent slopes	397B
Wethersfield very fine sandy loam, 8 to 15 percent slopes	397C
Whately variant fine sandy loam, 0 to 3 percent slopes	720A
Whately Variant mucky fine sandy loam, 0 to 1 percent slopes	720A
Whitman fine sandy loam, 0 to 3 percent slopes	72A
Whitman fine sandy loam, 0 to 5 percent slopes, extremely stony	73A, 73B
Whitman sandy loam, 0 to 3 percent slopes, extremely stony	73A
Whitman very stony mucky fine sandy loam, 0 to 3 percent slopes, extremely stony	73A
Wilbraham mucky silt loam, 0 to 3 percent slopes	389A
Wilbraham silt loam, 0 to 3 percent slopes, extremely stony	388A
Wilbraham silt loam, 3 to 8 percent slopes, extremely stony	388B
Windsor and Merrimac soils, 25 to 60 percent slopes	229F
Windsor loamy fine sand, 0 to 3 percent slopes	255A
Windsor loamy fine sand, 1 to 5 percent slopes	255B
Windsor loamy fine sand, 3 to 8 percent slopes	255B

Massachusetts State Soil Survey Legend - Alphabetical Listing

Mapunit Name	Mapunit Symbol
Windsor loamy fine sand, 8 to 15 percent slopes	255C
Windsor loamy sand, 0 to 3 percent slopes	255A
Windsor loamy sand, 15 to 25 percent slopes	255D
Windsor loamy sand, 15 to 35 percent slopes	255E
Windsor loamy sand, 25 to 35 percent slopes	255E
Windsor loamy sand, 3 to 8 percent slopes	255B
Windsor loamy sand, 8 to 15 percent slopes	255C
Windsor loamy sand, silty substratum, 0 to 3 percent slopes	749A
Windsor loamy sand, silty substratum, 3 to 8 percent slopes	749B
Windsor loamy sand, silty substratum, 8 to 15 percent slopes	749C
Windsor-Rock outcrop complex, 15 to 25 percent slopes	721D
Windsor-Rock outcrop complex, 3 to 15 percent slopes	721C
Windsor-Scitico-Amostown complex, 0 to 15 percent slopes	750C
Winooski silt loam, 0 to 3 percent slopes	98A
Winooski silt loam, 0 to 3 percent slopes, occasionally flooded	98A
Winooski silt loam, 0 to 3 percent slopes, protected	92A
Winooski very fine sandy loam, 0 to 3 percent slopes	98A
Wonsqueak woody peat, 0 to 1 percent slopes	50A
Woodbridge - Scituate - Urban land complex, 0 to 8 percent slopes	623B
Woodbridge fine sandy loam, 0 to 3 percent slopes, very stony	311A
Woodbridge fine sandy loam, 0 to 8 percent slopes, extremely stony	312B
Woodbridge fine sandy loam, 0 to 8 percent slopes, very stony	311B
Woodbridge fine sandy loam, 15 to 25 percent slopes, extremely stony	312D
Woodbridge fine sandy loam, 15 to 25 percent slopes, very stony	311D
Woodbridge fine sandy loam, 3 to 8 percent slopes	310B
Woodbridge fine sandy loam, 3 to 8 percent slopes, stony	314B
Woodbridge fine sandy loam, 3 to 8 percent slopes, very stony	311B
Woodbridge fine sandy loam, 8 to 15 percent slopes, stony	314C
Woodbridge loam, 8 to 15 percent slopes	310C
Woodbridge loam, 8 to 15 percent slopes, very stony	311C
Woodbridge-Paxton association, 3 to 15 percent slopes, extremely stony	910C
Woodbridge-Paxton association, rolling, extremely stony	910C
Woodbridge-Urban land complex, 3 to 15 percent slopes	623C
Yalesville-Holyoke complex, 15 to 25 percent slopes, rocky	131D
Yalesville-Holyoke complex, 25 to 50 percent slopes, rocky	131F
Yalesville-Holyoke complex, 3 to 8 percent slopes, rocky	131B
Yalesville-Holyoke complex, 8 to 15 percent slopes, rocky	131C