

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
313	EQIP	Waste Storage Facility	Earthen Storage Facility less than 50K ft3 Storage	Cu Ft	0.22
313	EQIP	Waste Storage Facility	Earthen Storage Facility greater than 50K ft3 Storage	Cu Ft	0.17
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete less than 25K ft3 storage	Cu Ft	4.74
313	EQIP	Waste Storage Facility	Dry stack, earthen floor, wood or concrete wall	Sq Ft	1.65
313	EQIP	Waste Storage Facility	Dry Stack, concrete floor, wood wall or concrete wall	Sq Ft	3.38
313	EQIP	Waste Storage Facility	Conc Tank, buried less than 5K	Cu Ft	3.69
315	EQIP	Herbaceous Weed Control	Chemical, Ground Light	Acre	18.47
315	EQIP	Herbaceous Weed Control	Chemical, Ground Medium	Acre	33
316	EQIP	Animal Mortality Facility	Incineration less than 350 pound per day Chamber	Pound	22.93
316	EQIP	Animal Mortality Facility	Incineration 350 to 850 pound per day chamber	Pound	13.32
316	EQIP	Animal Mortality Facility	Incineration greater than 850 Pound Chamber	Pound	7.12
316	EQIP	Animal Mortality Facility	Invessel Rotary Drum 250 lbs per day to 400 lbs per day	Pound	69.76
316	EQIP	Animal Mortality Facility	Invessel Rotary Drum 401 lbs to 650 lbs per day	Pound	54.37
316	EQIP	Animal Mortality Facility	Invessel Rotary Drum greater than or equal to 650 lbs. per day	Pound	63.01
316	EQIP	Animal Mortality Facility	Static pile Wood Bins	Sq Ft	8.34
316	EQIP	Animal Mortality Facility	DS Static pile Concrete Bins	Sq Ft	7.14
316	EQIP	Animal Mortality Facility	Mortality Freezer	Cu Ft	89.64
317	EQIP	Composting Facility	Composter, with concrete under bins wood or concrete only	Sq Ft	2.96
327	EQIP	Conservation Cover	Grass	Acre	102.2
327	EQIP	Conservation Cover	Native Grass	Acre	97.57
327	EQIP	Conservation Cover	Orchard or Vineyard Alleyways	Acre	74.46
327	EQIP	Conservation Cover	Pollinator Habitat	Acre	276.83
327	EQIP	Conservation Cover	Organic Introduced Mix	Acre	142.69
327	EQIP	Conservation Cover	Organic Native Mix	Acre	123.14
327	EQIP	Conservation Cover	Organic Pollinator Habitat	Acre	256.86
327	EQIP	Conservation Cover	Native Grass with Forgone Income	Acre	352.85
327	EQIP	Conservation Cover	Interseeding Native Plants	Acre	21.64

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
328	EQIP	Conservation Crop Rotation	Standard Rotation	Acre	9.47
328	EQIP	Conservation Crop Rotation	Irrigated to Dryland Rotation	Acre	90.44
328	EQIP	Conservation Crop Rotation	Organic Rotation	Acre	9.47
328	EQIP	Conservation Crop Rotation	Specialty Crops	Acre	23.67
328	EQIP	Conservation Crop Rotation	Organic Specialty Crops	Acre	473.4
332	EQIP	Contour Buffer Strips	332-Native, Inc Forgone	Acre	389.3
332	EQIP	Contour Buffer Strips	332-Introduced, Inc Forgone	Acre	289.91
332	EQIP	Contour Buffer Strips	332-Wildlife/Pollinator, Inc Forgone	Acre	291.14
332	EQIP	Contour Buffer Strips	332-Organic Seed, Inc Forgone	Acre	349.9
340	EQIP	Cover Crop	Cover Crop-Chemical Kill	Acre	67.23
340	EQIP	Cover Crop	Cover Crop-Mechanical Kill	Acre	64.58
340	EQIP	Cover Crop	Legume-N Fixation	Acre	56.9
340	EQIP	Cover Crop	Orchard/Vineyard Annual Cover Crop	Acre	36.33
340	EQIP	Cover Crop	Organic Cover Crop	Acre	95.88
340	EQIP	Cover Crop	Chemical Kill On Beds	Acre	43.19
342	EQIP	Critical Area Planting	Grass/legume mix-normal tillage	Acre	219.98
342	EQIP	Critical Area Planting	Organic Grass/legume mix-normal tillage	Acre	367.58
342	EQIP	Critical Area Planting	Native seeding - normal tillage	Acre	202.19
342	EQIP	Critical Area Planting	Grass/legume mix-moderate grading	Acre	453.4
342	EQIP	Critical Area Planting	Native seeding-moderate grading	Acre	435.62
342	EQIP	Critical Area Planting	Grass/legume mix-heavy grading	Acre	670.36
342	EQIP	Critical Area Planting	Native seeding-heavy grading	Acre	746.84
345	EQIP	Res. & Tillage Mgt, Mulch-till	Mulch till-Basic	Acre	30.66
346	EQIP	Residue and Tillage	Ridge Till - Sugarcane No Burn	Acre	24.92
350	EQIP	Sediment Basin	Excavated volume	CY	1.66
350	EQIP	Sediment Basin	Embankment earthen basin with no pipe	CY	1.66
350	EQIP	Sediment Basin	Embankment earthen basin with pipe	CY	3.63
351	EQIP	Water Well Decommissioning	Shallow Well less than 20 feet deep	Ln Ft	116.03
351	EQIP	Water Well Decommissioning	Shallow Well greater than 20 feet deep	Ln Ft	110.8
351	EQIP	Water Well Decommissioning	Drilled well less than 300 feet deep with casing removed	Ln Ft	28.73

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
351	EQIP	Water Well Decommissioning	Drilled well greater than 300 feet deep	Ln Ft	17.19
351	EQIP	Water Well Decommissioning	Decommissioning a drilled well less than 300 feet deep without casing removal	Ln Ft	4.6
356	EQIP	Dike	Shallow Water Area	CY	2.89
360	EQIP	Waste Facility Closure	Poultry House Soil Remediation	Cu Ft	0.5
360	EQIP	Waste Facility Closure	Feedlot Closure	Cu Ft	0.17
360	EQIP	Waste Facility Closure	Demolition of Concrete Waste Storage Structure	Cu Ft	1.86
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Closure with 75percent Liquids and 25percent Solids	Cu Ft	0.17
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Closure with 50percent Liquids and 50percent Solids	Cu Ft	0.21
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Closure with 25percent Liquids and 75percent Solids	Cu Ft	0.24
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Closure with 0 percent Liquids and 100percent Solids	Cu Ft	0.28
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Conversion to Fresh Water Storage with 75percent Liquids and 25percent Solids	Cu Ft	0.13
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Conversion to Fresh Water Storage with 50percent Liquids and 50percent Solids	Cu Ft	0.17
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Conversion to Fresh Water Storage with 25percent Liquids and 75percent Solids	Cu Ft	0.21
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Conversion to Fresh Water Storage with 0 percent Liquids and 100percent Solids	Cu Ft	0.24
362	EQIP	Diversion	Diversion	CY	1.94
362	EQIP	Diversion	Water Bars_Dips	Ln Ft	2.1
366	EQIP	Anaerobic Digester	Small Plug Flow less than 1000 AU	AU	492.6
366	EQIP	Anaerobic Digester	Medium Plug Flow 1000 to 2000 AU	AU	354.1
366	EQIP	Anaerobic Digester	Large Plug Flow greater than 2000 AU	AU	240.72
366	EQIP	Anaerobic Digester	Small Complete Mix less than 1000 AU	AU	487.04
366	EQIP	Anaerobic Digester	Medium Complete Mix 1000 to 2500 AU	AU	309.62

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
366	EQIP	Anaerobic Digester	Large Complete Mix greater than 2,500 AU	AU	239.01
366	EQIP	Anaerobic Digester	Covered Lagoon Holding Pond	AU	90.05
367	EQIP	Roofs and Covers	Timber or Steel Sheet Roof	Sq Ft	5.49
367	EQIP	Roofs and Covers	Flexible Membrane Cover	Sq Ft	5.5
378	EQIP	Pond	Excavated Pit	CY	2.49
378	EQIP	Pond	Embankment Pond without Pipe	CY	2.86
378	EQIP	Pond	Embankment Pond with Pipe	CY	4.05
380	EQIP	Windbreak/Shelterbelt Est.	Shrubs, potted	Each	12.66
380	EQIP	Windbreak/Shelterbelt Est.	conifer trees, container	Each	4.31
380	EQIP	Windbreak/Shelterbelt Est.	Hardwood trees, potted	Each	12.9
381	EQIP	Silvopasture	Establish Trees	Each	0.13
381	EQIP	Silvopasture	Thin Forest	Acre	343.74
381	EQIP	Silvopasture	Establish Native Grass	Acre	374.64
381	EQIP	Silvopasture	Establish Introduced Grass	Acre	263.59
382	EQIP	Fence	Barbed/Smooth Wire	Feet	1.81
382	EQIP	Fence	Woven Wire	Feet	2.19
382	EQIP	Fence	Electric	Feet	1.05
386	EQIP	Field Border	Field Border-Native, Inc Forgone	Acre	406.02
386	EQIP	Field Border	Field Border, Introduced, Inc Forgone	Acre	430.99
386	EQIP	Field Border	Field Border-Pollinator, Inc Forgone	Acre	445.57
386	EQIP	Field Border	Field Border-Tree, Inc. Forgone	Acre	392.65
386	EQIP	Field Border	Field Border-Organic Seed, Inc Forgone	Acre	406.02
386	EQIP	Field Border	Field Border-Native	Acre	183.46
386	EQIP	Field Border	Field Border, Introduced	Acre	208.43
386	EQIP	Field Border	Field Border-Pollinator	Acre	223.01
386	EQIP	Field Border	Field Border-Tree	Acre	170.09
386	EQIP	Field Border	Field Border-Organic Seed	Acre	183.46
386	EQIP	Field Border	Field Border-Shrubs, Inc. Forgone	Acre	513.64
386	EQIP	Field Border	Field Border-Shrubs	Acre	291.08
390	EQIP	Riparian Herbaceous Cover	Native Warm Season Grass	Acre	200

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
390	EQIP	Riparian Herbaceous Cover	Native Warm Season Grass w/ Forbs	Acre	325.33
391	EQIP	Riparian Forest Buffer	Hardwood with Pasture Foregone Income	Acre	244.24
391	EQIP	Riparian Forest Buffer	Hardwood with Row Crop Foregone Income	Acre	416.04
391	EQIP	Riparian Forest Buffer	Hardwood Seedlings, Bare-root	Each	0.52
391	EQIP	Riparian Forest Buffer	Shrub Seedlings, Bare-root	Each	0.81
391	EQIP	Riparian Forest Buffer	Mark Riparian Forest Buffer in existing Forest	Foot	0.11
393	EQIP	Filter Strip	Filter Strip, Native species: Forgone Income	Acre	326.97
393	EQIP	Filter Strip	Filter Strip, Introduced species: Forgone Income	Acre	358.92
393	EQIP	Filter Strip	Filter Strip, Native Species w/ Land Shaping: Forgone Income	Acre	451.15
393	EQIP	Filter Strip	Filter Strip, Introduced Species w/ Land Shaping: Forgone	Acre	483.1
393	EQIP	Filter Strip	Filter Strip, Native species	Acre	78.97
393	EQIP	Filter Strip	Filter Strip, Introduced species	Acre	110.92
393	EQIP	Filter Strip	Native Species Filter Strip w/ Land Shaping	Acre	203.15
393	EQIP	Filter Strip	Introduced Species Filter Strip w/ Land Shaping	Acre	235.1
410	EQIP	Grade Stabilization Structure	Check Dams	Ton	32.43
410	EQIP	Grade Stabilization Structure	Embankment, Pipe less than or equal to 6 in Dia	CY	3.56
410	EQIP	Grade Stabilization Structure	Embankment, Pipe 8 to 12 in Dia	CY	4.16
410	EQIP	Grade Stabilization Structure	Embankment, Pipe Larger Than 12 in	CY	5.22
410	EQIP	Grade Stabilization Structure	Plastic PipeDrop, Riser Less than 18 inches	Dia.inft	1.09
410	EQIP	Grade Stabilization Structure	Plastic PipeDrop, Riser 18 inches and larger	Dia.inft	1.3
410	EQIP	Grade Stabilization Structure	Pipe Drop, Steel	Dia.inft	1.9
410	EQIP	Grade Stabilization Structure	Weir Drop Structures	Sq Ft	57.22
410	EQIP	Grade Stabilization Structure	Rock Drop Structures	Sq Ft	46.18
410	EQIP	Grade Stabilization Structure	Log Drop Structures	Each	3426.41
412	EQIP	Grassed Waterway	Base Waterway	Acre	1084.82
412	EQIP	Grassed Waterway	Grass Waterway with Checks	Acre	1650.33
430	EQIP	Irrigation Pipeline	PVC, Iron Pipe Size, Less Than 2in Micro	Ln ft	3.32
430	EQIP	Irrigation Pipeline	PVC, Iron Pipe Size, 2in - less than 4in Micro	Ln ft	3.93
430	EQIP	Irrigation Pipeline	PVC, Iron Pipe Size, 4in - 6in Micro	Ln ft	5.23
430	EQIP	Irrigation Pipeline	PVC, Iron Pipe Size, 8in Micro	Ln ft	7.73

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
430	EQIP	Irrigation Pipeline	PVC, Iron Pipe Size, 6in - 8in Sprinkler	Ln ft	8.65
430	EQIP	Irrigation Pipeline	PVC, Iron Pipe Size, 10in Sprinkler	Ln ft	12.23
430	EQIP	Irrigation Pipeline	PVC, Plastic Irrigation Pipe, less than or equal to 10in	Ln ft	4.62
430	EQIP	Irrigation Pipeline	PVC, Plastic Irrigation Pipe, 12in	Ln ft	9.47
430	EQIP	Irrigation Pipeline	PVC, Plastic Irrigation Pipe, 15in	Ln ft	13.35
430	EQIP	Irrigation Pipeline	PVC, Plastic Irrigation Pipe, 18in	Ln ft	19.13
430	EQIP	Irrigation Pipeline	PVC, Plastic Irrigation Pipe, 21in or Greater	Ln ft	26.58
430	EQIP	Irrigation Pipeline	Steel, IPS, Stream or Road Crossing Sleeve	Ln ft	55.59
430	EQIP	Irrigation Pipeline	Steel, IPS, RoadXing Sleeve with Boring	Ln ft	90.06
430	EQIP	Irrigation Pipeline	Stand Pipe, Steel,IPS	Ln ft	191.33
430	EQIP	Irrigation Pipeline	Dog Leg, Steel, IPS	Ln ft	64.85
430	EQIP	Irrigation Pipeline	Intake or Res Discharge, Steel, IPS	Ln ft	22.14
442	EQIP	Irrigation System, Sprinkler	Wheel Line System	Ln Ft	9.57
442	EQIP	Irrigation System, Sprinkler	Solid Set System	Acre	3333.7
442	EQIP	Irrigation System, Sprinkler	Traveling Gun System, less than 2in Hose	Each	6019.5
442	EQIP	Irrigation System, Sprinkler	Traveling Gun System, 2in to 3in Hose	Each	16374.51
442	EQIP	Irrigation System, Sprinkler	Traveling Gun System, greater than 3in Hose	Each	32398.11
442	EQIP	Irrigation System, Sprinkler	Pod System	Each	179.93
442	EQIP	Irrigation System, Sprinkler	Renovation of Existing Sprinkler System	Ln Ft	3.89
472	EQIP	Access Control	Cave Gate	Sq Ft	57.2
484	EQIP	Mulching	Natural Material - Full Coverage	Acre	357
484	EQIP	Mulching	Natural Material - Partial Coverage	Acre	181.7
484	EQIP	Mulching	Erosion Control Blanket	Sq Ft	0.1
484	EQIP	Mulching	Synthetic Material	Acre	6969.6
484	EQIP	Mulching	Tree and Shrub	Each	1.44
490	EQIP	Tree & Shrub Site Preparation	Chemical - Ground Application on Open Field	Acre	34.35
490	EQIP	Tree & Shrub Site Preparation	Chemical - Ground Band Spray	Acre	30.61
490	EQIP	Tree & Shrub Site Preparation	Chemical - Ground Application on Harvested Forest	Acre	127.09
490	EQIP	Tree & Shrub Site Preparation	Chemical - Aerial Application	Acre	71.46
490	EQIP	Tree & Shrub Site Preparation	Chemical - Hand Application	Acre	122.09

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
490	EQIP	Tree & Shrub Site Preparation	Mechanical - Heavy, shearing and windrowing	Acre	289.36
490	EQIP	Tree & Shrub Site Preparation	Mechanical-Ripping/chopping	Acre	114.58
490	EQIP	Tree & Shrub Site Preparation	Mechanical-Dragging	Acre	58.09
490	EQIP	Tree & Shrub Site Preparation	Mechanical - Light, Mow/Disk	Acre	28.67
490	EQIP	Tree & Shrub Site Preparation	Mechanical - Light ripping	Acre	21.87
511	EQIP	Forage Harvest Management	Phosphorus Mining	Acre	23.1
512	EQIP	Forage and Biomass Planting	Native Perennial Grass (1 sp)	Acre	256.32
512	EQIP	Forage and Biomass Planting	Native Perennial 2 or more species	Acre	363.8
512	EQIP	Forage and Biomass Planting	Introduced Cool Season Grasses	Acre	236.52
512	EQIP	Forage and Biomass Planting	Introduced Warm Season Grasses	Acre	266.29
512	EQIP	Forage and Biomass Planting	Sprigging	Acre	321.86
512	EQIP	Forage and Biomass Planting	Overseeding Legumes	Acre	195.6
516	EQIP	Livestock Pipeline	PVC IPS Less than 1.5 inches	Ln ft	1.52
516	EQIP	Livestock Pipeline	PVC IPS 1.5 inches - 2.5 inches	Ln ft	1.83
516	EQIP	Livestock Pipeline	PVC IPS 3 inches and greater	Ln ft	2.99
516	EQIP	Livestock Pipeline	Subsurface HDPE 1.5in or less	Ln ft	2.64
516	EQIP	Livestock Pipeline	Subsurface HDPE Greater than 1.5in	Ln ft	3.46
516	EQIP	Livestock Pipeline	Surface HDPE (Iron Pipe Size & Tubing)	Ln ft	1.48
521A	EQIP	Pond Sealing or Lining, Flexible	Flexible Membrane - Covered without liner drainage or	Sq Yd	7.75
521A	EQIP	Pond Sealing or Lining, Flexible	Flexible Membrane - Covered with liner drainage or venting	Sq Yd	9.9
521B	EQIP	Pond Sealing or Lining, Soil	Uncovered, Compacted soil liner, Soil Dispersant	CY	4.54
521C	EQIP	Pond Sealing or Lining, Bentonite	Bentonite Treatment - Uncovered	CY	23.8
521C	EQIP	Pond Sealing or Lining, Bentonite	Bentonite Treatment - Covered	CY	26.47
521D	EQIP	Pond Sealing or Lining,	Material haul less than or equal to 5 miles	CY	6.93
521D	EQIP	Pond Sealing or Lining,	Material haul greater than 5 miles	CY	9.95
521D	EQIP	Pond Sealing or Lining,	On Farm	CY	5.41
527	EQIP	Karst Sinkhole Treatment	Linear Opening	Foot	155.96
527	EQIP	Karst Sinkhole Treatment	Circular Opening	Sq Ft	5.44
528	EQIP	Prescribed Grazing	Medium Intensity 3-7 Day Rotation Frequency	Acre	26.04
528	EQIP	Prescribed Grazing	High Intensity <3 Day Rotation Frequency	Acre	48.83

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
528	EQIP	Prescribed Grazing	Pasture Deferment - Long Term	Acre	67.15
533	EQIP	Pumping Plant	Electric-Powered Pump Less than or Equal to 5 HP , no	Brake HP	966.92
533	EQIP	Pumping Plant	Electric-Powered Pump Less than or Equal to 5 HP, with	Brake HP	1291.01
533	EQIP	Pumping Plant	Electric-Powered Pump Greater than 5 HP, with L-pipe	Brake HP	271.9
533	EQIP	Pumping Plant	Electric-Powered Well Pump Greater than 5 HP, without L-	Brake HP	145.08
533	EQIP	Pumping Plant	Variable Frequency Drive	Brake HP	161.28
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump less than or equal to 50 HP with L-pipe	Brake HP	657.74
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump greater than 50 to 70 HP, with L-pipe	Brake HP	486.12
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump greater than 70 HP, with	Brake HP	408.59
533	EQIP	Pumping Plant	Internal Combustion-Powered Well Pump 50 HP and less, no	Brake HP	434.45
533	EQIP	Pumping Plant	Internal Combustion-Powered Well Pump Greater than 50 to 70 HP, no L-pipe	Brake HP	341.72
533	EQIP	Pumping Plant	Internal Combustion-Powered Well Pump Greater than 70 HP, no L-pipe	Brake HP	279.38
533	EQIP	Pumping Plant	Tractor Power Take Off (PTO) Pump	Brake HP	131.98
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump	Brake HP	3951.28
533	EQIP	Pumping Plant	Pump Conversion to Low Pressure	Each	4236.1
533	EQIP	Pumping Plant	Basic Pump Automation	each	266.02
533	EQIP	Pumping Plant	Advanced Pump Automation	Each	5717.19
533	EQIP	Pumping Plant	Pump without power unit, wit L-pipe	Brake HP	312.22
558	EQIP	Roof Runoff Structure	Concrete Curb	Ln Ft	7.72
558	EQIP	Roof Runoff Structure	Trench Drain	Ln Ft	8.76
558	EQIP	Roof Runoff Structure	Roof Gutter and Downspouts	Ln Ft	28.83
560	EQIP	Access Road	Rehabilitation of existing gravel road in wet, level terrain	Feet	3.08
560	EQIP	Access Road	Rehabilitation of existing gravel road in wet, sloped terrain	Feet	2.66
561	EQIP	Heavy Use Area Protection	Reinforced Concrete with sand or gravel foundation	Sq Ft	1.94
561	EQIP	Heavy Use Area Protection	Rock/Gravel on Geotextile, 6" thick, Area 450 Square Feet or	Sq Ft	1.3
561	EQIP	Heavy Use Area Protection	Rock/Gravel on Geotextile, 6" thick	Sq Ft	0.89

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
561	EQIP	Heavy Use Area Protection	Rock-Select Onsite Stone on Geotextile	Sq Ft	0.54
561	EQIP	Heavy Use Area Protection	Rock/Gravel-GeoCell-Geotextile	Sq Ft	2.44
561	EQIP	Heavy Use Area Protection	Fly Ash on Geotextile	Sq Ft	1.67
561	EQIP	Heavy Use Area Protection	Rock/Gravel on Geotextile, 8"Thick	Sq Ft	1.04
574	EQIP	Spring Development	Spring Development - Concrete Cutoff	Each	2496.11
574	EQIP	Spring Development	Spring Development - Clay Cutoff	Each	1597.25
578	EQIP	Stream Crossing	Bridge	Sq Ft	32.86
578	EQIP	Stream Crossing	Hard armored low water crossing	Sq Ft	2.63
578	EQIP	Stream Crossing	Culvert installation	Dia.inft	4.32
578	EQIP	Stream Crossing	Low water crossing using prefabricated products	Sq Ft	4.8
578	EQIP	Stream Crossing	Steam Crossing, Concrete Bottom	Sq Ft	6.77
580	EQIP	Streambank and Shoreline	Vegetative	Ln ft	9.34
580	EQIP	Streambank and Shoreline	Bioengineered	Ln ft	30.09
580	EQIP	Streambank and Shoreline	Structural, Standard	Ln ft	90.36
580	EQIP	Streambank and Shoreline	Vegetative with Willow Staking	Ln ft	13.38
580	EQIP	Streambank and Shoreline	Stream Barbs	CY	63.14
580	EQIP	Streambank and Shoreline	Longitudinal Peak Stone Toe, 4 foot high or less	Ln ft	48.64
580	EQIP	Streambank and Shoreline	Longitudinal Peak Stone Toe, higher than 4 feet	Ln ft	133.01
587	EQIP	Structure for Water Control	Inlet Flashboard Riser, Metal	Dia.inft	2.52
587	EQIP	Structure for Water Control	Inline Flashboard Riser, Metal	Dia.inft	2.66
587	EQIP	Structure for Water Control	Commercial Inline Flashboard Riser	Dia.inft	3.47
587	EQIP	Structure for Water Control	Culvert Less Than 30 inches HDPE	Dia.inft	1.07
587	EQIP	Structure for Water Control	Culvert Less Than 30 inches CMP	Dia.inft	1.29
587	EQIP	Structure for Water Control	Culvert Less Than 30 inches SSP	Dia.inft	2.42
587	EQIP	Structure for Water Control	Slide Gate	Feet	1426.59
587	EQIP	Structure for Water Control	Flap Gate	Feet	1229.02
587	EQIP	Structure for Water Control	Flap Gate w/ Concrete Wall	CY	729.22
587	EQIP	Structure for Water Control	Fabricated Metal Water Control Structure	Sq Ft	23.84
587	EQIP	Structure for Water Control	Flow Meter with Mechanical Index	inch	139.22
587	EQIP	Structure for Water Control	Flow Meter with Electronic Index	Inch	264.92

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
587	EQIP	Structure for Water Control	Flow Meter with Electronic Index & Telemetry	Inch	337.78
590	EQIP	Nutrient Management	Basic NM System	Acre	4.78
590	EQIP	Nutrient Management	Basic Organic NM System	Acre	6.08
590	EQIP	Nutrient Management	Small Farm/Diversified	Each	370.67
590	EQIP	Nutrient Management	Basic NM system with manure	Acre	5.59
590	EQIP	Nutrient Management	Enhanced Nutrient Mgt	Acre	27.58
590	EQIP	Nutrient Management	Precision NM System	Acre	26.85
590	EQIP	Nutrient Management	Advanced NM Precision System	Acre	37.12
590	EQIP	Nutrient Management	Adaptive NM	Each	1267.4
591	EQIP	Amend. for Treat. of Ag. Waste	Litter Amendments applied on a percent Soluble P Reduced for Water Quality Impacts	Ton	471.7
600	EQIP	Terrace	Broadbased	Feet	1.5
600	EQIP	Terrace	Flat Channel	Feet	2.44
600	EQIP	Terrace	5 to 1 and 2 to 1	Feet	0.86
600	EQIP	Terrace	Narrow Base Less Than 8%	Feet	1.07
600	EQIP	Terrace	Narrow Base Greater Than 8%	Feet	1.16
601	EQIP	Vegetative Barriers	Vegetative Barrier: 3-5 ft wide	Ln Ft	0.01
601	EQIP	Vegetative Barriers	Vegetative Barrier: >5 ft wide	Ln Ft	0.06
607	EQIP	Surface Drainage, Field Ditch	Field Drainage Ditch	CY	1.53
612	EQIP	Tree & Shrub Establishment	Pine, Bare root	Each	0.12
612	EQIP	Tree & Shrub Establishment	Hardwood, bare root	Each	0.33
612	EQIP	Tree & Shrub Establishment	Hardwood, 3 gal pots	Each	11.64
612	EQIP	Tree & Shrub Establishment	Shrub, bare root	Each	0.81
612	EQIP	Tree & Shrub Establishment	Pine, containerized	Each	0.26
612	EQIP	Tree & Shrub Establishment	Cuttings	Each	0.5
614	EQIP	Watering Facility	Permanent Drinking/Storage <500 Gallons	Gallon	2.48
614	EQIP	Watering Facility	Permanent Drinking/Storage 500-1000 Gallons	Gallon	1.73
614	EQIP	Watering Facility	Permanent Drinking/Storage 1001-5000 Gallons	Gallon	1.04
614	EQIP	Watering Facility	Permanent Drinking/Storage Greater Than 5000 Gallons	Gallon	0.42
614	EQIP	Watering Facility	Freeze Proof Conc. Tank	Gallon	3.33

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
614	EQIP	Watering Facility	Fountain	Each	827.2
614	EQIP	Watering Facility	Tire Tank	Gallon	1.22
620	EQIP	Underground Outlet	UO Less Than 6 inches	Foot	6.06
620	EQIP	Underground Outlet	UO Less than 6inches, w Riser	Foot	4.3
620	EQIP	Underground Outlet	Greater Than 6 and Less Than or Equal To 12 inches	Foot	8.31
620	EQIP	Underground Outlet	Greater Than 6 and Less Than or Equal To 12 inches, with Riser	Foot	8.07
620	EQIP	Underground Outlet	Greater Than 12 and Less Than or Equal To 18 inches	Foot	14.36
620	EQIP	Underground Outlet	Greater Than 18 and Less Than or Equal To 24 inches	Foot	21.59
620	EQIP	Underground Outlet	Greater Than 24 and Less Than or Equal To 30 inches	Foot	29.63
620	EQIP	Underground Outlet	UO Greater Than 30 inches	Foot	37.57
620	EQIP	Underground Outlet	UO Pipe Protection, Sleeved	Foot	8.76
632	EQIP	Waste Separation Facility	Mechanical Separation Facility	Each	24370.48
632	EQIP	Waste Separation Facility	Earthen Settling Structure	Cu Ft	0.31
632	EQIP	Waste Separation Facility	Concrete Basin	Cu Ft	3.51
632	EQIP	Waste Separation Facility	Concrete Sand Settling Lane	Sq Ft	3.56
634	EQIP	Waste Transfer	Medium sized wastewater reception basin with 6in conduit transfer pipe to waste storage pond	Gallon	2.43
634	EQIP	Waste Transfer	Large sized wastewater reception basin with 8 in conduit transfer pipe to site for waste treatment then transfer separated liquids in 6in pipe to waste storage pond	Gallon	1.97
634	EQIP	Waste Transfer	Concrete Channel with push-off wall at pond and safety gate	Sq Ft	9.56
634	EQIP	Waste Transfer	Wastewater Flush Transfer System Pipes only	Feet	35.87
634	EQIP	Waste Transfer	Gravity flow 30in diameter conduit attached to an existing inlet structure	Feet	58.17
634	EQIP	Waste Transfer	Low pressure flow 12in PVC conduit	Feet	30.25
634	EQIP	Waste Transfer	Low pressure flow 10in PVC pipeline from waste storage pond to waste application site	Feet	15.51
634	EQIP	Waste Transfer	Pressure flow 6in PVC pipeline from waste storage pond to waste application site	Feet	8.78
634	EQIP	Waste Transfer	Agitator small used for mixing a basin or pit less than 10 feet	Each	8679.99

2014 - Illinois River Sub-Basin and Eucha-Spavinaw Lake Watershed Initiative Payment Rates

Practice Code	Farm Bill Program	Practice Name	Component	Unit Type	Unit Cost
634	EQIP	Waste Transfer	Agitator medium used for mixing a basin 10 to 15 feet deep	Each	13274.9
634	EQIP	Waste Transfer	Agitator large used for mixing a tank over 15 feet deep	Each	19334.74
634	EQIP	Waste Transfer	Waste hauling	Ton-mile	0.12
634	EQIP	Waste Transfer	Pressure flow 4in PVC pipeline from waste storage pond to waste application site	Feet	5.74
635	EQIP	Vegetated Treatment Area	Graded area, Gravity Flow Surface Application	Acre	5356.29
635	EQIP	Vegetated Treatment Area	Graded Area, Pumped into a Basin Gravity Flow Surface	Acre	8327
635	EQIP	Vegetated Treatment Area	Graded Area Mechanical distribution	Acre	1378.49
635	EQIP	Vegetated Treatment Area	Existing Vegetative Area, Gravity Flow Surface Application	Acre	6349.21
638	EQIP	Water & Sediment Control Basin	WASCOB topsoil	CY	2.16
642	EQIP	Water Well	Dug Well	Ln ft	110.34
642	EQIP	Water Well	Small Plastic Farm Well, Less Than 6 in	Ln ft	15.27
642	EQIP	Water Well	Small Plastic Farm Well, 6 in and Greater	Ln ft	22.56
642	EQIP	Water Well	Uncased Bedrock Well with PVC Surface Casing	Ln ft	12.16
642	EQIP	Water Well	Uncased Bedrock Well with Steel Surface Casing	Ln ft	12.63
666	EQIP	Forest Stand Improvement	Single stem - Hand tools	Acre	153.33
666	EQIP	Forest Stand Improvement	Single Stem - Chemical	Acres	106.49
666	EQIP	Forest Stand Improvement	Chemical-Ground-Light Equipment	Acre	44.37
666	EQIP	Forest Stand Improvement	Chemical-Ground-Heavy Equipment	Acre	119.95
666	EQIP	Forest Stand Improvement	Chemical, Aerial	Acre	66.73
666	EQIP	Forest Stand Improvement	Mechanical, Light Equipment	Acre	43.26
666	EQIP	Forest Stand Improvement	Mechanical, Medium Equipment	Acre	108.46
666	EQIP	Forest Stand Improvement	Mechanical, Heavy Equipment	Acre	309.12
717	EQIP	Livestock Shade Structure	Portable Shade Structure	Sq Ft	2.32
329	EQIP	Residue and Tillage Management - No-Till/ Strip Till/	No-Till/Strip-Till	Acre	12.08
330	EQIP	Contour Farming	Contour Farming	Acre	5.58