

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
313	EQIP	Waste Storage Facility	Earthen Storage Facility, less than 50,000 cubic foot storage	CuFt	.38	PR	100
313	EQIP	Waste Storage Facility	Earthen Storage Facility, greater than or equal to 50,000 cubic foot storage	CuFt	.23	PR	100
313	EQIP	Waste Storage Facility	Earthen Storage Facility, High Water Table	CuFt	.9	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, less than 25,000 cubic foot storage	CuFt	4.83	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, 25,000 to 100,000 cubic foot storage	CuFt	1.82	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, greater than 100,000 cubic foot storage	CuFt	1.44	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Earthen Floor, NO Walls	SqFt	.4	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Earthen Floor, Wood Walls	SqFt	1.87	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Earthen Floor, Concrete Walls	SqFt	4.78	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Concrete Floor, NO Walls	SqFt	2.5	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Concrete Floor, Wood Walls	SqFt	3.79	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Concrete Floor, Concrete Walls	SqFt	6.71	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, less than 5,000 cubic foot storage	CuFt	6.06	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 5,000 to 14,999 cubic foot storage	CuFt	4.69	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 15,000 to 24,999 cubic foot storage	CuFt	3.98	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 25,000 to 49,999 cubic foot storage	CuFt	3.23	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 50,000 to 74,999 cubic foot storage	CuFt	2.65	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 75,000 to 109,999 cubic foot storage	CuFt	2.41	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, equal to or greater than 110,000 cubic foot storage	CuFt	2.14	PR	100
313	EQIP	Waste Storage Facility	Composted Bedded Pack, Concrete Floor, Concrete Walls (square foot)	SqFt	5.42	PR	100
313	EQIP	Waste Storage Facility	Open Concrete Tank, Buried, less than 5,000 cubic foot storage	CuFt	3.87	PR	100
313	EQIP	Waste Storage Facility	Open Concrete Tank, Buried, 5,000 to 14,999 cubic foot storage	CuFt	1.64	PR	100
313	EQIP	Waste Storage Facility	Open Concrete Tank, Buried, 15,000 to 24,999 cubic foot storage	CuFt	1.23	PR	100
313	EQIP	Waste Storage Facility	Open Concrete Tank, Buried, 25,000 to 49,999 cubic foot storage	CuFt	1	PR	100
313	EQIP	Waste Storage Facility	Open Concrete Tank, Buried, 50,000 to 74,999 cubic foot storage	CuFt	.89	PR	100
313	EQIP	Waste Storage Facility	Open Concrete Tank, Buried, 75,000 to 109,999 cubic foot storage	CuFt	.78	PR	100
313	EQIP	Waste Storage Facility	Open Concrete Tank, Buried, greater than or equal to 110,000 cubic foot storage	CuFt	.71	PR	100
314	EQIP	Brush Management	Mechanical, Hand tools	Ac	114.91	PR	100
314	EQIP	Brush Management	Mechanical, Hand tools - Piling	Ac	191.87	PR	100
314	EQIP	Brush Management	Mechanical, Light Equipment, Small Woody Vegetation, Light Infestations	Ac	20.02	PR	100
314	EQIP	Brush Management	Mechanical, Heavy Equipment, Large Woody Vegetation, Medium Infestations	Ac	267.16	PR	100
314	EQIP	Brush Management	Mechanical and Chemical, Small Woody Vegetation, Medium Infestations	Ac	38.92	PR	100
314	EQIP	Brush Management	Mechanical and Chemical, Cut Stump plus Chemical Treatment, Pile and Burn, Chip, etc.	Ac	587.52	PR	100
314	EQIP	Brush Management	Chemical, Individual Plant Treatment	Ac	25.38	PR	100
314	EQIP	Brush Management	Chemical, Ground Application	Ac	21.31	PR	100
314	EQIP	Brush Management	Chemical, Aerial, Fixed-Wing Application	Ac	27.41	PR	100
314	EQIP	Brush Management	Chemical, Aerial, Helicopter Application	Ac	35.78	PR	100
315	EQIP	Herbaceous Weed Control	Mechanical, Hand Tools	Ac	47.95	PR	100
315	EQIP	Herbaceous Weed Control	Mechanical	Ac	25.42	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Spot Treatment	Ac	79.38	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Ground Application	Ac	51.68	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Aerial Application	Ac	31.84	PR	100
315	EQIP	Herbaceous Weed Control	Biological Control - Insects	Ac	56.79	PR	100
317	EQIP	Composting Facility	Bins, wood or concrete walls on concrete slab	SqFt	11.31	PR	100
317	EQIP	Composting Facility	Composter, Windrow, All-Weather Surface	SqFt	.79	PR	100
317	EQIP	Composting Facility	Composter, Windrow, with Compacted Earth Floor	SqFt	.35	PR	100
319	EQIP	On-Farm Secondary Containment Facility	Double Wall Tank	Gal	.97	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
319	EQIP	On-Farm Secondary Containment Facility	Earthen Containment	CuYd	31.83	PR	100
319	EQIP	On-Farm Secondary Containment Facility	Corrugated Metal Wall Containment	SqFt	18.8	PR	100
319	EQIP	On-Farm Secondary Containment Facility	Concrete Containment Wall	CuYd	594.38	PR	100
319	EQIP	On-Farm Secondary Containment Facility	Modular Block Containment Wall	SqFt	18.19	PR	100
320	EQIP	Irrigation Canal or Lateral	Irrigation Canal	CuYd	1.87	PR	100
320	EQIP	Irrigation Canal or Lateral	Relocate Canal or Lateral	CuYd	2.99	PR	100
324	EQIP	Deep Tillage	Deep Tillage, less than 36 inches	Ac	16.02	PR	100
326	EQIP	Clearing and Snagging	Light	LnFt	12.93	PR	100
326	EQIP	Clearing and Snagging	Medium	LnFt	15.93	PR	100
326	EQIP	Clearing and Snagging	Heavy	LnFt	17.8	PR	100
327	EQIP	Conservation Cover	Grass	Ac	64.09	PR	100
327	EQIP	Conservation Cover	Native Grass	Ac	103.1	PR	100
327	EQIP	Conservation Cover	Orchard or Vineyard Alleyways	Ac	60.87	PR	100
327	EQIP	Conservation Cover	Pollinator Habitat	Ac	261.83	PR	100
327	EQIP	Conservation Cover	Organic, Introduced Mix	Ac	117.32	PR	100
327	EQIP	Conservation Cover	Organic, Native Mix	Ac	131.27	PR	100
327	EQIP	Conservation Cover	Organic, Pollinator Habitat	Ac	275.02	PR	100
328	EQIP	Conservation Crop Rotation	Standard Rotation	Ac	7.8	PR	100
328	EQIP	Conservation Crop Rotation	Irrigated to Dryland Rotation	Ac	297.26	PR	100
328	EQIP	Conservation Crop Rotation	Specialty Crops	Ac	26	PR	100
329	EQIP	Residue and Tillage Management - No-Till	No Till/Strip Till (cap of \$15K/yr, 3 yr max of \$45K)	Ac	13.66	PR	100
329	EQIP	Residue and Tillage Management - No-Till	No Till Adaptive Management (cap of \$15K/yr, 3 yr max of \$45K)	Ac	271.96	PR	100
338	EQIP	Prescribed Burning	Understory Burn	Ac	95.68	PR	100
338	EQIP	Prescribed Burning	Site Preparation	Ac	25.03	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Herbaceous and/or Low-Volatile Woody Fuel, less than or equal to 640 acres	Ac	9.16	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Herbaceous and/or Low-Volatile Woody Fuel, greater than 640 acres	Ac	3.97	PR	100
338	EQIP	Prescribed Burning	Level Terrain, High-Volatile Woody Fuel, less than 4-foot tall, less than or equal to 640 acres	Ac	12.86	PR	100
338	EQIP	Prescribed Burning	Level Terrain, High-Volatile Woody Fuel, less than 4-foot tall, greater than 640 acres	Ac	4.45	PR	100
338	EQIP	Prescribed Burning	Level Terrain, High-Volatile Woody Fuel, greater than 4-foot tall, less than or equal to 640 acres	Ac	22.97	PR	100
338	EQIP	Prescribed Burning	Level Terrain, High-Volatile Woody Fuel, greater than 4-foot tall, greater than 640 acres	Ac	5.5	PR	100
338	EQIP	Prescribed Burning	Consolidated Slash Burning, Forestlands, Fire Boss on Site	Ac	69.87	PR	100
338	EQIP	Prescribed Burning	Consolidated Slash Burning, Forestlands, Fire Protection Districts	Ac	40.1	PR	100
340	EQIP	Cover Crop	Cover Crop, Mechanical Kill (cap of \$15K/yr, 3 yr max of \$45K)	Ac	57.92	PR	100
340	EQIP	Cover Crop	Organic Cover Crop (cap of \$15K/yr, 3 yr max of \$45K)	Ac	90.86	PR	100
340	EQIP	Cover Crop	Cover Crop, Diverse Mix (cap of \$15K/yr, 3 yr max of \$45K)	Ac	74.31	PR	100
340	EQIP	Cover Crop	Cover Crop, Simple Mix (cap of \$15K/yr, 3 yr max of \$45K)	Ac	68.34	PR	100
340	EQIP	Cover Crop	Cover Crop Adaptive Management (cap of \$15K/yr, 3 yr max of \$45K)	Ac	334.55	PR	100
342	EQIP	Critical Area Planting	Introduced Species, Drilled (includes tillage, seed, fertilizer and drilling)	Ac	79.29	PR	100
342	EQIP	Critical Area Planting	Native Species, Drilled (includes tillage, seed, fertilizer and drilling)	Ac	87.55	PR	100
342	EQIP	Critical Area Planting	Organic, Grass/Legume Mix, Normal Tillage (includes tillage, seed, fertilizer and drilling)	Ac	149.15	PR	100
342	EQIP	Critical Area Planting	Grass/Legume Mix, Moderate Grading	Ac	335.5	PR	100
342	EQIP	Critical Area Planting	Native Seeding, Moderate Grading	Ac	347.17	PR	100
342	EQIP	Critical Area Planting	Introduced Species, Aerial Application	Ac	55.26	PR	100
342	EQIP	Critical Area Planting	Native Species, Aerial Application	Ac	112.57	PR	100
342	EQIP	Critical Area Planting	Introduced Species, Broadcast Application	Ac	40.33	PR	100
342	EQIP	Critical Area Planting	Native Species, Broadcast Application	Ac	122.19	PR	100
345	EQIP	Residue and Tillage Management, Reduced Till	Mulch Till (cap of \$10K/yr, 3 yr max of \$30K)	Ac	32.51	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
345	EQIP	Residue and Tillage Management, Reduced Till	Mulch Till, Adaptive Management (cap of \$10K/yr, 3 yr max of \$30K)	Ac	64.79	PR	100
348	EQIP	Dam Diversion	Rock/Gravel Fill	CuYd	30.35	PR	100
348	EQIP	Dam Diversion	Earth Fill	CuYd	5.74	PR	100
348	EQIP	Dam Diversion	Earth Fill-Grouted Rock	CuYd	26.49	PR	100
348	EQIP	Dam Diversion	Sheet Pile Structure	SqFt	27.44	PR	100
348	EQIP	Dam Diversion	Reinforced Concrete Dam Diversion	CuYd	295.58	PR	100
348	EQIP	Dam Diversion	Sheet Pile with Rock Ramp	SqFt	38.03	PR	100
348	EQIP	Dam Diversion	Rock Structure	CuYd	125.45	PR	100
348	EQIP	Dam Diversion	Concrete Structure	CuYd	823.05	PR	100
348	EQIP	Dam Diversion	Wood Structure	Ft	522.51	PR	100
350	EQIP	Sediment Basin	Excavated Basin	CuYd	1.83	PR	100
350	EQIP	Sediment Basin	Embankment, Earthen Basin, NO Pipe	CuYd	2.59	PR	100
350	EQIP	Sediment Basin	Embankment, Earthen Basin, with Pipe	CuYd	4.8	PR	100
355	EQIP	Well Water Testing	Basic Water Quality Test	Ea	168.62	PR	100
355	EQIP	Well Water Testing	Specialized Water Quality Test	Ea	425.13	PR	100
355	EQIP	Well Water Testing	Full Spectrum Water Quality Test	Ea	750.14	PR	100
356	EQIP	Dike	Material Haul, less than or equal to 1 Mile	CuYd	4.74	PR	100
356	EQIP	Dike	Material Haul, greater than 1 Mile	CuYd	5.2	PR	100
362	EQIP	Diversion	Diversion, Earth Berm (cubic yard)	CuYd	4.75	PR	100
362	EQIP	Diversion	Diversion, Concrete Tee Wall	LnFt	55.4	PR	100
362	EQIP	Diversion	Diversion, Excavation	CuYd	3.36	PR	100
367	EQIP	Roofs and Covers	Flexible Roof	SqFt	10.26	PR	100
367	EQIP	Roofs and Covers	Timber or Steel Sheet Roof	SqFt	13.07	PR	100
367	EQIP	Roofs and Covers	Steel Frame and Roof	SqFt	7.7	PR	100
367	EQIP	Roofs and Covers	Flexible Membrane Cover	SqFt	1.57	PR	100
367	EQIP	Roofs and Covers	Wood Framed Roof and Building (for manure handling equipment in locations with sub-zero winter conditions)	SqFt	49.24	PR	100
367	EQIP	Roofs and Covers	Permeable Composite or Inorganic Cover	SqFt	5.79	PR	100
374	EQIP	Farmstead Energy Improvement	Ventilation, High Efficiency Exhaust Fan	Ea	1007.17	PR	100
374	EQIP	Farmstead Energy Improvement	Ventilation, Horizontal Air Flow (HAF)	Ea	152.23	PR	100
374	EQIP	Farmstead Energy Improvement	Plate Cooler, Small	Ea	3593.02	PR	100
374	EQIP	Farmstead Energy Improvement	Plate Cooler	Ea	4911.49	PR	100
374	EQIP	Farmstead Energy Improvement	Scroll Compressor	HP	2032.56	PR	100
374	EQIP	Farmstead Energy Improvement	Variable Speed Drive, greater than 5 Horsepower (HP)	HP	172.2	PR	100
374	EQIP	Farmstead Energy Improvement	Automatic Controller System	Ea	1052.9	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade, greater than 100 Horsepower (HP)	HP	114.6	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade, 10 to 100 Horsepower (HP)	HP	92.03	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade, greater than 1 to less than 10 Horsepower (HP)	Ea	640.6	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade, less than or equal to 1 Horsepower (HP)	Ea	425.81	PR	100
374	EQIP	Farmstead Energy Improvement	Heating, Radiant Tube System	Ea	1104.56	PR	100
374	EQIP	Farmstead Energy Improvement	Heating, Building (1,000BTU/Hour)	kBTU/Hr	6.88	PR	100
374	EQIP	Farmstead Energy Improvement	Heating, Attic Heat Recovery Vents	Ea	116.83	PR	100
374	EQIP	Farmstead Energy Improvement	Grain Dryer	Bu/Hr	67.98	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvesting, Once per Year	Ac	322.92	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvesting, Twice per Year	Ac	645.84	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvesting, More Than Twice per Year	Ac	1291.68	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System, Less than 20 Acres	Ac	8700.22	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System, 20 to 60 Acres	Ac	6928.67	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System, Greater than 60 Acres	Ac	4416.66	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Truck-Mounted Mobile Sprinkler System	Ac	1522.05	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Once per Year and Solid-Set Sprinkler System, Less than 20 Acres	Ac	9023.14	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Once per Year and Solid-Set Sprinkler System, 20 to 60 Acres	Ac	7251.59	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Once per Year and Solid-Set Sprinkler System, Greater than 60 Acres	Ac	4739.58	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Once per Year and Truck-Mounted Mobile Sprinkler System	Ac	1844.97	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Twice per Year and Solid-Set Sprinkler System, Less than 20 Acres	Ac	9346.06	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Twice per Year and Solid-Set Sprinkler System, 20 to 60 Acres	Ac	7574.51	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Twice per Year and Solid-Set Sprinkler System, Greater than 60 Acres	Ac	5062.5	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Twice per Year and Truck-Mounted Mobile Sprinkler System	Ac	2167.89	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, More Than Twice per Year and Solid-Set Sprinkler System, Less than 20 Acres	Ac	9991.9	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, More Than Twice per Year and Solid-Set Sprinkler System, 20 to 60 Acres	Ac	8220.35	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, More Than Twice per Year and Solid-Set Sprinkler System, Greater than 60 Acres	Ac	5708.34	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, More Than Twice per Year and Truck-Mounted Mobile Sprinkler System	Ac	2813.73	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System Labor	Ac	41.86	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Once per Year and Solid-Set Sprinkler System Labor	Ac	364.78	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, Twice per Year and Solid-Set Sprinkler System Labor	Ac	687.7	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest, More Than Twice per Year and Solid-Set Sprinkler System Labor	Ac	1333.54	PR	100
378	EQIP	Pond	Excavated Pit	CuYd	2.93	PR	100
378	EQIP	Pond	Embankment Pond without Pipe	CuYd	2.76	PR	100
378	EQIP	Pond	Embankment Pond with Corrugated Metal Pipe (CMP) OR High Density Polyethylene (HDPE) Pipe	CuYd	4.29	PR	100
378	EQIP	Pond	Embankment Pond with Corrugated Metal Pipe (CMP) Riser and High Density Polyethylene (HDPE) Barrel (incl	CuYd	4.78	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	One Row, Shrubs, Hand Planted	Ft	.39	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	One Row, Trees, Hand Planted	Ft	.2	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Three Rows, Shrubs or Tress, Hand Planted	Ft	.96	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Two Rows, Shrubs, Machine Planted	Ft	.39	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Two Rows, Trees, Machine Planted	Ft	.49	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Two Rows, Trees, Machine Planted, with Protection Tubes	Ft	1.17	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Three Rows or More, Shrubs, Machine Planted	Ft	.9	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Three Rows or More, Trees, Machine Planted	Ft	.48	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Three Rows or More, Trees, Machine Planted, with Protection Tubes	Ft	1.36	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Per Plant, Three Rows or More, Trees, Machine Planted	Ea	3.96	PR	100
382	EQIP	Fence	Barbed/Smooth Wire	Ft	1.83	PR	100
382	EQIP	Fence	Wire Difficult	Ft	2.66	PR	100
382	EQIP	Fence	Woven Wire	Ft	2.22	PR	100
382	EQIP	Fence	Electric	Ft	1.32	PR	100
382	EQIP	Fence	Confinement	Ft	4	PR	100
382	EQIP	Fence	Safety	Ft	3.48	PR	100
382	EQIP	Fence	Buck and Pole	Ft	3.82	PR	100
383	EQIP	Fuel Break	Dozer	Ac	1125.63	PR	100
383	EQIP	Fuel Break	Dozer, Steep Slopes	Ac	1801.65	PR	100
383	EQIP	Fuel Break	Masticator	Ac	1154.62	PR	100
383	EQIP	Fuel Break	Masticator, Steep Slopes	Ac	1621.91	PR	100
383	EQIP	Fuel Break	Hand, Low Intensity	Ac	205.05	PR	100
383	EQIP	Fuel Break	Hand, Medium/High Intensity	Ac	594.46	PR	100
383	EQIP	Fuel Break	Structure	Ac	976.96	PR	100
383	EQIP	Fuel Break	Forested	Ac	669.67	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
383	EQIP	Fuel Break	NON Forest	Ac	188.67	PR	100
383	EQIP	Fuel Break	National Forestry Initiative	Ac	1331.61	PR	100
384	EQIP	Woody Residue Treatment	Orchard and/or Vineyard. Prunings/Removals	Ac	157.84	PR	100
384	EQIP	Woody Residue Treatment	Restoration / Conservation Treatment following Catastrophic Events	Ac	550.82	PR	100
384	EQIP	Woody Residue Treatment	Chipping	Ac	348.71	PR	100
384	EQIP	Woody Residue Treatment	Woody Residue/Silvicultural Slash Treatment, Light Treatment	Ac	175.24	PR	100
384	EQIP	Woody Residue Treatment	Forest Slash Treatment, Medium/Heavy Treatment	Ac	303.84	PR	100
384	EQIP	Woody Residue Treatment	Pile and Burn	Ac	295.31	PR	100
384	EQIP	Woody Residue Treatment	Consolidated Slash, Pile, Mechanical, no burning	Ac	68.83	PR	100
384	EQIP	Woody Residue Treatment	Consolidated Slash, Pile, Hand, no burning	Ac	97.88	PR	100
386	EQIP	Field Border	Native, includes Foregone Income	Ac	254.23	PR	100
386	EQIP	Field Border	Introduced, includes Foregone Income	Ac	261.65	PR	100
386	EQIP	Field Border	Pollinator, includes Foregone Income	Ac	396.99	PR	100
386	EQIP	Field Border	Tree, includes Foregone Income	Ac	259.61	PR	100
386	EQIP	Field Border	Organic Seed, includes Foregone Income	Ac	327.3	PR	100
386	EQIP	Field Border	Native	Ac	196.13	PR	100
386	EQIP	Field Border	Introduced	Ac	107.75	PR	100
386	EQIP	Field Border	Pollinator	Ac	226.37	PR	100
386	EQIP	Field Border	Tree	Ac	88.98	PR	100
386	EQIP	Field Border	Organic Seed	Ac	126.43	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, less than 2.5 cubic feet per second	LnFt	.92	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, 2.5 to 10 cubic feet per second	LnFt	1.5	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, 10 to 20 cubic feet per second	LnFt	2.45	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, greater than 20 cubic feet per second	LnFt	3.61	PR	100
390	EQIP	Riparian Herbaceous Cover	Aquatic Wildlife	Ac	3155.43	PR	100
390	EQIP	Riparian Herbaceous Cover	Plugging and Seeding	Ac	3388.25	PR	100
390	EQIP	Riparian Herbaceous Cover	Warm Season Grass with Forbs	Ac	2250.06	PR	100
390	EQIP	Riparian Herbaceous Cover	Cool Season Grasses with Forbs	Ac	683.29	PR	100
390	EQIP	Riparian Herbaceous Cover	Sedge Mat, Basic	Ac	10751.28	PR	100
390	EQIP	Riparian Herbaceous Cover	Sedge Mat, Cuttings and Sisal Twine	Ac	14105.49	PR	100
391	EQIP	Riparian Forest Buffer	Seedings	Ac	146.69	PR	100
391	EQIP	Riparian Forest Buffer	Cuttings with Protection Tubes	Ac	4131.81	PR	100
391	EQIP	Riparian Forest Buffer	Bare-root, Hand Planted with Protection Tubes	Ac	1647.89	PR	100
391	EQIP	Riparian Forest Buffer	Bare-root, Machine Planted with Protection Tubes	Ac	1032.59	PR	100
391	EQIP	Riparian Forest Buffer	Per Plant, Trees and/or Shrub, Hand Planted with Protection Tubes	Ea	9.49	PR	100
391	EQIP	Riparian Forest Buffer	Per Plant, Trees and/or Shrub, Machine Planted with Protection Tubes	Ea	7.35	PR	100
393	EQIP	Filter Strip	Native Species, includes Foregone Income	Ac	254.23	PR	100
393	EQIP	Filter Strip	Introduced Species, includes Foregone Income	Ac	225.57	PR	100
393	EQIP	Filter Strip	Native Species with Land Shaping, includes Foregone Income	Ac	394.86	PR	100
393	EQIP	Filter Strip	Introduced Species with Land Shaping, includes Foregone Income	Ac	366.21	PR	100
393	EQIP	Filter Strip	Native Species	Ac	106.55	PR	100
393	EQIP	Filter Strip	Introduced Species	Ac	77.89	PR	100
393	EQIP	Filter Strip	Native Species with Land Shaping	Ac	247.19	PR	100
393	EQIP	Filter Strip	Introduced Species with Land Shaping	Ac	218.54	PR	100
394	EQIP	Firebreak	Constructed, Light Equipment	Ft	.17	PR	100
394	EQIP	Firebreak	Constructed, Medium Equipment, Flat to Medium Slopes	Ft	2.64	PR	100
394	EQIP	Firebreak	Constructed, Medium Equipment, Steep Slopes	Ft	8.48	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
394	EQIP	Firebreak	Constructed, Wide, Bladed or Disked	Ft	2.71	PR	100
394	EQIP	Firebreak	Vegetated, Permanent	Ft	.91	PR	100
395	EQIP	Stream Habitat Improvement and Management	Riparian Zone Improvement-Forested	Ac	5772.85	PR	100
395	EQIP	Stream Habitat Improvement and Management	Instream wood placement	Ea	12639.32	PR	100
395	EQIP	Stream Habitat Improvement and Management	Instream rock placement	Ea	9994.28	PR	100
395	EQIP	Stream Habitat Improvement and Management	Instream rock placement, Wetland Sedge Mat, Cuttings and Sisal Twine	Ea	10811.83	PR	100
395	EQIP	Stream Habitat Improvement and Management	Rock and wood structures	Ea	20199.91	PR	100
395	EQIP	Stream Habitat Improvement and Management	Fish Barrier	CuYd	1301.4	PR	100
396	EQIP	Aquatic Organism Passage	Concrete Dam Removal	CuYd	110.32	PR	100
396	EQIP	Aquatic Organism Passage	Earthen Dam Removal	CuYd	48.09	PR	100
396	EQIP	Aquatic Organism Passage	Blockage Removal	CuYd	36.39	PR	100
396	EQIP	Aquatic Organism Passage	Nature-Like Fishway	Ac	71228.87	PR	100
396	EQIP	Aquatic Organism Passage	Corrugated Metal Pipe (CMP) Culvert	Ea	22544.75	PR	100
396	EQIP	Aquatic Organism Passage	Bottomless Culvert	CuYd	423.08	PR	100
396	EQIP	Aquatic Organism Passage	Concrete Box Culvert	SqFt	27.02	PR	100
396	EQIP	Aquatic Organism Passage	Bridge	LnFt	2180.3	PR	100
396	EQIP	Aquatic Organism Passage	Concrete Ladder	VFt	10159.19	PR	100
396	EQIP	Aquatic Organism Passage	Complex Denil	VFt	54225.44	PR	100
396	EQIP	Aquatic Organism Passage	Alaskan Steeppass	VFt	9501.58	PR	100
396	EQIP	Aquatic Organism Passage	Low Water Crossing	CuYd	494.88	PR	100
396	EQIP	Aquatic Organism Passage	Paddlewheel Screen	CFS	6285.51	PR	100
396	EQIP	Aquatic Organism Passage	Rotating Drum Screen	CFS	749.64	PR	100
396	EQIP	Aquatic Organism Passage	Short Alaskan Steeppass	VFt	3114.91	PR	100
402	EQIP	Dam	Pipe Principal Spillway, Corrugated Metal Pipe (CMP)	CuYd	10.55	PR	100
402	EQIP	Dam	Pipe Principal Spillway, Reinforced Concrete	CuYd	12.39	PR	100
410	EQIP	Grade Stabilization Structure	Check Dams	Ton	29.14	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, with a Principal Spillway Pipe less than or equal to 6 inches	CuYd	3.9	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, with a Principal Spillway Pipe 8 to 12 inches	CuYd	4.53	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, with a Principal Spillway Pipe greater than 12 inches	CuYd	5.68	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, Soil Treatment	CuYd	6.86	PR	100
410	EQIP	Grade Stabilization Structure	Pipe Drop, Plastic	SqFt	18.91	PR	100
410	EQIP	Grade Stabilization Structure	Pipe Drop, Steel	SqFt	11.29	PR	100
410	EQIP	Grade Stabilization Structure	Weir Drop Structures	SqFt	65.05	PR	100
410	EQIP	Grade Stabilization Structure	Rock Drop Structures	SqFt	51.68	PR	100
410	EQIP	Grade Stabilization Structure	Log Drop Structures	Ea	3702.63	PR	100
410	EQIP	Grade Stabilization Structure	Rock Chute	CuYd	65.44	PR	100
410	EQIP	Grade Stabilization Structure	Grade Control, Large	CuYd	1147.23	PR	100
410	EQIP	Grade Stabilization Structure	Concrete Block	SqFt	145.58	PR	100
412	EQIP	Grassed Waterway	Base Waterway	Ac	2675.05	PR	100
412	EQIP	Grassed Waterway	With Checks	Ac	3256.16	PR	100
422	EQIP	Hedgerow Planting	Pollinator Habitat	Ft	.87	PR	100
422	EQIP	Hedgerow Planting	Contour	Ft	.97	PR	100
422	EQIP	Hedgerow Planting	Contour, Exotic Grass	Ft	2.06	PR	100
422	EQIP	Hedgerow Planting	Wildlife, Warm Season Grass	Ft	1.97	PR	100
422	EQIP	Hedgerow Planting	Wildlife, Machine Plant Woody Species	Ft	1.06	PR	100
422	EQIP	Hedgerow Planting	Wildlife, Cool Season Grass	Ft	.88	PR	100
428	EQIP	Irrigation Ditch Lining	Concrete Lining	SqYd	8.63	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
428	EQIP	Irrigation Ditch Lining	Flexible Lining	SqYd	7.19	PR	100
428	EQIP	Irrigation Ditch Lining	Buried Flexible Liner	SqYd	12.79	PR	100
428	EQIP	Irrigation Ditch Lining	GCL Liner	SqYd	11.97	PR	100
430	EQIP	Irrigation Pipeline	Polyvinyl Chloride (PVC)	Lb	1.56	PR	100
430	EQIP	Irrigation Pipeline	High Density Polyethylene (HDPE)	Lb	1.97	PR	100
430	EQIP	Irrigation Pipeline	Surface High Density Polyethylene (HDPE)	Lb	2.17	PR	100
430	EQIP	Irrigation Pipeline	High Density Polyethylene (HDPE), Corrugated Plastic Pipe	Lb	1.83	PR	100
430	EQIP	Irrigation Pipeline	Steel	Lb	1.31	PR	100
430	EQIP	Irrigation Pipeline	Surface Steel	Lb	1.28	PR	100
430	EQIP	Irrigation Pipeline	Steel, Corrugated Steel Pipe	Lb	.85	PR	100
430	EQIP	Irrigation Pipeline	Surface Aluminum	Lb	3.72	PR	100
430	EQIP	Irrigation Pipeline	Alfalfa Valve, less than or equal to 8 inch	Ea	283.61	PR	100
430	EQIP	Irrigation Pipeline	Alfalfa Valve, greater than or equal to 10 inch	Ea	431.07	PR	100
430	EQIP	Irrigation Pipeline	Horizontal Boring	Ft	85.97	PR	100
436	EQIP	Irrigation Reservoir	Embankment Dam, with On-Site Borrow	CuYd	3.75	PR	100
436	EQIP	Irrigation Reservoir	Earthen Reservoir	CuYd	3.04	PR	100
436	EQIP	Irrigation Reservoir	Excavated Tailwater Pit	CuYd	1.61	PR	100
436	EQIP	Irrigation Reservoir	Steel Tank	Gal	1.06	PR	100
436	EQIP	Irrigation Reservoir	Plastic Tank	Gal	1.04	PR	100
436	EQIP	Irrigation Reservoir	Fiberglass Tank	Gal	.81	PR	100
441	EQIP	Irrigation System, Microirrigation	Subsurface Drip Irrigation (SDI)	Ac	1255.73	PR	100
441	EQIP	Irrigation System, Microirrigation	Surface drip tubing Vineyard	Ac	1724.91	PR	100
441	EQIP	Irrigation System, Microirrigation	Micro-jet	Ac	2015.31	PR	100
441	EQIP	Irrigation System, Microirrigation	Shelterbelt Drip	SqFt	.04	PR	100
441	EQIP	Irrigation System, Microirrigation	Orchard System	Ac	3044.77	PR	100
441	EQIP	Irrigation System, Microirrigation	High Tunnel	SqFt	.22	PR	100
441	EQIP	Irrigation System, Microirrigation	Truck Garden	Ac	1784.33	PR	100
442	EQIP	Sprinkler System	Center Pivot, less than 600 feet	Ac	1382.81	PR	100
442	EQIP	Sprinkler System	Center Pivot, 600 to 800 feet	Ac	1030.72	PR	100
442	EQIP	Sprinkler System	Center Pivot, 801 to 1,200 feet	Ac	682.79	PR	100
442	EQIP	Sprinkler System	Center Pivot, >/=1,200 feet	Ac	526.57	PR	100
442	EQIP	Sprinkler System	Linear Move System	LnFt	71.38	PR	100
442	EQIP	Sprinkler System	Wheel Line System	LnFt	12.38	PR	100
442	EQIP	Sprinkler System	Pod System	Ea	200.89	PR	100
442	EQIP	Sprinkler System	Renovation of Existing Sprinkler System	LnFt	4.64	PR	100
442	EQIP	Sprinkler System	Handline	Ft	3.05	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Surge Valve with Controller	Ea	1670.74	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Aluminum Gated Pipe	Lb	4	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Aluminum Gated Pipe and Surge Valve with Controller	Lb	4.74	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Polyvinyl Chloride (PVC) Gated Pipe	Lb	1.17	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Polyvinyl Chloride (PVC) Gated Pipe and Surge Valve with Controller	Lb	1.66	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Polyethylene (PE) Irrigation Tubing	Lb	2.13	PR	100
449	EQIP	Irrigation Water Management	Basic IWM or High Tunnel	Ea	260.02	PR	100
449	EQIP	Irrigation Water Management	Basic IWM, Contracted	Ea	475.04	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM, Year 1	Ea	897.57	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM, Years 2 and 3	Ea	416.04	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM, Year 1, Contracted	Ea	1184.25	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
449	EQIP	Irrigation Water Management	Intermediate IWM, Years 2 and 3, Contracted	Ea	702.72	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Year 1	Ea	2760.92	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Years 2 and 3	Ea	416.04	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Year 1, Contracted	Ea	3190.94	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Years 2 and 3, Contracted	Ea	846.06	PR	100
449	EQIP	Irrigation Water Management	Basic Orchard or Truck Garden	Ea	937.12	PR	100
449	EQIP	Irrigation Water Management	Orchard/Truck Garden with Weather Station	Ea	3111.01	PR	100
450	EQIP	Anionic Polyacrylamide (PAM) Application	Anionic Polyacrylamide (PAM) Application	Lb	1.35	PR	100
460	EQIP	Land Clearing	NON-Heavy Equipment	Ac	505.36	PR	100
460	EQIP	Land Clearing	Heavy Equipment	Ac	716.4	PR	100
462	EQIP	Precision Land Forming	Minor Shaping	Ac	312.7	PR	100
462	EQIP	Precision Land Forming	Site Stabilization	CuYd	1.6	PR	100
462	EQIP	Precision Land Forming	Shaping Existing Feedlot	Ac	3091.92	PR	100
462	EQIP	Precision Land Forming	Shaping New or Relocated Feedlot	Ac	3050.61	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land Leveling (cubic Yard)	CuYd	1.59	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land Leveling (acre)	Ac	650.36	PR	100
468	EQIP	Lined Waterway or Outlet	Turf Reinforced Matting	SqFt	.55	PR	100
468	EQIP	Lined Waterway or Outlet	Rock Lined, 12-inch	SqFt	1.8	PR	100
468	EQIP	Lined Waterway or Outlet	Rock Lined, 24-inch	SqFt	3.96	PR	100
468	EQIP	Lined Waterway or Outlet	Concrete	SqFt	2.24	PR	100
468	EQIP	Lined Waterway or Outlet	Membrane	SqFt	5.04	PR	100
468	EQIP	Lined Waterway or Outlet	Concrete Block	SqFt	3.33	PR	100
472	EQIP	Access Control	Forest/Farm Access Control	Ft	.11	PR	100
472	EQIP	Access Control	Monitoring	Ac	24.67	PR	100
484	EQIP	Mulching	Natural Material, Full Coverage	Ac	264.46	PR	100
484	EQIP	Mulching	Natural Material, Partial Coverage	Ac	38.34	PR	100
484	EQIP	Mulching	Erosion Control Blanket, Short Term	SqFt	.1	PR	100
484	EQIP	Mulching	Synthetic Material	Ac	1151.52	PR	100
484	EQIP	Mulching	Tree and Shrub	SqFt	.18	PR	100
484	EQIP	Mulching	Orchards	Ac	1373.3	PR	100
484	EQIP	Mulching	Erosion Control Blanket, Extended Term	SqFt	.86	PR	100
490	EQIP	Tree/Shrub Site Preparation	Mechanical, Heavy	Ac	183.83	PR	100
490	EQIP	Tree/Shrub Site Preparation	Mechanical, Light	Ac	86.07	PR	100
490	EQIP	Tree/Shrub Site Preparation	Chemical, Ground Application	Ac	132.56	PR	100
490	EQIP	Tree/Shrub Site Preparation	Chemical, Aerial Application	Ac	43.92	PR	100
490	EQIP	Tree/Shrub Site Preparation	Chemical, Hand Application	Ac	71.51	PR	100
490	EQIP	Tree/Shrub Site Preparation	Site Preparation, Windbreak	Ac	171.13	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Brush and Trees, less than 6-inch diameter	Ac	886.07	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Brush and Trees, greater than 6-inch diameter	Ac	1943.66	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Fence	LnFt	.73	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Rock and/or Boulders	CuYd	90	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Steel and/or Concrete Structures	SqFt	10.65	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Wood Structures	SqFt	5.55	PR	100
500	EQIP	Obstruction Removal	Feedlot Fence Removal	LnFt	5.15	PR	100
511	EQIP	Forage Harvest Management	Improved Forage Quality	Ac	1.37	PR	100
511	EQIP	Forage Harvest Management	Organic Preemptive Harvest	Ac	50.96	PR	100
511	EQIP	Forage Harvest Management	Perennial Crops, Delayed Mowing	Ac	60.1	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
511	EQIP	Forage Harvest Management	Perennial Crop, Directed Mowing	Ac	32.17	PR	100
512	EQIP	Forage and Biomass Planting	Seedbed Preparation, Seed and Seeding, Introduced Perennial Cool Season Grasses with Legume	Ac	66.25	PR	100
512	EQIP	Forage and Biomass Planting	Pollinator Planting	Ac	199.09	PR	100
512	EQIP	Forage and Biomass Planting	Shrub Establishment, Sprigging	Ac	2460.92	PR	100
516	EQIP	Livestock Pipeline	Polyvinyl Chloride (PVC)	Ft	1.78	PR	100
516	EQIP	Livestock Pipeline	High Density Polyethylene (HDPE)	LnFt	1.82	PR	100
516	EQIP	Livestock Pipeline	Surface High Density Polyethylene (HDPE)	LnFt	1.02	PR	100
516	EQIP	Livestock Pipeline	Steel	LnFt	4.47	PR	100
516	EQIP	Livestock Pipeline	Surface Steel	LnFt	3.48	PR	100
516	EQIP	Livestock Pipeline	Below Frost Line, High Density Polyethylene (HDPE)	Ft	2.57	PR	100
516	EQIP	Livestock Pipeline	Below Frost Line, Polyvinyl Chloride (PVC)	Ft	2.3	PR	100
516	EQIP	Livestock Pipeline	Adverse Conditions, HDPE	LnFt	4.58	PR	100
516	EQIP	Livestock Pipeline	Horizontal Boring	LnFt	36.41	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane, Uncovered without Liner Drainage or Venting	SqYd	9.7	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane, Uncovered with Liner Drainage and Venting	SqYd	14.29	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane, Covered without Liner Drainage or Venting	SqYd	10.55	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane, Covered with Liner Drainage and Venting	SqYd	15.26	PR	100
521C	EQIP	Pond Sealing or Lining, Bentonite Sealant	Bentonite Treatment, Covered	SqFt	1.08	PR	100
521D	EQIP	Pond Sealing or Lining, Compacted Clay Treatment	Material Haul, less than or equal to 1 Mile	CuYd	9.32	PR	100
521D	EQIP	Pond Sealing or Lining, Compacted Clay Treatment	Material Haul, greater than 1 Mile	CuYd	134.42	PR	100
521D	EQIP	Pond Sealing or Lining, Compacted Clay Treatment	Ag Waste Liner	CuYd	8.83	PR	100
528	EQIP	Prescribed Grazing	Range, Standard (cap of \$10K/yr, 3 yr max of \$30K)	Ac	1.28	PR	100
528	EQIP	Prescribed Grazing	Range, Intensive (cap of \$10K/yr, 3 yr max of \$30K)	Ac	3.45	PR	100
528	EQIP	Prescribed Grazing	Habitat Management, Standard (cap of \$10K/yr, 3 yr max of \$30K)	Ac	2.07	PR	100
528	EQIP	Prescribed Grazing	Habitat Management, Rest Rotation (cap of \$10K/yr, 3 yr max of \$30K)	Ac	5.02	PR	100
528	EQIP	Prescribed Grazing	Pasture, Standard (cap of \$10K/yr, 3 yr max of \$30K)	Ac	4.74	PR	100
528	EQIP	Prescribed Grazing	Pasture Intensive (cap of \$10K/yr, 3 yr max of \$30K)	Ac	18.83	PR	100
528	EQIP	Prescribed Grazing	Range, Deferment (cap of \$10K/yr, 3 yr max of \$30K)	Ac	3.82	PR	100
528	EQIP	Prescribed Grazing	Animal Health and Disease Prevention (cap of \$10K/yr, 3 yr max of \$30K)	Ac	5.59	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump, less than or equal to 3 Horse Power	HP	1260.8	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump, less than or equal to 3 Horse Power with Pressure Tank	HP	1596.46	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump, greater than 3 to 10 Horse Power	HP	397.57	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump, greater than 10 to 30 Horse Power	HP	218.88	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump, greater than 30 Horse Power	HP	200.53	PR	100
533	EQIP	Pumping Plant	Variable Frequency Drive	HP	181.03	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump, less than or equal to 7½ Horse Power	HP	543.84	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump, greater than 7½ to 75 Horse Power	HP	478.18	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump, greater than 75 Horse Power	HP	288.16	PR	100
533	EQIP	Pumping Plant	Windmill-Powered Pump	Ft	741.13	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump, less than or equal to 250 ft total head	Ea	4340.88	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump, 251 to 400 ft total head	Ea	6666.21	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump, greater than 400 ft total head	Ea	8991.54	PR	100
533	EQIP	Pumping Plant	Water Ram Pump	In	720.65	PR	100
533	EQIP	Pumping Plant	Livestock Nose Pump	Ea	666.59	PR	100
533	EQIP	Pumping Plant	Turbine Pump Bowl Replacement	HP	130.65	PR	100
533	EQIP	Pumping Plant	Lagoon PTO	Ea	10619.12	PR	100
548	EQIP	Grazing Land Mechanical Treatment	Range, Mechanical Treatment	Ac	17.28	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
548	EQIP	Grazing Land Mechanical Treatment	Pastureland, Mechanical Treatment	Ac	23.19	PR	100
550	EQIP	Range Planting	Native, Standard Preparation	Ac	123.32	PR	100
550	EQIP	Range Planting	Native, Heavy Preparation	Ac	130.88	PR	100
550	EQIP	Range Planting	Native, Wildlife or Pollinator	Ac	488.49	PR	100
558	EQIP	Roof Runoff Structure	Concrete Curb	LnFt	7.77	PR	100
558	EQIP	Roof Runoff Structure	Trench Drain	LnFt	7.96	PR	100
558	EQIP	Roof Runoff Structure	4- to 6-Inch Aluminum Roof Gutter	LnFt	8.06	PR	100
558	EQIP	Roof Runoff Structure	7- to 9-Inch Aluminum Roof Gutter	LnFt	21.22	PR	100
558	EQIP	Roof Runoff Structure	4- to 6-Inch Galvanized Steel Roof Gutter	LnFt	7.71	PR	100
558	EQIP	Roof Runoff Structure	7- to 9-Inch Galvanized Steel Roof Gutter	LnFt	22.03	PR	100
560	EQIP	Access Road	New Earth Road in Dry, Level Terrain	LnFt	7.46	PR	100
560	EQIP	Access Road	New 6-inch Gravel Road in Wet, Level Terrain	LnFt	13.9	PR	100
560	EQIP	Access Road	Rehabilitation of Existing Earth Road in Dry, Level Terrain	LnFt	1.83	PR	100
560	EQIP	Access Road	Rehabilitation of Existing 6-inch Gravel Road in Wet, Level Terrain	LnFt	3.1	PR	100
560	EQIP	Access Road	New Earth Road in Dry, Sloped Terrain	LnFt	5.19	PR	100
560	EQIP	Access Road	New 6-inch Gravel Road in Wet, Sloped Terrain	LnFt	11.63	PR	100
560	EQIP	Access Road	Rehabilitation of Existing Earth Road in Wet, Sloped Terrain	LnFt	1.36	PR	100
560	EQIP	Access Road	Rehabilitation of Existing 6-inch Gravel Road in Wet, Sloped Terrain	LnFt	2.65	PR	100
561	EQIP	Heavy Use Area Protection	Reinforced Concrete with Sand or Gravel Foundation	SqFt	1.7	PR	100
561	EQIP	Heavy Use Area Protection	Rock and Gravel on Geotextile	SqFt	1.05	PR	100
561	EQIP	Heavy Use Area Protection	Rock and/or Gravel on GeoCell and Geotextile	SqFt	2.77	PR	100
561	EQIP	Heavy Use Area Protection	Fly Ash on Geotextile	SqFt	1.67	PR	100
561	EQIP	Heavy Use Area Protection	Bituminous Concrete Pavement	SqFt	2.14	PR	100
561	EQIP	Heavy Use Area Protection	Small Rock 1 to 4 Inches	SqFt	.87	PR	100
574	EQIP	Spring Development	Spring Development	Ea	2529.91	PR	100
575	EQIP	Trails and Walkways	Natural Trail or Walkway	SqFt	.19	PR	100
578	EQIP	Stream Crossing	Bridge	SqFt	36.56	PR	100
578	EQIP	Stream Crossing	Hard-armored Low-water Crossing	SqFt	3.09	PR	100
578	EQIP	Stream Crossing	Culvert Installation	DialnFt	2.74	PR	100
578	EQIP	Stream Crossing	Low-water Stream using Prefabricated Products	SqFt	5.69	PR	100
578	EQIP	Stream Crossing	Bridge, Double Tee Beam, Precast	LnFt	964.02	PR	100
578	EQIP	Stream Crossing	Bridge, Tri-Deck Beam, Precast	LnFt	1066.27	PR	100
580	EQIP	Streambank and Shoreline Protection	Bioengineered w/Vegetation (annual grasses/fescue/shrub/willow-cuttings,revetments,vertical bundles/bankf	LnFt	23.02	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Toewood w/Vegetation (large wood members w/root wads-bankfull bench construction/bank shap	LnFt	70.09	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Toerock w/Vegetation (bankfull bench construction/bank shaping/riparian-corridor revegetation/rc	LnFt	87.49	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Riprap w/Vegetation (bankfull bench construction/bank shaping/riparian-corridor revegetatio	CuYd	55.53	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Vane w/Vegetation (bankfull bench construction/bank shaping/riparian-corridor revegetation	LnFt	74.51	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Riprap Stream Barb with Vegetation	CuYd	58.94	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Vane w/Vegetation (bankfull bench construction/bank shaping/riparian-corridor revegetation	LnFt	56.33	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Toewood w/VESL (large wood members w/root wads-bankfull bench construction/bank shaping/rip	LnFt	83.09	PR	100
580	EQIP	Streambank and Shoreline Protection	Bioengineered with Vegetation, less than or equal to 50 cfs bankfull flow (annual grasses/ fescue/ shrub/ willo	LnFt	13.33	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, ToeRiprap w/Vegetation (bankfull bench construction/bank shaping/riparian-corridor revegetation,	LnFt	98.59	PR	100
582	EQIP	Open Channel	Excavation, Normal Conditions	CuYd	1.93	PR	100
582	EQIP	Open Channel	Excavation, Difficult Conditions	CuYd	2.58	PR	100
582	EQIP	Open Channel	Eexcavation and Fill, Normal Conditions	CuYd	5.22	PR	100
582	EQIP	Open Channel	Excavation and Fill, Difficult Conditions	CuYd	5.87	PR	100
582	EQIP	Open Channel	Less than 50 cfs Bankfull Channel Flow	LnFt	5.83	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
584	EQIP	Channel Bed Stabilization	Cross-Vane, Boulder (boulder or concrete or other fabricated materials)	CuYd	135.52	PR	100
584	EQIP	Channel Bed Stabilization	Cross-Vane, Log (wood and rock)	Ea	6126.2	PR	100
584	EQIP	Channel Bed Stabilization	Constructed Riffle, Rock Chute (rock, concrete or other fabricated materials and vegetation reclamation)	CuYd	49.08	PR	100
584	EQIP	Channel Bed Stabilization	Constructed Riffle, Rock Chute with 2 cross-vanes (rock, concrete or other fabricated materials and vegetation)	CuYd	98.73	PR	100
584	EQIP	Channel Bed Stabilization	Stream Restoration with Gravel	CuYd	34.14	PR	100
584	EQIP	Channel Bed Stabilization	Stream Restoration with Rock Structure	CuYd	52.98	PR	100
584	EQIP	Channel Bed Stabilization	Less than 50 cfs Bankfull Gravel Substrate	LnFt	3.51	PR	100
585	EQIP	Stripcropping	System for Control of Water Erosion	Ac	3.33	PR	100
585	EQIP	Stripcropping	System for Control of Wind Erosion	Ac	3.33	PR	100
587	EQIP	Structure for Water Control	InLET Flashboard Riser, Metal	DialnFt	2.68	PR	100
587	EQIP	Structure for Water Control	InLINE Flashboard Riser, Metal	DialnFt	2.83	PR	100
587	EQIP	Structure for Water Control	Commercial Inline Flashboard Riser	DialnFt	2.9	PR	100
587	EQIP	Structure for Water Control	Culvert, less than 30 inches High Density Polyethylene (HDPE)	DialnFt	1.5	PR	100
587	EQIP	Structure for Water Control	Culvert, Less than 30 inches Corrugated Metal Pipe (CMP)	DialnFt	1.71	PR	100
587	EQIP	Structure for Water Control	Slide Gate	Ft	1483.71	PR	100
587	EQIP	Structure for Water Control	Flap Gate	Ft	1281.25	PR	100
587	EQIP	Structure for Water Control	Flap Gate with Concrete Wall	CuYd	842.75	PR	100
587	EQIP	Structure for Water Control	Rock Checks for Water Surface Profile (WSP)	Ton	29.92	PR	100
587	EQIP	Structure for Water Control	In-Stream Structure for Water Surface Profile (WSP)	LnFt	179.23	PR	100
587	EQIP	Structure for Water Control	Ccorrugated Metal Pipe (CMP) Turnout	Ea	527.42	PR	100
587	EQIP	Structure for Water Control	Concrete Turnout Structure - Small	Ea	828.09	PR	100
587	EQIP	Structure for Water Control	Concrete Turnout Structure	Ea	2860.35	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Mechanical Index	In	144.34	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Electronic Index	In	274.52	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Electronic Index and Telemetry	In	349.98	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Extra Small	Ea	2781.71	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Small	Ea	5374.69	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Medium	Ea	8130.93	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Large	Ea	15914.01	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Very Large	CuYd	1166.92	PR	100
587	EQIP	Structure for Water Control	Wood Structure, Small	Ea	2474.86	PR	100
587	EQIP	Structure for Water Control	Concrete or Steel Pipe, greater than or equal to 30-inch diameter	DialnFt	2.59	PR	100
587	EQIP	Structure for Water Control	Stationary Screen	CFS	2283.5	PR	100
587	EQIP	Structure for Water Control	Active Screen	Ea	4365.65	PR	100
590	EQIP	Nutrient Management	Basic System (cap of \$10K/yr, 3 yr max of \$30K)	Ac	8.96	PR	100
590	EQIP	Nutrient Management	Organic Basic System (cap of \$10K/yr, 3 yr max of \$30K)	Ac	9.59	PR	100
590	EQIP	Nutrient Management	Small Farm/Diversified (cap of \$10K/yr, 3 yr max of \$30K)	Ea	390.59	PR	100
590	EQIP	Nutrient Management	Basic System with Manure (cap of \$10K/yr, 3 yr max of \$30K)	Ac	11.4	PR	100
590	EQIP	Nutrient Management	Enhanced System (cap of \$10K/yr, 3 yr max of \$30K)	Ac	31.26	PR	100
590	EQIP	Nutrient Management	Precision System (cap of \$10K/yr, 3 yr max of \$30K)	Ac	33.28	PR	100
590	EQIP	Nutrient Management	Adaptive System (cap of \$10K/yr, 3 yr max of \$30K)	Ea	715.48	PR	100
595	EQIP	Integrated Pest Management	Basic, Field, ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ac	11.83	PR	100
595	EQIP	Integrated Pest Management	Basic IPM, Field, MORE than ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ac	15.95	PR	100
595	EQIP	Integrated Pest Management	Advanced, Field, All identified resource concerns (cap of \$10K/yr, 3 yr max of \$30K)	Ac	23.65	PR	100
595	EQIP	Integrated Pest Management	Basic, Fruit/Vegetable, ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ac	65.95	PR	100
595	EQIP	Integrated Pest Management	Basic, Fruit/Vegetable, MORE than ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ac	84.59	PR	100
595	EQIP	Integrated Pest Management	Advanced, Fruit/Vegetable, All identified resource concerns (cap of \$10K/yr, 3 yr max of \$30K)	Ac	129.04	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
595	EQIP	Integrated Pest Management	Basic, Orchard, ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ac	84.59	PR	100
595	EQIP	Integrated Pest Management	Basic, Orchard, MORE than ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ac	129.04	PR	100
595	EQIP	Integrated Pest Management	Advanced, Orchard, All identified resource concerns (cap of \$10K/yr, 3 yr max of \$30K)	Ac	197.17	PR	100
595	EQIP	Integrated Pest Management	Basic, Small or Diversified Systems (CSA, organic), Farm, ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ea	401.42	PR	100
595	EQIP	Integrated Pest Management	Basic, Small or Diversified Systems (CSA, organic), Farm, MORE than ONE resource concern (cap of \$10K/yr, 3 yr max of \$30K)	Ea	516.15	PR	100
595	EQIP	Integrated Pest Management	Advanced, Small or Diversified Systems (CSA, organic), Farm, All identified resource concerns (cap of \$10K/yr, 3 yr max of \$30K)	Ea	774.22	PR	100
595	EQIP	Integrated Pest Management	Risk Prevention, All identified resource concerns (cap of \$10K/yr, 3 yr max of \$30K)	Ac	103.97	PR	100
600	EQIP	Terrace	Broadbased	LnFt	1.65	PR	100
600	EQIP	Terrace	Flat Channel	LnFt	2.69	PR	100
600	EQIP	Terrace	Earthen Embankment with Channel constructed across One Relatively Flat 5:1 Slope and One Steep 2:1 Slope	LnFt	1.19	PR	100
600	EQIP	Terrace	Narrow Base, Less than 8 Percent Slope	LnFt	1.42	PR	100
600	EQIP	Terrace	Narrow Base, Greater than 8 Percent Slope	LnFt	1.51	PR	100
601	EQIP	Vegetative Barriers	Permanent Strips, 3- to 5-foot wide	SqFt	.04	PR	100
603	EQIP	Herbaceous Wind Barriers	Annual Species	Ft	.09	PR	100
603	EQIP	Herbaceous Wind Barriers	Perennial species	Ft	.1	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	5.71	PR	100
606	EQIP	Subsurface Drain	Enveloped Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	6.85	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, greater than or equal to 8-inch	Lb	2.58	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Twin-Wall, greater than or equal to 8-inch	Lb	3.31	PR	100
606	EQIP	Subsurface Drain	Pond Perimeter Drain	Ft	11.68	PR	100
607	EQIP	Surface Drainage, Field Ditch	Field Drainage Ditch	CuYd	1.74	PR	100
608	EQIP	Surface Drainage, Main or Lateral	Main or Lateral Drainage Ditch	CuYd	1.75	PR	100
612	EQIP	Tree/Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted	Ea	.4	PR	100
612	EQIP	Tree/Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted with Protection Tubes	Ea	2.18	PR	100
612	EQIP	Tree/Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted, Moderate Browse Areas, Alternative Protection (non-tube)	Ea	.71	PR	100
612	EQIP	Tree/Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted, High Browse Areas, Alternative Protection (non-tube)	Ea	1.27	PR	100
612	EQIP	Tree/Shrub Establishment	Bare-root Hardwood, Hand Planted with Protection Tubes	Ac	485.63	PR	100
612	EQIP	Tree/Shrub Establishment	1-gallon Hardwood, Hand Planted	Ac	1217.52	PR	100
612	EQIP	Tree/Shrub Establishment	Shrub Planting	Ac	172.58	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, less than 500 Gallons	Gal	2.54	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, 500 to 1,000 Gallons	Gal	2.01	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, 1,000 to 5,000 Gallons	Gal	1.79	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, greater than 5,000 Gallons	Gal	.68	PR	100
614	EQIP	Watering Facility	Winter, with Storage	Gal	3.19	PR	100
614	EQIP	Watering Facility	Storage Tank	Gal	.88	PR	100
614	EQIP	Watering Facility	Automatic or Winter, No Storage, less than 450 Gallons	Ea	910.45	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 6-inch	LnFt	5.84	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 6-inch, with Riser	LnFt	4.56	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch	LnFt	7.64	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch, with Riser	LnFt	8.76	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 12-inch to less than or equal to 18-inch	LnFt	14.82	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 18-inch to less than or equal to 24-inch	LnFt	22.37	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 24-inch to less than or equal to 30-inch	LnFt	30.85	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 4-inch with Riser	LnFt	3.86	PR	100
632	EQIP	Waste Separation Facility	Mechanical Separation, General	Ea	22944.59	PR	100
632	EQIP	Waste Separation Facility	Mechanical Separation, Screw Press	Ea	32243.85	PR	100
632	EQIP	Waste Separation Facility	Earthen Settling Structure, less than or equal to 0.5 ac-ft design storage	CuFt	.43	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
632	EQIP	Waste Separation Facility	Earthen Settling Structure, greater than 0.5 ac-ft design storage	CuFt	.19	PR	100
632	EQIP	Waste Separation Facility	Concrete Basin	CuFt	3.59	PR	100
632	EQIP	Waste Separation Facility	Concrete Sand Settling Lane	SqFt	3.4	PR	100
634	EQIP	Waste Transfer	Wastewater Catch Basin, less than 1,000 gallons	Gal	5.12	PR	100
634	EQIP	Waste Transfer	Wastewater Reception Pit or Basin, 1,000 to 5,000 gallons	Gal	2.13	PR	100
634	EQIP	Waste Transfer	Wastewater Reception Pit, greater than 5,000 gallons	Gal	1.59	PR	100
634	EQIP	Waste Transfer	Medium-sized Wastewater Reception Basin, with 6-inch Conduit Transfer Pipe to Waste Storage Pond	Gal	2.69	PR	100
634	EQIP	Waste Transfer	Large-sized Wastewater Reception Basin, with 8-inch Conduit Transfer Pipe to Site for Waste Treatment then	Gal	2.13	PR	100
634	EQIP	Waste Transfer	Concrete Channel	SqFt	5.4	PR	100
634	EQIP	Waste Transfer	Concrete Channel, with Push-off Wall at Pond and Safety Gate	SqFt	9.34	PR	100
634	EQIP	Waste Transfer	Concrete Channel, Transfer to Medium-sized Wastewater Basin	SqFt	12.79	PR	100
634	EQIP	Waste Transfer	Concrete Channel, Transfer to Medium-sized Wastewater Basin then through a 6-inch Pipe to Waste Storage P	SqFt	15.42	PR	100
634	EQIP	Waste Transfer	Small Manure Flush System, less than 1,000- gallon Cycle, Transferring Waste to a Waste Storage Pond through	Gal	9.59	PR	100
634	EQIP	Waste Transfer	Wastewater Flush Transfer System, Pipes only	Ft	39.34	PR	100
634	EQIP	Waste Transfer	Hopper Inlet, with 24-inch Diameter Gravity Pipeline to Waste Storage Facility	Ft	80.71	PR	100
634	EQIP	Waste Transfer	Gravity Flow, 30-inch Diameter Conduit attached to an Existing Inlet Structure	Ft	57.01	PR	100
634	EQIP	Waste Transfer	Low-pressure Flow, 12-inch Polyvinyl Chloride (PVC) Conduit	Ft	31.47	PR	100
634	EQIP	Waste Transfer	Low-pressure Flow, 10-inch Polyvinyl Chloride (PVC) Pipeline from Waste Storage Pond to Waste Application S	Ft	17.49	PR	100
634	EQIP	Waste Transfer	Pressure Pipe at Headquarters	Ft	15.1	PR	100
634	EQIP	Waste Transfer	Pressure Flow through Pipeline from Waste Storage Pond to Waste Application Site	Ft	6.96	PR	100
634	EQIP	Waste Transfer	Conveyor System	Ft	48.97	PR	100
634	EQIP	Waste Transfer	Agitator, Small, Used for Mixing a Basin or Pit, less than 10-foot depth	Ea	8745.37	PR	100
634	EQIP	Waste Transfer	Agitator, Medium, Used for Mixing a Basin, 10- to 15-foot depth	Ea	13498.15	PR	100
634	EQIP	Waste Transfer	Agitator, Large, Used for Mixing a Tank, greater than 15-foot depth	Ea	19732.61	PR	100
634	EQIP	Waste Transfer	Hard-hose Reel System	Ea	35793.27	PR	100
634	EQIP	Waste Transfer	Hard-hose Reel System with Booster incorporated into Traveler	Ea	43906.29	PR	100
636	EQIP	Water Harvesting Catchment	Surface Catchment	SqYd	46.69	PR	100
636	EQIP	Water Harvesting Catchment	Elevated Catchment	SqYd	118.64	PR	100
638	EQIP	Water & Sediment Control Basin	WASCOB, Basic	CuYd	1.19	PR	100
638	EQIP	Water & Sediment Control Basin	WASCOB, Topsoil	CuYd	5.21	PR	100
642	EQIP	Water Well	Dug Well	Ea	5514.31	PR	100
642	EQIP	Water Well	Shallow Well, 100-foot depth or less	LnFt	39.38	PR	100
642	EQIP	Water Well	Typical Well, 100- to 600-foot depth with 4-inch Casing	LnFt	31.14	PR	100
642	EQIP	Water Well	Typical Well, 600- to 1000-foot depth with 6-inch Casing	LnFt	31.16	PR	100
642	EQIP	Water Well	Deep Well, 1000-foot depth or greater with 4-inch Casing	LnFt	25.91	PR	100
642	EQIP	Water Well	Deep Well, 1000-foot depth or greater with 6-inch Casing	LnFt	39.28	PR	100
642	EQIP	Water Well	High Volume Shallow Well	LnFt	83.61	PR	100
642	EQIP	Water Well	High Volume Typical Well	Ea	33091.91	PR	100
642	EQIP	Water Well	Deep Well, Reduced Casing Diameter	Ea	16709.23	PR	100
643	EQIP	Restoration and Management of Rare and Declining Habitats	Monitoring and Management, Medium Intensity and Complexity, Includes Foregone Income for Crop Land	Ac	62.09	PR	100
643	EQIP	Restoration and Management of Rare and Declining Habitats	Monitoring and Management, Medium Intensity and Complexity, Includes Foregone Income for Grazing Land	Ac	18.13	PR	100
643	EQIP	Restoration and Management of Rare and Declining Habitats	Topographic Feature Creation, Low Intensity and Complexity, No Foregone Income	Ac	77.92	PR	100
643	EQIP	Restoration and Management of Rare and Declining Habitats	Topographic Feature Creation, Medium Intensity and Complexity, No Foregone Income	Ac	434.53	PR	100
644	EQIP	Wetland Wildlife Habitat Management	Monitoring and Management	Ac	187.33	PR	100
644	EQIP	Wetland Wildlife Habitat Management	Topographic Feature Creation	Ac	224.49	PR	100
645	EQIP	Upland Wildlife Habitat Management	Lek Monitoring	Ea	437.15	PR	100
645	EQIP	Upland Wildlife Habitat Management	Annual Food Plot	Ac	218.82	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
645	EQIP	Upland Wildlife Habitat Management	Snag Creation, TreeTopping Or Tree Girdling	Ac	105.83	PR	100
646	EQIP	Shallow Water Development and Management	Basic Shallow Water Management	Ac	47.56	PR	100
646	EQIP	Shallow Water Development and Management	High Level Shallow Water Management	Ac	123.58	PR	100
647	EQIP	Early Successional Habitat Development and Management	Mowing	Ac	165.42	PR	100
647	EQIP	Early Successional Habitat Development and Management	Disking	Ac	69.29	PR	100
649	EQIP	Structures for Wildlife	Nesting Boxes with pole and predator guard	Ea	133.66	PR	100
649	EQIP	Structures for Wildlife	Nesting Boxes with pole, NO predator guard	Ea	240.49	PR	100
649	EQIP	Structures for Wildlife	Nesting and Rearing Box without pole	Ea	37.3	PR	100
649	EQIP	Structures for Wildlife	Raptor Perch Pole	Ea	571.93	PR	100
649	EQIP	Structures for Wildlife	Burrowing Owl Burrow	Ea	422.48	PR	100
649	EQIP	Structures for Wildlife	3-Lunker Structure Unit	Ea	2630.77	PR	100
649	EQIP	Structures for Wildlife	Brush and Rock Piles, Small	Ea	23.18	PR	100
649	EQIP	Structures for Wildlife	Wildlife Structures of Low Intensity with Low Complexity	Ac	24.67	PR	100
649	EQIP	Structures for Wildlife	Wildlife Structures of Medium Intensity and Medium Complexity	Ac	54.41	PR	100
649	EQIP	Structures for Wildlife	Wildlife Structures of High Intensity and High Complexity	Ac	110.9	PR	100
649	EQIP	Structures for Wildlife	Fence Markers, Vinyl Undersill	LnFt	.09	PR	100
649	EQIP	Structures for Wildlife	Escape Ramp	Ea	54.78	PR	100
649	EQIP	Structures for Wildlife	Wildlife Friendly Fence Retrofit with Fence Markers	LnFt	1.17	PR	100
649	EQIP	Structures for Wildlife	Wildlife Friendly Fence Retrofit, Replacement of Wire Only with Fence Markers	LnFt	.8	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Sod Release	LnFt	.07	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Thinning	LnFt	.54	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Pruning	LnFt	.47	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Tree/Shrub Removal with Chainsaw	LnFt	.47	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Removal with Skidsteer, less than or equal to 8-inch Tree Diameter at Breast Height (DBH)	LnFt	.99	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Removal with Dozer, greater than 8-inch Tree Diameter at Breast Height (DBH)	LnFt	1.49	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Supplemental Plantings, Container (partial windbreak)	Ea	3.8	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Supplemental Plantings, Bare-root (partial windbreak)	Ea	3.66	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Coppicing	LnFt	.68	PR	100
655	EQIP	Forest Trails and Landings	Trail Layout	Ft	.11	PR	100
655	EQIP	Forest Trails and Landings	Trail and Landing Installation	Ft	1.65	PR	100
655	EQIP	Forest Trails and Landings	Trail Erosion Control without Vegetation, Slopes less than or equal to 35 percent	Ft	2.66	PR	100
655	EQIP	Forest Trails and Landings	Trail Erosion Control without Vegetation, Slopes greater than 35 percent	Ft	16.85	PR	100
655	EQIP	Forest Trails and Landings	Grading and Shaping with Vegetative Establishment	Ft	2.69	PR	100
655	EQIP	Forest Trails and Landings	Temporary Stream Crossing	Ea	718.48	PR	100
656	EQIP	Constructed Wetland	Tailwater Runoff Wetland, Small, less than 0.1 acre	SqFt	1	PR	100
656	EQIP	Constructed Wetland	Tailwater Runoff Wetland, Medium, 0.1 to 0.5 acre, Includes Foregone Income	SqFt	.46	PR	100
656	EQIP	Constructed Wetland	Tailwater Runoff Wetland, Large, greater than 0.5 acre, Includes Foregone Income	Ac	12931.72	PR	100
657	EQIP	Wetland Restoration	Drained Wetland	Ac	183.35	PR	100
657	EQIP	Wetland Restoration	Depression Sediment Removal and Ditch Plug, Dry Excavation	Ac	1097.22	PR	100
657	EQIP	Wetland Restoration	Depression Sediment Removal and Ditch Plug, Wet Excavation	Ac	1924.22	PR	100
657	EQIP	Wetland Restoration	Riverine Channel, Floodplain Restoration	Ac	1137.98	PR	100
658	EQIP	Wetland Creation	Wildlife Pond, Upland, Includes Foregone Income	Ac	7103.01	PR	100
658	EQIP	Wetland Creation	Wildlife Pond, Riverine, Normal Conditions, Includes Foregone Income	Ac	29118.07	PR	100
658	EQIP	Wetland Creation	Wildlife Pond, Riverine, Difficult Conditions, Includes Foregone Income	Ac	50822.89	PR	100
659	EQIP	Wetland Enhancement	Drained Wetland	Ac	183.35	PR	100
659	EQIP	Wetland Enhancement	Depression Sediment Removal and Ditch Plug, Dry Excavation	Ac	1097.22	PR	100
659	EQIP	Wetland Enhancement	Depression Sediment Removal and Ditch Plug, Wet Excavation	Ac	1924.22	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
660	EQIP	Tree/Shrub Pruning	Fire Hazard	Ac	181.14	PR	100
660	EQIP	Tree/Shrub Pruning	White Pine Blister Rust	Ac	181.14	PR	100
666	EQIP	Forest Stand Improvement	NON-Commercial Thinning, Mastication	Ac	392.01	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, High Intensity, Difficult Conditions	Ac	373.2	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, Medium Intensity, Difficult Conditions	Ac	262.67	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, Low Intensity, Difficult Conditions	Ac	186.6	PR	100
666	EQIP	Forest Stand Improvement	Aspen Regeneration	Ac	219.48	PR	100
666	EQIP	Forest Stand Improvement	Thinning for Wildlife and Forest Health	Ac	334.19	PR	100
670	EQIP	Lighting System Improvement	Lighting - CFL	Ea	13.07	PR	100
670	EQIP	Lighting System Improvement	Lighting - LED	Ea	16.75	PR	100
670	EQIP	Lighting System Improvement	Lighting - Linear Fluorescent	Ea	247.76	PR	100
670	EQIP	Lighting System Improvement	Lighting - Pulse-Start Metal Halide	Ea	22.22	PR	100
670	EQIP	Lighting System Improvement	Automatic Controller System	Ea	201.04	PR	100
672	EQIP	Building Envelope Improvement	Building Envelope - Attic Insulation	SqFt	.62	PR	100
672	EQIP	Building Envelope Improvement	Building Envelope - Wall Insulation	SqFt	1.33	PR	100
672	EQIP	Building Envelope Improvement	Building Envelope - Sealant	Ft	1.3	PR	100
672	EQIP	Building Envelope Improvement	Building Envelope - Greenhouse Screens	SqFt	1.42	PR	100
672	EQIP	Building Envelope Improvement	Greenhouse - Insulate Unglazed Walls	SqFt	.22	PR	100
798	EQIP	Seasonal High Tunnel for Crops	Contiguous US	SqFt	2.84	PR	100
911	EQIP	Technical Assistance - Design	Technical Assistance for Design (Not to exceed TSP Rates)	no	0	AM	100
912	EQIP	Technical Assistance - Application	Technical Assistance for Application (Not to exceed TSP Rates)	no	0	AM	100
913	EQIP	Technical Assistance - Installation Check-Out	Technical Assistance for Installation Check-Out (Not to exceed TSP Rates)	no	0	AM	100