

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Soil Erosion

Wind Erosion

Planning Criteria

Permanent ground cover greater than 90% and slope less than 10%;
OR, The wind erosion rate is less than or equal to T.

Planning Criteria Met

Yes No

Evaluation Tests

Orchard or vineyard soil surfaces are covered by protective plants
during critical erosion periods. (state provides critical erosion
period(s) list; may be different within different regions of the same
state)

Evaluation Test Met

Yes No

Ephemeral Gully Erosion

Planning Criteria

Ephemeral gullies are not occurring; OR, Conservation practices and
management activities are in place to prevent or control ephemeral
gullies.

Planning Criteria Met

Yes No

Evaluation Tests

Temporary or permanent rills do not exist on the land management
system; Or, All temporary or permanent rills are stabilized; AND all
areas expected to have high erosion rates are stable.

Evaluation Test Met

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Classic Gully Erosion

Planning Criteria

Classic gullies are not present; Or, Classic gully management is adequate to stop the progression of head cutting and widening and offsite impacts are minimized by vegetation and/or structures.

Planning Criteria Met

Yes No

Evaluation Tests

Classic Gullies are not present; Or, All classic gullies are stabilized; AND, All areas expected to have high erosion rates are stable.

Evaluation Test Met

Yes No

Streambank, Shoreline, Water Conveyance Channels

Planning Criteria

For shorelines and water conveyance channels; banks are stable or commensurate with normal geomorphological processes; AND, If bank erosion is present, it is beyond the client's control or commensurate with normal geomorphological processes; AND, For streambanks, SVAP2 bank condition element score greater than 5. If shorelines or water conveyance channels are not present, set this planning criteria to NA.

Planning Criteria Met

Yes No

Evaluation Tests

Excluding all fundamentally unstable, natural geomorphic streambanks and shorelines, all streambanks and shorelines on the land use show few signs of erosion or bank failure; AND, Each is stable and protected with natural materials. If shorelines and water conveyance channels do not exist on the land management system, set this test statement to NA.

Evaluation Test Met

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Soil Quality Degradation

Organic Matter Depletion

Planning Criteria

Planning Criteria Met

Organic matter is not depleted below tolerable levels. SCI levels are greater than 0 on all fields in the land management system.

Yes No

Evaluation Tests

Evaluation Test Met

Orchard or vineyard soil surface layer is covered by protective plants for the majority of the year.

Yes No

All hayed acres maintain at least 60% cover all year.

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Insufficient Water

Inefficient Use of Irrigation Water

Planning Criteria

The irrigation system components and management result in a Farm Irrigation Rating Index greater than 60; AND, Meets applicable State in-stream flow and lake and pond water levels requirements. If the land management system is not irrigated, set this planning criteria to NA.

Planning Criteria Met

Yes No

Evaluation Tests

An irrigation water management (IWM) plan is followed that meets the crop's needs, while maximizing irrigation water efficiency. The IWM plan schedules water application based on soil moisture monitoring and/or evapotranspiration monitoring, measures and records the amount of water used to irrigate, and the irrigation system's distribution uniformity has been evaluated and necessary changes were made. If the land management system is not irrigated, set this test statement to NA.

Evaluation Test Met

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Water Quality Degradation

Pesticides in Surface Water

Planning Criteria

Planning Criteria Met

Pesticides are stored, handled, disposed and applied to prevent runoff, spills, leaks and leaching; AND, Conservation practices and techniques are in place to minimize ground water impacts.

Yes No

Evaluation Tests

Evaluation Test Met

Pesticides are not applied or stored on this land management system; Or, Pesticides are applied using a site-specific mixture of prevention, avoidance, monitoring, and suppression (PAMS) strategies. Environmental risk screening tool are used (such as WIN-PST or similar LGU approved tool); AND, application rates and timing are compliant with the label.

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Nutrients in Surface water

Planning Criteria

Planning Criteria Met

Organic or inorganic nutrients are not applied and PLU is not grazed; OR Nutrient and amendment applications are based on soil or tissue tests and nutrient budgets for realistic yields and conservation practices and management practices are in place to minimize surface water impacts.

Yes No

Evaluation Tests

Evaluation Test Met

Nutrients are not applied on this land management system; OR, If nutrients are applied, a nutrient budget is used to determine all application rates, including: - Realistic yield goals, - Nutrient uptake requirements, and - Available nutrient accounting for each of the following: (a) N, P, K from representative soil tests (less than or equal to 3yrs), (b) Soil organic matter mineralization, (c) Legumes in rotation, (d) Previous applications of manure and other organic based materials, (e) Planned post-harvest residual soil test levels, (f) Available nutrient analysis for each nutrient source, and (g) Available nutrient uptake efficiencies from planned application rate, source, method, timing and placement. All state specific application setbacks are maintained for all nutrient applications.

Yes No

The land adjacent to a stream, river, or other waterbody on the side or sides you control: - has diverse, natural plant cover typical to that along other streams within the drainage basin; - extend from the stream bank/shoreline for a distance of 35 feet; OR, (if applicable) The minimum State buffer-width requirement, whichever is greater; AND, Have few places where concentrated runoff flows through.

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Excess Pathogens and Chemicals from Manure, bio-solids or Compost Applications in Surface Water

Planning Criteria

Planning Criteria Met

Potential sources of pathogens or pharmaceuticals are not applied on the land; OR, Organic materials are applied, stored, and/or handled to mitigate negative impacts to surface water sources.

Yes No

Evaluation Tests

Evaluation Test Met

Manure, Composts, or other bio-solids are not stored or applied on this land management system; OR Manure and other bio solids are applied using a nutrient budget to determine all application rates, including: - Realistic yield goals, - Nutrient uptake requirements, and - Available nutrient accounting for each of the following: (a) N, P, K from representative soil tests (less than or equal to 3yrs), (b) Soil organic matter mineralization, (c) Legumes in rotation, (d) Avoiding manure applications when soils are frozen, snow covered, or saturated, (e) Planned post-harvest residual soil test levels, (f) Available nutrient analysis for each nutrient source, and (g) Available nutrient uptake efficiencies from planned application rate, source, method, timing and placement. All state specific application setbacks are maintained for all nutrient applications. Minimum setbacks are maintained from drainage ways, wells, ditched, streams, rivers, and water bodies. If manure or other bio solids are not applied, set this test statement to NA.

Yes No

Livestock access to stream is controlled; OR, Livestock are limited to small watering or crossing areas.

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Excessive Sediment in Surface Water

Planning Criteria

Permanent ground cover greater than 90% and slope less than 10% and classic gullies are not present; OR, Upslope treatment and buffer practices address concentrated flows to water bodies; AND, The SVAP2 - bank condition greater than or equal to 5; AND, The livestock and vehicle water crossings are stable; AND, The water erosion rate is less than or equal to T; AND, Wind erosion rate is less than or equal to T.

Planning Criteria Met

Yes No

Evaluation Tests

All temporary or permanent rills and gullies are stabilized; OR, Temporary or permanent rills and gullies do not exist.

Evaluation Test Met

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Air Quality Impacts

Emissions of Ozone Precursors

Planning Criteria

Planning Criteria Met

Operations that produce ozone precursor emissions are not present; OR, or are managed to reduce emissions. Ozone precursor producing activities may include: Engines (combustion source), Pesticide application, Burning, CAFO /manure management, or fertilization (manure/commercial).

Yes No

Evaluation Tests

Evaluation Test Met

Pesticides are not applied; OR, an IPM plan is followed which reduces ozone precursors. IPM includes applications of pesticides, including fumigants, be applied in a way that emissions of ozone precursors are reduced; Application methods may include: spot spraying, pest/target sensing application equipment, alternative pesticide formulations, or low emission fumigation methods.

Yes No

Emission of Greenhouse Gases (GHGs)

Planning Criteria

Planning Criteria Met

Activities that produce GHGs emissions are not present: OR, activities that produce GHGs emissions are managed to reduce those emissions; AND, Carbon sequestration is enhanced through reduced tillage methods or other practices. GHG producing activities that should be considered include: Fertilization (manure/commercial), Tillage methods, grazing management, and forestry practices; AND GHGs are not regulated in this planning area.

Yes No

Evaluation Tests

Evaluation Test Met

Nitrogen is not applied: OR, nitrogen is applied as close as possible to crop uptake (within 30 days prior to crop planting or greenup) at recommended application rates.

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Degraded Plant Condition

Excessive Plant Pest Pressure

Planning Criteria

Plant pest damage to plants is below economic or environmental thresholds; AND, plant pests, including noxious and invasive species are managed.

Planning Criteria Met

Yes No

Evaluation Tests

Weeds, insects, and diseases do not limit crop production.

Evaluation Test Met

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Fish and Wildlife - Inadequate Habitat

Inadequate Habitat - Food

Planning Criteria

The WHSI rating is greater than or equal to 0.5; AND, (when surface stream present) The SVAP2 - fish habitat complexity element score is greater than or equal to 7; AND, The SVAP2 - aquatic invertebrate habitat element score is greater than or equal to 7; OR, Conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds; OR, Food is available in quality and extent to support habitat requirements for the species of interest.

Planning Criteria Met

Yes No

Evaluation Tests

Plants growing are expected, desired, and suited to the site. Existing forbs and woody species meet state specified amounts.

Evaluation Test Met

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Inadequate Habitat - Cover/Shelter

Planning Criteria

Planning Criteria Met

The WHSI rating is greater than or equal to 0.5; AND, (when surface stream present) the SVAP2 - barriers to movement element score is greater than or equal to 7; AND, the SVAP2 - fish habitat complexity element score is greater than or equal to 7; AND, the SVAP2 - aquatic invertebrate habitat element score is greater than or equal to 7; OR conservation practices and management practices are in place that meet or exceed species or guild-specific habitat model thresholds; OR, habitat cover is of available quality and extent to support requirements for the species of interest.

Yes No

Evaluation Tests

Evaluation Test Met

Haying operations include at least two of the following activities: (a) harvest occurs from the center of the field outward to provide better escape cover, (b) flushing bars are mounted on harvesting equipment, (c) mowing occurs during daylight hours, or (d) mowing speeds are reduced during primary nesting season.

Yes No

Haying/Grazing heights are maintained at a minimum of 6 inches average over winter for mid/tall grass plant communities; AND, 4 inches average over winter for shortgrass plant communities.

Yes No

Plant growth and cover is managed to develop and maintain habitat to help chosen wildlife species. (see State Wildlife Action Plan)

Yes No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Inadequate Habitat - Habitat Continuity (Space)

Planning Criteria

Planning Criteria Met

The WHSI rating is greater than or equal to 0.5; AND, (when surface stream present) The SVAP2 - barriers to movement element score is greater than or equal to 7; AND, The SVAP2 - aquatic invertebrate habitat element score is greater than or equal to 7; OR, Conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds; OR, The connectivity of habitat components are adequate to support stable populations of target species.

Yes

No

Evaluation Tests

Evaluation Test Met

Connectivity between food resources and cover and shelter is provided for the target wildlife species. (see State Wildlife Action Plan)

Yes

No

RCPP-CSP-2018-1 IN - Ag Land Crop Perennial

Livestock Production Limitation

Inadequate Feed and forage

Planning Criteria

Planning Criteria Met

Livestock forage, roughage, and supplemental nutritional requirements are met.

Yes No

Evaluation Tests

Evaluation Test Met

The current crop rotation provides ample feed and/or forages to support the livestock on the farm. Soil erosion and compaction are managed to reduce negative impacts. Set this test statement to NA if the land management system is not used for livestock production.

Yes No