

*Archived list - retain*

Erosion Categories 1 = Highly Erodible Land  
 2 = Potentially Highly Erodible Land  
 3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
1	110C	Lamont fine sandy loam, 9 to 14 percent slopes		0.95
1	1120D	Tama silt loam, valleys, 9 to 14 percent slopes		0.71
1	1120E	Tama silt loam, valleys, 14 to 18 percent slopes		0.71
1	1120F	Tama silt loam, valleys, 18 to 25 percent slopes		0.71
1	1162D	Downs silt loam, valleys, 9 to 14 percent slopes		0.71
1	1162D2	Downs silt loam, valleys, 9 to 14 percent slopes, moderately eroded		0.71
1	1162E	Downs silt loam, valleys, 9 to 14 percent slopes, moderately eroded		0.71
1	1162E2	Downs silt loam, valleys, 14 to 18 percent slopes, moderately eroded		0.71
1	1162F	Downs silt loam, valleys, 18 to 25 percent slopes		0.71
1	1163D	Fayette silt loam, valleys, 9 to 14 percent slopes		0.62
1	1163D2	Fayette silt loam, valleys, 9 to 14 percent slopes, moderately eroded		0.62
1	1163E	Fayette silt loam, valleys, 14 to 18 percent slopes		0.62
1	1163E2	Fayette silt loam, valleys 14 to 18 percent slopes, moderately eroded		0.62
1	1163F	Fayette silt loam, valleys, 18 to 25 percent slopes		0.62
1	120C	Tama silt loam, 5 to 9 percent slopes		0.71
1	120D	Tama silt loam, 9 to 14 percent slopes		0.71
1	136D	Ankeny fine sandy loam, 9 to 14 percent slopes		1.14
1	162C	Downs silt loam, 5 to 9 percent slopes		0.71
1	162C2	Downs silt loam, 5 to 9 percent slopes, moderately eroded		0.71
1	162D	Downs silt loam, 9 to 14 percent slopes		0.71
1	162D2	Downs silt loam, 9 to 14 percent slopes, moderately eroded		0.71
1	162E2	Downs silt loam, 14 to 18 percent slopes, moderately eroded		0.71
1	163C	Fayette silt loam, 5 to 9 percent slopes		0.62
1	163C2	Fayette silt loam, 5 to 9 percent slopes, moderately eroded		0.62
1	163D	Fayette silt loam, 9 to 14 percent slopes		0.62
1	163D2	Fayette silt loam, 9 to 14 percent slopes, moderately eroded		0.62
1	163E	Fayette silt loam, 14 to 18 percent slopes		0.62
1	163E2	Fayette silt loam, 14 to 18 percent slopes, moderately eroded		0.62
1	163F	Fayette silt loam, 18 to 25 percent slopes		0.62
1	163F2	Fayette silt loam, 18 to 25 percent slopes, moderately eroded		0.62
1	163G	Fayette silt loam, 25 to 40 percent slopes		0.62
1	182C	Dubuque silt loam, 30 to 40 inches to limestone, 5 to 9 percent slopes		0.49
1	182C2	Dubuque silt loam, 30 to 40 inches to limestone, 5 to 9 percent slopes		0.49
1	182D	Dubuque silt loam, 30 to 40 inches to limestone, 9 to 14 percent slopes		0.49
1	182D2	Dubuque silt loam, 30 to 40 inches to limestone, 9 to 14 percent slopes, moderat		0.49
1	182E	Dubuque silt loam, 30 to 40 inches to limestone, 14 to 18 percent slopes		0.49
1	182E2	Dubuque silt loam, 30 to 40 inches to limestone, 14 to 18 percent slopes, modera		0.49
1	183C	Dubuque silt loam, 30 to 40 inches to limestone, 5 to 9 percent slopes		0.49
1	183C2	Dubuque silt loam, 20 to 30 inches to limestone, 5 to 9 percent slopes, moderate		0.49
1	183D	Dubuque silt loam, 20 to 30 inches to limestone, 9 to 14 percent slopes		0.49
1	183D2	Dubuque silt loam, 20 to 30 inches to limestone, 9 to 14 percent slopes, moderat		0.49
1	183E	Dubuque silt loam, 20 to 30 inches to limestone, 14 to 18 percent slopes		0.49
1	183E2	Dubuque silt loam, 20 to 30 inches to limestone, 14 to 18 percent slopes, modera		0.49
1	183F	Dubuque silt loam, 20 to 30 inches to limestone, 14 to 18 percent slopes		0.49
1	196B	Volney channery silt loam, 2 to 5 percent slopes		0.38
1	206C	Shullsburg silt loam, 5 to 9 percent slopes		0.57
1	206C2	Shullsburg silt loam, 5 to 9 percent slopes, moderately eroded		0.57
1	206D2	Shullsburg silt loam, 9 to 14 percent slopes, moderately eroded		0.57

Erosion Categories    1 = Highly Erodible Land  
                          2 = Potentially Highly Erodible Land  
                          3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
-----	-----	-----	-----	-----
1	210F	Boone loamy fine sand, 18 to 25 percent slopes		1.22
1	210G	Boone loamy fine sand, 25 to 70 percent slopes		1.22
1	249B	Zwingle silt loam, 2 to 5 percent slopes		0.32
1	249C	Zwingle silt loam, 5 to 9 percent slopes		0.32
1	41D	Sparta loamy fine sand, 9 to 14 percent slopes		1.35
1	41E	Sparta loamy fine sand, 14 to 18 percent slopes		1.35
1	478G	Nordness-Rock outcrop complex, 25 to 60 percent slopes		0.11
1	483C	Frankville silt loam, 20 to 30 inches to limestone, 5 to 9 percent slopes		0.57
1	483C2	Frankville silt loam, 20 to 30 inches to limestone, 5 to 9 percent slopes, moder		0.57
1	483D	Frankville silt loam, 20 to 30 inches to limestone, 9 to 14 percent slopes		0.57
1	483D2	Frankville silt loam, 20 to 30 inches to limestone, 9 to 14 percent slopes, mode		0.57
1	483E	Frankville silt loam, 20 to 30 inches, 14 to 18 percent slopes		0.57
1	483E2	Frankville silt loam, 20 to 30 inches to limestone, 14 to 18 percent slopes, mod		0.57
1	499B	Nordness silt loam, 2 to 5 percent slopes		0.21
1	499B2	Nordness silt loam, 2 to 5 percent slopes, moderately eroded		0.21
1	499C	Nordness silt loam, 5 to 9 percent slopes		0.21
1	499C2	Nordness silt loam, 5 to 9 percent slopes, moderately eroded		0.21
1	499D	Nordness silt loam, 9 to 14 percent slopes, moderately eroded		0.21
1	499E	Nordness silt loam, 14 to 18 percent slopes		0.21
1	499E2	Nordness silt loam, 14 to 18 percent slopes, moderately eroded		0.21
1	499F	Nordness silt loam, 18 to 25 percent slopes		0.21
1	499G	Nordness silt loam, 25 to 40 percent slopes		0.21
1	63D	Chelsea loamy fine sand, 9 to 14 percent slopes		1.35
1	63D2	Chelsea loamy fine sand, 9 to 14 percent slopes, moderately eroded		1.35
1	63E	Chelsea loamy fine sand, 14 to 18 percent slopes		1.35
1	63E2	Chelsea loamy fine sand, 14 to 18 percent slopes, moderately eroded		1.35
1	63F	Chelsea loamy fine sand, 18 to 25 percent slopes		1.35
1	65D2	Lindley loam, 9 to 14 percent slopes, moderately eroded		0.71
1	65E2	Lindley loam, 14 to 18 percent slopes, moderately eroded		0.71
1	65F	Lindley loam, 18 to 25 percent slopes		0.71
1	704C2	Frankville silt loam, 30 to 40 inches to limestone, 5 to 9 percent slopes, moder		0.57
1	704D2	Frankville silt loam, 30 to 40 inches to limestone, 9 to 14 percent slopes, mode		0.57
1	704E2	Frankville silt loam, 30 to 40 inches to limestone, 14 to 18 percent slopes, mod		0.57
1	712C2	Schapville silt loam, 5 to 9 percent slopes, moderately eroded		0.43
1	712D2	Schapville silt loam, 9 to 14 percent slopes, moderately eroded		0.43
1	837C	Blackhammer silt loam, 5 to 9 percent slopes		0.37
1	837C2	Blackhammer silt loam, 5 to 9 percent slopes, moderately eroded		0.37
1	837D	Blackhammer silt loam, 9 to 14 percent slopes		0.37
1	837E	Blackhammer silt loam, 14 to 18 percent slopes		0.37
1	837F	Blackhammer silt loam, 18 to 25 percent slopes		0.37
1	838C	Newhouse silt loam, 5 to 9 percent slopes		0.37
1	838C2	Newhouse silt loam, 5 to 9 percent slopes, moderately eroded		0.37
1	838D	Newhouse silt loam, 9 to 14 percent slopes		0.37
1	838E	Newhouse silt loam, 14 to 18 percent slopes		0.37
1	839C	Nodine silt loam, 5 to 9 percent slopes		0.37
1	839C2	Nodine silt loam, 5 to 9 percent slopes, moderately eroded		0.37
1	839D	Nodine silt loam, 9 to 14 percent slopes		0.37
1	839E	Nodine silt loam, 14 to 18 percent slopes		0.37

Erosion Categories    1 = Highly Erodible Land  
                          2 = Potentially Highly Erodible Land  
                          3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
=====	=====	=====	=====	=====
1	839F	Nodine silt loam, 18 to 25 percent slopes		0.37
1	840F	Lacrescent silt loam, 18 to 25 percent slopes		0.38
1	840G	Lacrescent silt loam, 25 to 70 percent slopes		0.38
1	841G	Rock outcrop-Boone complex, 25 to 70 percent slopes		1.22
1	902C	Luana silt loam, 5 to 9 percent slopes		0.57
1	902C2	Luana silt loam, 5 to 9 percent slopes, moderately eroded		0.57
1	902D	Luana silt loam, 9 to 14 percent slopes		0.57
1	902D2	Luana silt loam, 9 to 14 percent slopes, moderately eroded		0.57
2	136C	Ankeny fine sandy loam, 5 to 9 percent slopes		1.14
2	206B	Shullsburg silt loam, 2 to 5 percent slopes		0.57
2	284C	Flagler sandy loam, 5 to 9 percent slopes		0.91
2	41C	Sparta loamy fine sand, 5 to 9 percent slopes		1.35
2	483B2	Frankville silt loam, 20 to 30 inches to limestone, 2 to 5 percent slopes, moder		0.57
2	63C	Chelsea loamy fine sand, 5 to 9 percent slopes		1.35
2	63C2	Chelsea loamy fine sand, 5 to 9 percent slopes, moderately eroded		1.35
3	110	Lamont fine sandy loam, 0 to 2 percent slopes		0.95
3	110B	Lamont fine sandy loam, 2 to 5 percent slopes		0.95
3	119	Muscatine silt loam, 0 to 2 percent slopes		0.82
3	120B	Tama silt loam, 2 to 5 percent slopes		0.71
3	1212	Kennebec silt loam, 0 to 2 percent slopes		0.71
3	129B	Arenzville-Chaseburg silt loam, 1 to 5 percent slopes		0.62
3	133	Colo silty clay loam, 0 to 2 percent slopes		0.82
3	136	Ankeny fine sandy loam, 0 to 2 percent slopes		1.14
3	136B	Ankeny fine sandy loam, 2 to 5 percent slopes		1.14
3	142	Chaseburg silt loam, 0 to 2 percent slopes		0.62
3	1490	Caneek silt loam, channeled, 0 to 2 percent slopes		0.62
3	158	Dorchester silt loam, 0 to 2 percent slopes		0.62
3	162B	Downs silt loam, 2 to 5 percent slopes		0.71
3	162B2	Downs silt loam, 2 to 5 percent slopes, moderately eroded		0.71
3	163B	Fayette silt loam, 2 to 5 percent slopes		0.62
3	163B2	Fayette silt loam, 2 to 5 percent slopes, moderately eroded		0.62
3	177	Saude loam, 0 to 2 percent slopes		0.65
3	177B	Saude loam, 2 to 5 percent slopes		0.65
3	178	Waukee loam, 0 to 2 percent slopes		0.76
3	225	Lawler loam, 24 to 32 inches to sand and gravel, 0 to 2 percent slopes		0.65
3	226	Lawler loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes		0.65
3	284	Flagler sandy loam, 0 to 2 percent slopes		0.91
3	284B	Flagler sandy loam, 2 to 5 percent slopes		0.91
3	291	Atterberry silt loam, 1 to 3 percent slopes		0.71
3	320	Arenzville silt loam, 0 to 2 percent slopes		0.62
3	41B	Sparta loamy fine sand, 2 to 5 percent slopes		1.35
3	485	Spillville loam, 0 to 2 percent slopes		0.82
3	487B	Otter-Worthen silt loam, 1 to 4 percent slopes		0.71
3	489	Ossian silt loam, 0 to 2 percent slopes		0.82
3	490	Caneek silt loam, 0 to 2 percent slopes		0.62
3	496B	Dorchester-Volney complex, 1 to 5 percent slopes		0.62
3	589	Otter silt loam, 0 to 2 percent slopes		0.82
3	63B	Chelsea loamy fine sand, 2 to 5 percent		1.35

Erosion Categories 1 = Highly Erodible Land  
 2 = Potentially Highly Erodible Land  
 3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
=====	=====	=====	=====	=====
3	670	Rawles silt loam, 0 to 2 percent slopes		0.71
3	793	Bertrand silt loam, 0 to 2 percent slopes		0.62
3	926	Canoe silt loam, 0 to 2 percent slopes		0.82
3	930	Orion silt loam, 0 to 2 percent slopes		0.62
3	977	Richwood silt loam, 0 to 2 percent slopes		0.82
3	978	Festina silt loam, 0 to 2 percent slopes		0.71
3	98	Huntsville silt loam, 0 to 2 percent slopes		0.82
3	981B	Worthen silt loam, 2 to 5 percent slopes		0.71

Subtotal of Acres by Erosion Category

Erosion Category	Total Acres
=====	=====
1	0
2	0
3	0