ERODIBLE LAND INDEX
SURVEY NUMBER 643 SURVEY NAME POWDER RIVER COUNTY
0=DATA NOT AVAILABLE 1=HIGHLY ERODIBLE 2=POTENTIALLY HIGHLY ERODIBLE 3=NOT HIGHLY ERODIBLE

MUID	MAP SYMBOL	SOIL NAME	Z	WIND C 40 HEL CLASS	C 50 HEL CLASS	C 60 HEL CLASS	WATER R 25 HEL CLASS	R 30 HEL CLASS	R 35 HEL CLASS	R 40 HEL CLASS	R 45 HEL CLASS	I VALUE	K VALUE	T VALUE	SLOPE-PERCEN MIN.	SLOPE-PERCEN MAX.	SLOPE-LENGTH MIN.	SLOPE-LENGTH MAX.
643AB	AB	ARVADA	1 70	3	3	3	3	3	3	3	3	48	.49	5	0	4	25	400
643AB	AB	BONE	2 30	3	3	3	3	3	3	3	3	48	.43	5	0	4	25	400
643BA	BA	BANKARD	1 100	3	1	1	3	3	3	3	3	86	.17	5	0	4	25	400
643BC	BC	BEW	1 100	3	1	1	3	3	3	3	3	86	.32	5	0	2	25	400
643BE	BE	BEW	1 100	3	1	1	3	3	3	3	3	86	.32	5	2	4	25	400
643BW	BW	BEW	1 100	3	1	1	3	3	3	3	3	86	.32	5	4	8	25	400
643CA	CA	CABBA	1 40*	1	1	1	2	2	1	1	1	86	.37	2	15	50	25	400
643CA	CA	CABBA	2 15*	1	1	1	2	2	2	1	1	86	.32	2	15	50	25	400
643CA	CA	HAYDEN	3 15*	1	1	1	1	1	1	1	1	86	.37	1	15	50	25	400
643CB	CB	CAMPSPASS	1 50*	3	3	3	2	2	2	2	2	48	.37	4	15	50	25	400
643CB	CB	BARVON	2 20*	3	1	1	2	2	2	2	2	48	.37	3	15	50	25	400
643CE	CE	CUSHMAN	1 70	1	1	1	2	2	2	2	2	56	.37	2	4	8	25	400
643CE	CE	ELSO	2 30	1	1	1	2	2	2	2	2	86	.37	2	4	8	25	400
643CH	CH	CUSHMAN	1 70*	1	1	1	2	2	2	2	2	56	.37	2	8	15	25	400
643CH	CH	ELSO	2 20*	1	1	1	2	2	2	2	2	86	.37	2	8	15	25	400
643EC	EC	ELSO	1 100	1	1	1	2	2	2	2	2	86	.37	2	8	15	25	400
643EL	EL	ELSO	1 100	1	1	1	2	2	1	1	1	86	.37	2	15	45	25	400
643EO	EO	ELSO	1 45*	1	1	1	2	2	1	1	1	86	.37	2	15	45	25	400
643ED	ED	OCEAN LAKE	2 35*	1	1	1	2	2	2	2	2	86	.20	2	15	45	25	400
643EP	EP	EPSIE	1 100	1	1	1	2	2	2	2	2	86	.37	1	4	15	25	400
643FA	FA	FARLAND	1 100	3	3	3	3	3	3	3	3	56	.37	5	0	2	25	400
643FD	FD	FARLAND	1 100	3	3	3	3	3	3	3	3	56	.37	5	2	4	25	400
643FE	FE	FARLAND	1 100	3	3	3	3	3	3	3	3	56	.37	5	4	8	25	400
643FH	FH	FARLAND	1 65	3	3	3	3	3	3	3	3	56	.37	5	4	8	25	400
643FH	FH	CABBA	2 35	1	1	1	2	2	2	2	2	86	.37	2	4	8	25	400
643FK	FK	FARLAND	1 70	3	3	3	2	2	2	2	2	56	.37	5	8	20	25	400
643FK	FK	CABBA	2 30	1	1	1	2	2	2	2	2	86	.37	2	8	20	25	400
643FL	FL	FARLAND	1 65	3	3	3	3	3	3	3	3	56	.37	5	0	6	25	400
643FL	FL	ROCK LAND	2 35	0	0	0	0	0	0	0	0	0	.00	0	0	0	25	400
643FM	FM	FARLAND	1 100*	3	3	3	3	3	3	3	3	56	.37	5	4	8	25	400
643FM	FM	HAVRELON	2 100*	3	1	1	3	3	3	3	3	86	.37	5	4	6	25	400
643FN	FN	FERGUS	1 70	3	3	3	3	3	3	3	3	48	.37	5	2	8	25	400
643FN	FN	RELAN	2 30	3	3	3	3	3	3	3	3	56	.37	5	4	8	25	400
643FO	FO	FORT COLLINS	1 100	3	3	3	3	3	3	3	3	48	.37	5	0	2	25	400
643FR	FR	FORT COLLINS	1 100	3	3	3	3	3	3	3	3	48	.37	5	2	4	25	400
643FS	FS	FORT COLLINS	1 100	3	3	3	3	3	3	3	3	48	.37	5	4	8	25	400

*These are undifferentiated or highly variable map units. Percent of the soil component in this unit will vary from field to field. The determination of the actual composition requires on-site investigation.

SURVEY NAME POWDER RIVER COUNTY

MUID	MAP SYMBOL	SOIL NAME	Z	WIND C 40 HEL CLASS	C 50 HEL CLASS	C 60 HEL CLASS	WATER R 25 HEL CLASS	R 30 HEL CLASS	R 35 HEL CLASS	R 40 HEL CLASS	R 45 HEL CLASS	I VALUE	K VALUE	T VALUE	SLOPE-PERCEN MIN.	MAX.	SLOPE-LENGTH MIN.	MAX.
643GA	GA	GALATA	1 100	1	1	1	3	3	2	2	2	86	.37	3	4	8	25	400
643GD	GD	GILT EDGE	1 100	3	3	3	3	3	3	3	3	48	.49	5	0	2	25	400
643GE	GE	GILT EDGE	1 100	3	3	3	3	3	3	3	3	48	.49	5	2	6	25	400
643GF	GF	GLENBERG	1 100	3	1	1	3	3	3	3	3	86	.20	5	0	2	25	400
643HA	HA	HAVERSON	1 100	3	3	3	3	3	3	3	3	56	.37	5	2	4	25	400
643HC	HC	HAVERSON	1 100	3	3	3	3	3	3	3	3	56	.37	5	0	2	25	400
643HD	HD	HAVERSON	1 100	3	3	3	3	3	3	3	3	48	.32	5	0	2	25	400
643HE	HE	HAVERSON	1 100	3	1	1	3	3	3	3	3	86	.20	5	0	2	25	400
643HF	HF	HAVERSON SOILS	1 100	3	3	3	3	3	3	3	3	48	.32	5	0	4	25	400
643HG	HG	HAVERSON	1 100A	3	3	3	3	3	3	3	3	56	.37	5	0	4	25	400
643HG	HG	HAVRE	2 100A	3	3	3	3	3	3	3	3	48	.32	5	0	4	25	400
643HH	HH	HELDT	1 100	3	3	3	3	3	3	3	3	48	.37	5	0	2	25	400
643HK	HK	HELDT	1 100	3	3	3	3	3	3	3	3	48	.37	5	2	4	25	400
643HM	HM	HELDT	1 100	3	3	3	3	3	3	3	3	48	.37	5	4	8	25	400
643HN	HN	HESPER	1 100	3	3	3	3	3	3	3	3	48	.37	5	0	2	25	400
643HO	HO	HESPER	1 100	3	3	3	3	3	3	3	3	48	.37	5	2	4	25	400
643HP	HP	HESPER	1 100	3	3	3	3	3	3	3	3	48	.37	5	4	8	25	400
643HR	HR	HESPER	1 100	3	3	3	2	2	2	2	2	48	.37	5	8	15	25	400
643HS	HS	HOPLEY	1 100A	3	3	3	3	3	3	3	2	48	.37	4	4	8	25	400
643HS	HS	RELAM	2 100A	3	3	3	3	3	3	3	3	56	.37	5	4	8	25	400
643HT	HT	HYDRO	1 100	3	3	3	3	3	3	3	3	38	.32	5	0	2	25	400
643HU	HU	HYDRO	1 100	3	3	3	3	3	3	3	3	38	.32	5	2	4	25	400
643HV	HV	HYDRO	1 100	3	3	3	3	3	3	3	3	38	.32	5	4	8	25	400
643HW	HW	HYDRO	1 80	3	3	3	3	3	3	3	3	38	.32	5	2	8	25	400
643HW	HW	ARVADA	2 20	3	3	3	3	3	3	3	2	48	.49	5	2	8	25	400
643HX	HX	HYDRO	1 65	3	3	3	2	2	2	2	2	48	.43	5	8	15	25	400
643HX	HX	ELSO	2 35	1	1	1	2	2	2	2	2	86	.37	2	8	15	25	400
643HY	HY	HYDRO	1 70	3	3	3	3	3	3	3	3	48	.43	5	0	2	25	400
643HY	HY	FORT COLLINS	2 30	3	3	3	3	3	3	3	3	48	.37	5	0	2	25	400
643KC	KC	KEISER	1 100	3	3	3	3	3	3	3	3	38	.20	5	0	2	25	400
643KE	KE	KEISER	1 100	3	3	3	3	3	3	3	3	38	.28	5	2	4	25	400
643KF	KF	KEISER	1 100	3	3	3	3	3	3	3	3	38	.28	5	4	8	25	400
643KL	KL	KYLE	1 100	3	1	1	3	3	3	3	3	86	.37	5	2	4	25	400
643KM	KM	KYLE	1 100	3	1	1	3	3	3	3	3	86	.37	5	4	8	25	400
643KN	KN	KYLE	1 100	3	1	1	2	2	2	2	2	86	.37	5	8	15	25	400
643MC	MC	MCRAE	1 100	3	3	3	3	3	3	3	3	48	.37	5	0	2	25	400
643MD	MD	MCRAE	1 100	3	3	3	3	3	3	3	3	48	.37	5	2	4	25	400
643ME	ME	MCRAE	1 100	3	3	3	3	3	3	3	3	48	.37	5	4	8	25	400
643MF	MF	MIDWAY	1 100	1	1	1	2	2	2	2	2	86	.37	1	2	8	25	400
643MG	MG	MIDWAY	1 60A	1	1	1	2	2	2	2	1	86	.37	1	8	35	25	400
643MG	MG	ELSO	2 30A	1	1	1	2	2	2	2	2	86	.37	2	8	35	25	400
643MR	MR	MIDWAY	1 60	1	1	1	1	1	1	1	1	86	.37	1	15	35	25	400
643MR	MR	ROCK LAND	2 40	0	0	0	0	0	0	0	0	0	.00	0	0	0	25	400
643MT	MT	MIDWAY	1 55	1	1	1	2	2	2	2	1	86	.37	1	8	15	25	400
643MT	MT	THURLOW	2 45	3	3	3	2	2	2	2	2	38	.32	5	8	15	25	400
643MW	MW	MIDWAY	1 100A	1	1	1	1	1	1	1	1	86	.37	1	35	70	25	400
643MW	MW	ELSO	2 100A	1	1	1	1	1	1	1	1	86	.37	2	35	75	25	400

AThese are undifferentiated or highly variable map units. Percent of the soil component in this unit will vary from field to field. The determination of the actual composition requires on-site investigation.

SURVEY NAME POWDER RIVER COUNTY

MUID	MAP SYMBOL	SOIL NAME		Z	WIND C 40 HEL CLASS	WIND C 50 HEL CLASS	WIND C 60 HEL CLASS	WATER R 25 HEL CLASS	WATER R 30 HEL CLASS	WATER R 35 HEL CLASS	WATER R 40 HEL CLASS	WATER R 45 HEL CLASS	I VALUE	K VALUE	T VALUE	SLOPE-PERCEN MIN.	SLOPE-PERCEN MAX.	SLOPE-LENGTH MIN.	SLOPE-LENGTH MAX.
643NH	NH	NIHILL	1	60	3	1	1	2	2	2	2	2	56	.24	3	8	15	25	400
643NH	NH	ELSO	2	40	1	1	1	2	2	2	2	2	86	.20	2	8	15	25	400
643OC	OC	OCEAN LAKE	1	65	1	1	1	2	2	2	2	2	86	.20	2	15	45	25	400
643OC	OC	ROCK LAND	2	35	0	0	0	0	0	0	0	0	0	.00	0	0	0	25	400
643RA	RA	RAPELJE	1	100	3	3	3	3	3	3	3	3	48	.37	5	0	2	25	400
643RC	RC	RAPELJE	1	100	3	3	3	3	3	3	3	3	48	.37	5	2	8	25	400
643RE	RE	RELAN	1	100	3	3	3	3	3	3	3	3	56	.37	5	4	8	25	400
643RF	RF	RELAN	1	70	3	3	3	2	2	2	2	2	56	.37	5	5	30	25	400
643RF	RF	RINGLING	2	30	1	1	1	2	2	2	2	2	56	.17	1	6	30	25	400
643RH	RH	RELAN	1	60	3	3	3	3	3	3	3	3	56	.37	5	4	8	25	400
643RH	RH	CABBA	2	40	1	1	1	2	2	2	2	2	86	.37	2	4	8	25	400
643RK	RK	RELAN VARIANT	1	100	3	3	3	3	3	3	3	3	56	.20	5	4	8	25	400
643RM	RM	REMMIT	1	100	1	1	1	3	3	3	3	3	86	.24	4	2	4	25	400
643RN	RN	REMMIT	1	100	1	1	1	3	3	3	3	3	86	.24	4	4	8	25	400
643RO	RO	REMMIT	1	65	1	1	1	2	2	2	2	2	86	.24	4	8	25	25	400
643RO	RO	OCEAN LAKE	2	35	1	1	1	2	2	2	2	2	86	.20	2	8	25	25	400
643RS	RS	RINGLING	1	100	1	1	1	1	1	1	1	1	56	.17	1	20	50	25	400
643RT	RT	RINGLING	1	50	1	1	1	2	2	2	1	1	56	.17	1	15	50	25	400
643RT	RT	CABBA	2	50	1	1	1	2	2	1	1	1	86	.37	2	15	50	25	400
643RU	RU	RINGLING	1	50	1	1	1	2	2	2	2	2	56	.17	1	6	25	25	400
643RU	RU	RELAN	2	50	3	3	3	2	2	2	2	2	56	.37	5	6	25	25	400
643RW	RW	RIVERWASH	1	100	0	0	0	0	0	0	0	0	0	.00	0	0	0	25	400
643SL	SL	SHALE OUTCROP	1	100	0	0	0	0	0	0	0	0	0	.00	0	0	0	25	400
643TE	TE	TERRACE ESCARPM	1	100	3	3	3	2	2	2	2	2	48	.37	5	8	35	25	400
643TH	TH	THURLOW	1	100	3	3	3	3	3	3	3	3	38	.32	5	0	2	25	400
643TM	TM	THURLOW	1	100	3	3	3	3	3	3	3	3	38	.32	5	2	4	25	400
643TO	TO	THURLOW	1	100	3	3	3	3	3	3	3	3	38	.32	5	4	8	25	400
643TR	TR	THURLOW	1	100	3	3	3	2	2	2	2	2	38	.32	5	8	15	25	400
643VA	VA	VANANDA	1	100	3	1	1	3	3	3	3	3	86	.37	5	2	4	25	400
643VO	VO	VONA	1	100	3	1	1	3	3	3	3	3	86	.20	5	2	4	25	400
643VR	VR	VONA	1	60	3	1	1	3	3	3	3	3	86	.20	5	4	8	25	400
643VR	VR	REMMIT	2	40	1	1	1	3	3	3	3	3	86	.24	4	4	8	25	400

HIGHLY ERODIBLE MAP UNIT LISTING
SURVEY NUMBER 643 SURVEY NAME POWDER RIVER COUNTY
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

					WIND			WATER				
					C 40	C 50	C 60	R 25	R 30	R 35	R 40	R 45
MUID	MAP SYMBOL	SOIL NAME		%	HEL CLASS	HEL CLASS	HEL CLASS	HEL CLASS	HEL CLASS	HEL CLASS	HEL CLASS	HEL CLASS
643AB	AB	ARVADA	1	70	N	N	N	N	N	N	N	N
643AB	AB	BONE	2	30								
643BA	BA	BANKARD	1	100	N	Y	Y	N	N	N	N	N
643BC	BC	BEW	1	100	N	Y	Y	N	N	N	N	N
643BE	BE	BEW	1	100	N	Y	Y	N	N	N	N	N
643BW	BW	BEW	1	100	N	Y	Y	N	N	N	N	N
643CA	CA	CABBA	1	40	Y	Y	Y	P	P	Y	Y	Y
643CA	CA	CABBA	2	15								
643CA	CA	WAYDEN	3	15								
643CB	CB	CAMPSPASS	1	50	N	N	N	P	P	P	P	P
643CB	CB	BARVON	2	20								
643CE	CE	CUSHMAN	1	70	Y	Y	Y	P	P	P	P	P
643CE	CE	ELSO	2	30								
643CH	CH	CUSHMAN	1	70	Y	Y	Y	P	P	P	P	P
643CH	CH	ELSO	2	20								
643EC	EC	ELSO	1	100	Y	Y	Y	P	P	P	P	P
643EL	EL	ELSO	1	100	Y	Y	Y	P	P	Y	Y	Y
643EO	EO	ELSO	1	45	Y	Y	Y	P	P	Y	Y	Y
643EO	EO	OCEAN LAKE	2	35								
643EP	EP	EPSIE	1	100	Y	Y	Y	P	P	P	P	P
643FA	FA	FARLAND	1	100	N	N	N	N	N	N	N	N
643FD	FD	FARLAND	1	100	N	N	N	N	N	N	N	N
643FE	FE	FARLAND	1	100	N	N	N	N	N	N	N	N
643FH	FH	FARLAND	1	65	Y	Y	Y	P	P	P	P	P
643FH	FH	CABBA	2	35								
643FK	FK	FARLAND	1	70	N	N	N	P	P	P	P	P
643FK	FK	CABBA	2	30								
643FL	FL	FARLAND	1	65	N	N	N	N	N	N	N	N
643FL	FL	ROCK LAND	2	35								

*These are undifferentiated or highly variable map units. Percent of the soil component in this unit will vary from field to field. The determination of the actual composition requires on-site investigation.

SURVEY NAME POWDER RIVER COUNTY

MUID	MAP SYMBOL	SOIL NAME	*	%	WIND C 40 HEL CLASS	C 50 HEL CLASS	C 60 HEL CLASS	WATER R 25 HEL CLASS	R 30 HEL CLASS	R 35 HEL CLASS	R 40 HEL CLASS	R 45 HEL CLASS
643FM	FM	FARLAND	1	100*	N	N	N	N	N	N	N	N
643FM	FM	HAVRELON	2	100*		Y	Y					
643FN	FN	FERGUS	1	70	N	N	N	N	N	N	N	N
643FN	FN	RELAN	2	30								
643FO	FO	FORT COLLINS	1	100	N	N	N	N	N	N	N	N
643FR	FR	FORT COLLINS	1	100	N	N	N	N	N	N	N	N
643FS	FS	FORT COLLINS	1	100	N	N	N	N	N	N	N	N
643GA	GA	GALATA	1	100	Y	Y	Y	N	N	P	P	P
643GD	GD	GILT EDGE	1	100	N	N	N	N	N	N	N	N
643GE	GE	GILT EDGE	1	100	N	N	N	N	N	N	N	N
643GF	GF	GLENBERG	1	100	N	Y	Y	N	N	N	N	N
643HA	HA	HAVERSON	1	100	N	N	N	N	N	N	N	N
643HC	HC	HAVERSON	1	100	N	N	N	N	N	N	N	N
643HD	HD	HAVERSON	1	100	N	N	N	N	N	N	N	N
643HE	HE	HAVERSON	1	100	N	Y	Y	N	N	N	N	N
643HF	HF	HAVERSON SOILS	1	100	N	N	N	N	N	N	N	N
643HG	HG	HAVERSON	1	100*	N	N	N	N	N	N	N	N
643HG	HG	HAVRE	2	100*								
643HH	HH	HELDT	1	100	N	N	N	N	N	N	N	N
643HK	HK	HELDT	1	100	N	N	N	N	N	N	N	N
643HM	HM	HELDT	1	100	N	N	N	N	N	N	N	N
643HN	HN	HESPER	1	100	N	N	N	N	N	N	N	N
643HO	HO	HESPER	1	100	N	N	N	N	N	N	N	N
643HP	HP	HESPER	1	100	N	N	N	N	N	N	N	N
643HR	HR	HESPER	1	100	N	N	N	P	P	P	P	P
643HS	HS	HOPLEY	1	100*	N	N	N	N	N	N	N	P
643HS	HS	RELAN	2	100*								N
643HT	HT	HYDRO	1	100	N	N	N	N	N	N	N	N
643HU	HU	HYDRO	1	100	N	N	N	N	N	N	N	N
643HV	HV	HYDRO	1	100	N	N	N	N	N	N	N	N
643HW	HW	HYDRO	1	80	N	N	N	N	N	N	N	N
643HW	HW	ARVADA	2	20								

*These are undifferentiated or highly variable map units. Percent of the soil component in this unit will vary from field to field. The determination of the actual composition requires on-site investigation.

HIGHLY ERODIBLE MAP UNIT LISTING
SURVEY NUMBER 643 SURVEY NAME POWDER RIVER COUNTY
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

MUID	MAP SYMBOL	SOIL NAME	*	%	WIND C 40 HEL CLASS	C 50 HEL CLASS	C 60 HEL CLASS	WATER R 25 HEL CLASS	R 30 HEL CLASS	R 35 HEL CLASS	R 40 HEL CLASS	R 45 HEL CLASS
643AB	AB	ARVADA	1	70	N	N	N	N	N	N	N	N
643AB	AB	BONE	2	30								
643BA	BA	BANKARD	1	100	N	Y	Y	N	N	N	N	N
643BC	BC	BEW	1	100	N	Y	Y	N	N	N	N	N
643BE	BE	BEW	1	100	N	Y	Y	N	N	N	N	N
643BW	BW	BEW	1	100	N	Y	Y	N	N	N	N	N
643CA	CA	CABBA	1	40	Y	Y	Y	P	P	Y	Y	Y
643CA	CA	CABBA	2	15								
643CA	CA	WAYDEN	3	15								
643CB	CB	CAMPSPASS	1	50	N	N	N	P	P	P	P	P
643CB	CB	BARVON	2	20								
643CE	CE	CUSHMAN	1	70	Y	Y	Y	P	P	P	P	P
643CE	CE	ELSO	2	30								
643CH	CH	CUSHMAN	1	70	Y	Y	Y	P	P	P	P	P
643CH	CH	ELSO	2	20								
643EC	EC	ELSO	1	100	Y	Y	Y	P	P	P	P	P
643EL	EL	ELSO	1	100	Y	Y	Y	P	P	Y	Y	Y
643EO	EO	ELSO	1	45	Y	Y	Y	P	P	Y	Y	Y
643EO	EO	OCEAN LAKE	2	35								
643EP	EP	EPSIE	1	100	Y	Y	Y	P	P	P	P	P
643FA	FA	FARLAND	1	100	N	N	N	N	N	N	N	N
643FD	FD	FARLAND	1	100	N	N	N	N	N	N	N	N
643FE	FE	FARLAND	1	100	N	N	N	N	N	N	N	N
643FH	FH	FARLAND	1	65	Y	Y	Y	P	P	P	P	P
643FH	FH	CABBA	2	35								
643FK	FK	FARLAND	1	70	N	N	N	P	P	P	P	P
643FK	FK	CABBA	2	30								
643FL	FL	FARLAND	1	65	N	N	N	N	N	N	N	N
643FL	FL	ROCK LAND	2	35								

*These are undifferentiated or highly variable map units. Percent of the soil component in this unit will vary from field to field. The determination of the actual composition requires on-site investigation.

SURVEY NAME POWDER RIVER COUNTY

MUID	MAP SYMBOL	SOIL NAME	*	%	WIND C 40 HEL CLASS	C 50 HEL CLASS	C 60 HEL CLASS	WATER R 25 HEL CLASS	R 30 HEL CLASS	R 35 HEL CLASS	R 40 HEL CLASS	R 45 HEL CLASS
643FM	FM	FARLAND	1	100*	N	N	N	N	N	N	N	N
643FM	FM	HAVRELON	2	100*		Y	Y					
643FN	FN	FERGUS	1	70	N	N	N	N	N	N	N	N
643FN	FN	RELAN	2	30								
643FO	FO	FORT COLLINS	1	100	N	N	N	N	N	N	N	N
643FR	FR	FORT COLLINS	1	100	N	N	N	N	N	N	N	N
643FS	FS	FORT COLLINS	1	100	N	N	N	N	N	N	N	N
643GA	GA	GALATA	1	100	Y	Y	Y	N	N	P	P	P
643GD	GD	GILT EDGE	1	100	N	N	N	N	N	N	N	N
643GE	GE	GILT EDGE	1	100	N	N	N	N	N	N	N	N
643GF	GF	GLENBERG	1	100	N	Y	Y	N	N	N	N	N
643HA	HA	HAVERSON	1	100	N	N	N	N	N	N	N	N
643HC	HC	HAVERSON	1	100	N	N	N	N	N	N	N	N
643HD	HD	HAVERSON	1	100	N	N	N	N	N	N	N	N
643HE	HE	HAVERSON	1	100	N	Y	Y	N	N	N	N	N
643HF	HF	HAVERSON SOILS	1	100	N	N	N	N	N	N	N	N
643HG	HG	HAVERSON	1	100*	N	N	N	N	N	N	N	N
643HG	HG	HAVRE	2	100*								
643HH	HH	HELDT	1	100	N	N	N	N	N	N	N	N
643HK	HK	HELDT	1	100	N	N	N	N	N	N	N	N
643HM	HM	HELDT	1	100	N	N	N	N	N	N	N	N
643HN	HN	HESPER	1	100	N	N	N	N	N	N	N	N
643HO	HO	HESPER	1	100	N	N	N	N	N	N	N	N
643HP	HP	HESPER	1	100	N	N	N	N	N	N	N	N
643HR	HR	HESPER	1	100	N	N	N	P	P	P	P	P
643HS	HS	HOPLEY	1	100*	N	N	N	N	N	N	N	P
643HS	HS	RELAN	2	100*								N
643HT	HT	HYDRO	1	100	N	N	N	N	N	N	N	N
643HU	HU	HYDRO	1	100	N	N	N	N	N	N	N	N
643HV	HV	HYDRO	1	100	N	N	N	N	N	N	N	N
643HW	HW	HYDRO	1	80	N	N	N	N	N	N	N	N
643HW	HW	ARVADA	2	20								

*These are undifferentiated or highly variable map units. Percent of the soil component in this unit will vary from field to field. The determination of the actual composition requires on-site investigation.

SURVEY NAME POWDER RIVER COUNTY

MUID	MAP SYMBOL	SOIL NAME	*	%	WIND C 40 HEL CLASS	C 50 HEL CLASS	C 60 HEL CLASS	WATER R 25 HEL CLASS	R 30 HEL CLASS	R 35 HEL CLASS	R 40 HEL CLASS	R 45 HEL CLASS
643HX	HX	HYDRO	1	65	Y	Y	Y	P	P	P	P	P
643HX	HX	ELSO	2	35								
643HY	HY	HYDRO	1	70	N	N	N	N	N	N	N	N
643HY	HY	FORT COLLINS	2	30								
643KC	KC	KEISER	1	100	N	N	N	N	N	N	N	N
643KE	KE	KEISER	1	100	N	N	N	N	N	N	N	N
643KF	KF	KEISER	1	100	N	N	N	N	N	N	N	N
643KL	KL	KYLE	1	100	N	Y	Y	N	N	N	N	N
643KM	KM	KYLE	1	100	N	Y	Y	N	N	N	N	N
643KN	KN	KYLE	1	100	N	Y	Y	P	P	P	P	P
643MC	MC	MCRAE	1	100	N	N	N	N	N	N	N	N
643MD	MD	MCRAE	1	100	N	N	N	N	N	N	N	N
643ME	ME	MCRAE	1	100	N	N	N	N	N	N	N	N
643MF	MF	MIDWAY	1	100	Y	Y	Y	P	P	P	P	P
643MG	MG	MIDWAY	1	60	Y	Y	Y	P	P	P	P	Y
643MG	MG	ELSO	2	30								
643MR	MR	MIDWAY	1	60	Y	Y	Y	Y	Y	Y	Y	Y
643MR	MR	ROCK LAND	2	40								
643MT	MT	MIDWAY	1	55	Y	Y	Y	P	P	P	P	Y
643MT	MT	THURLOW	2	45								
643MW	MW	MIDWAY	1	100*	Y	Y	Y	Y	Y	Y	Y	Y
643MW	MW	ELSO	2	100*								
643NH	NH	NIHILL	1	60	Y	Y	Y	P	P	P	P	P
643NH	NH	ELSO	2	40								
643OC	OC	OCEAN LAKE	1	65	Y	Y	Y	P	P	P	P	P
643OC	OC	ROCK LAND	2	35								
643RA	RA	RAPELJE	1	100	N	N	N	N	N	N	N	N
643RC	RC	RAPELJE	1	100	N	N	N	N	N	N	N	N
643RE	RE	RELAN	1	100	N	N	N	N	N	N	N	N
643RF	RF	RELAN	1	70	N	N	N	P	P	P	P	P
643RF	RF	RINGLING	2	30								
643RH	RH	RELAN	1	60	Y	Y	Y	P	P	P	P	P

*These are undifferentiated or highly variable map units. Percent of the soil component in this unit will vary from field to field. The determination of the actual composition requires on-site investigation.

SURVEY NAME POWDER RIVER COUNTY

MUID	MAP SYMBOL	SOIL NAME	*	%	WIND C 40 HEL CLASS	C 50 HEL CLASS	C 60 HEL CLASS	WATER R 25 HEL CLASS	R 30 HEL CLASS	R 35 HEL CLASS	R 40 HEL CLASS	R 45 HEL CLASS
643RH	RH	CABBA	2	40								
643RK	RK	RELAN VARIANT	1	100	N	N	N	N	N	N	N	N
643RM	RM	REMMIT	1	100	Y	Y	Y	N	N	N	N	N
643RN	RN	REMMIT	1	100	Y	Y	Y	N	N	N	N	N
643RO	RO	REMMIT	1	65	Y	Y	Y	P	P	P	P	P
643RO	RO	OCEAN LAKE	2	35								
643RS	RS	RINGLING	1	100	Y	Y	Y	Y	Y	Y	Y	Y
643RT	RT	RINGLING	1	50	Y	Y	Y	P	P	Y	Y	Y
643RT	RT	CABBA	2	50								
643RU	RU	RINGLING	1	50	Y	Y	Y	P	P	P	P	P
643RU	RU	RELAN	2	50								
643RW	RW	RIVERWASH	1	100	O	O	O	O	O	O	O	O
643SL	SL	SHALE OUTCROP	1	100	O	O	O	O	O	O	O	O
643TE	TE	TERRACE ESCARPM	1	100	N	N	N	P	P	P	P	P
643TH	TH	THURLOW	1	100	N	N	N	N	N	N	N	N
643TM	TM	THURLOW	1	100	N	N	N	N	N	N	N	N
643TO	TO	THURLOW	1	100	N	N	N	N	N	N	N	N
643TR	TR	THURLOW	1	100	N	N	N	P	P	P	P	P
643VA	VA	VANANDA	1	100	N	Y	Y	N	N	N	N	N
643VO	VO	VONA	1	100	N	Y	Y	N	N	N	N	N
643VR	VR	VONA	1	60	Y	Y	Y	N	N	N	N	N
643VR	VR	REMMIT	2	40								

*These are undifferentiated or highly variable map units. Percent composition of the soil component in this unit will vary from field to field. The determination of the actual composition requries on-site investigation.