Approved
State Soil Scientist
5/20/09

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
25	Straw loam, 0 to 4 percent slopes	N	N	N
31	Varney clay loam, 4 to 8 percent slopes	N	N	N
34	Cetrack loam, 4 to 8 percent slopes	N	N	N
35	Anaconda loam, 4 to 8 percent slopes	N	N	N
39	Winspect gravelly loam, 8 to 15 percent slopes	Y	N	Y
45	Redchief cobbly loam, 4 to 15 percent slopes	N	Y	Y
46	Roy gravelly loam, 0 to 4 percent slopes	N	N	N
48	Mollet loam, 4 to 15 percent slopes	N	N	Y
49	Danvers clay loam, 4 to 8 percent slopes	N	N	N
50	Monad loam, 2 to 8 percent slopes	N	N	N
51	Shawmut gravelly loam, 4 to 8 percent slopes	N	N	N
52	Martinsdale loam, 4 to 8 percent slopes	N	N	N
53	Shawmut-Martinsdale complex, 0 to 4 percent slopes	N	N	N
54	Libeg gravelly loam, 8 to 15 percent slopes	Y	N	N
58	Coben loam, 4 to 8 percent slopes	N	N	N
60	Quigley loam, 0 to 4 percent slopes	N	N	N
69	Boxwell loam, 4 to 8 percent slopes	N	N	N
76	Tibson gravelly loam, 4 to 15 percent slopes	N	Y	Y
132	Beaverell cobbly loam, 0 to 4 percent slopes	Y	N	N
135	Baggs sandy loam, 4 to 8 percent slopes	N	N	N
137	Sixbeacon cobbly loam, 0 to 4 percent slopes	N	N	N
148	Mollet cobbbly loam, 4 to 8 percent slopes	N	N	N
149	Danvers cobbly clay loam, 0 to 4 percent slopes	N	N	N
151	Shawmut cobbly loam, 8 to 15 percent slopes	N	N	Y
152	Clasoil sandy loam, 4 to 8 percent slopes	N	N	N
168	Dolus-Boxwell complex, 4 to 8 percent slopes	N	N	N
237	Sixbeacon gravelly loam, 0 to 4 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
332	Beaverell loam, 0 to 4 percent slopes	Y	N	N
352	Martinsdale cobbly loam, 0 to 4 percent slopes	N	N	N
460	Quigley cobbly loam, 4 to 8 percent slopes	N	N	N
532	Carten loam, cool, 0 to 4 percent slopes	N	N	N
534	Gregson loam, cool, 0 to 4 percent slopes	N	N	N
535	Saypo loam, cool, 0 to 4 percent slopes	N	N	N
537	Truchot loam, 0 to 4 percent slopes	N	N	N
549	Marcott silty clay loam, 0 to 4 percent slopes	Y	N	N
632	Bushong loam, 0 to 4 percent slopes	N	N	N
634	Blossberg loam, 0 to 4 percent slopes	N	N	N
635	Tetonview loam, 0 to 4 percent slopes	N	N	N
637	Poronto loam, 0 to 4 percent slopes	N	N	N
649	Turrah silty clay loam, 0 to 4 percent slopes	N	N	N
2	Dougcliff mucky peat, 0 to 2 percent slopes, ponded	N	N	N
4	Aquents-Slickens complex, 0 to 2 percent slopes, occasionally flooded	0	0	0
5	Slickens-Aquents complex, 0 to 2 percent slopes, occasionally flooded	0	0	0
6B	Elliston loam, 0 to 4 percent slopes, rarely flooded	N	N	N
7	Fluvaquents-Endoaquolls complex, 0 to 2 percent slopes, occasionally flooded	0	0	0
10	Bushong loam, taxadjunct, 0 to 4 percent slopes	N	N	N
10A	Mccabe-Canarway complex, impacted, 0 to 2 percent slopes, occasionally flooded	Y	N	N
11A	Mccabe-Canarway complex, 0 to 2 percent slopes, occasionally flooded	Y	N	N
24B	Con loam, 0 to 4 percent slopes	N	N	N
24C	Con loam, 4 to 8 percent slopes	N	N	N
24D	Con loam, 8 to 15 percent slopes	N	Y	Y
25B	Straw loam, 0 to 4 percent slopes	N	N	N
31B	Varney clay loam, 0 to 4 percent slopes	N	N	N
31C	Varney clay loam, 4 to 8 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
31D	Varney clay loam, 8 to 15 percent slopes	N	N	N
34B	Cetrack loam, 0 to 4 percent slopes	N	N	N
34C	Cetrack loam, 4 to 8 percent slopes	N	N	N
35B	Anaconda loam, 0 to 4 percent slopes	Y	N	N
35UD4	Garlet-Cowood families-Rock outcrop complex, very steep trough walls, moist	N	Y	Y
36B	Varney-Con loams, 0 to 4 percent slopes	N	N	N
36C	Varney-Con loams, 4 to 8 percent slopes	N	N	N
36D	Varney-Con loams, 8 to 15 percent slopes	N	N	N
37UC2	Garlet-Worock-Elvick families complex, moderately steep trough bottoms	N	N	N
39C	Winspect gravelly loam, 4 to 8 percent slopes	Y	N	N
39D	Winspect gravelly loam, 8 to 15 percent slopes	Y	N	Y
39E	Winspect gravelly loam, 15 to 35 percent slopes	Y	Y	Y
39F	Winspect gravelly loam, 35 to 60 percent slopes	Y	Y	Y
40C	Fergus-Water complex, 2 to 8 percent slopes	N	N	N
41B	Perma gravelly loam, 0 to 4 percent slopes	N	N	N
41C	Perma gravelly loam, 4 to 8 percent slopes	N	N	N
41D	Perma gravelly loam, 8 to 15 percent slopes	N	N	N
41E	Perma gravelly loam, 15 to 35 percent slopes	N	N	Y
41F	Perma gravelly loam, 35 to 60 percent slopes	N	Y	Y
42E	Windham gravelly loam, 15 to 35 percent slopes	Y	Y	Y
42F	Windham gravelly loam, 35 to 60 percent slopes	Y	Y	Y
45D	Redchief cobbly loam, 4 to 15 percent slopes	N	N	N
45E	Redchief cobbly loam, 15 to 35 percent slopes	N	N	Y
46B	Roy gravelly loam, 0 to 4 percent slopes	N	N	N
46C	Roy gravelly loam, 4 to 8 percent slopes	N	N	N
46D	Roy gravelly loam, 8 to 15 percent slopes	N	N	N
48D	Mollet loam, 4 to 15 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
48E	Mollet loam, 15 to 35 percent slopes	N	Y	Y
49B	Danvers clay loam, 0 to 4 percent slopes	N	N	N
49C	Danvers clay loam, 4 to 8 percent slopes	N	N	N
49D	Danvers clay loam, 8 to 15 percent slopes	N	N	N
50C	Monad loam, 2 to 8 percent slopes	N	N	N
50D	Monad loam, 8 to 15 percent slopes	N	N	N
50E	Monad loam, 15 to 35 percent slopes	N	Y	Y
51B	Shawmut gravelly loam, 0 to 4 percent slopes	N	N	N
51C	Shawmut gravelly loam, 4 to 8 percent slopes	N	N	N
51D	Shawmut gravelly loam, 8 to 15 percent slopes	N	N	N
52B	Martinsdale loam, 0 to 4 percent slopes	N	N	N
52C	Martinsdale loam, 4 to 8 percent slopes	N	N	N
52D	Martinsdale loam, 8 to 15 percent slopes	N	N	N
53B	Shawmut-Martinsdale complex, 0 to 4 percent slopes	N	N	N
53C	Shawmut-Martinsdale complex, 4 to 8 percent slopes	N	N	N
54D	Libeg gravelly loam, 8 to 15 percent slopes	N	N	N
54E	Libeg gravelly loam, 15 to 35 percent slopes	N	Y	Y
58B	Coben loam, 0 to 4 percent slopes	N	N	N
58C	Coben loam, 4 to 8 percent slopes	N	N	N
58D	Coben loam, 8 to 15 percent slopes	N	N	Y
60B	Quigley loam, 0 to 4 percent slopes	N	N	N
60C	Quigley loam, 4 to 8 percent slopes	N	N	N
60D	Quigley loam, 8 to 15 percent slopes	N	Y	Y
63C	Quigley-Straw-Water complex, 2 to 8 percent slopes	N	N	N
63E	Quigley-Straw-Water complex, 8 to 25 percent slopes	N	Y	Y
64UF2	Elve-Finn families-Water complex, rolling stream terraces and flood plains	N	N	N
65C	Tanna loam, 4 to 8 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
65D	Tanna loam, 8 to 15 percent slopes	N	N	Y
69C	Boxwell loam, 4 to 8 percent slopes	N	N	N
69D	Boxwell loam, 8 to 15 percent slopes	N	N	Y
69E	Boxwell loam, 15 to 35 percent slopes	N	Y	Y
71C	Winfall gravelly loam, 2 to 8 percent slopes	N	N	N
71E	Winfall gravelly loam, 8 to 25 percent slopes	N	N	N
71F	Winfall gravelly loam, 25 to 50 percent slopes	N	N	Y
71VA3	Elve-Gambler families-Rock outcrop complex, high relief mountain slopes and ridges, warm	N	N	N
71VB3	Elve-Gambler families-Rubble land complex, high relief mountain slopes and ridges	N	N	N
75LB2	Vitroff-Torpy-Goosepeak families complex, low relief mountain slopes and ridges	N	N	N
79D	Ambrant-Rochester complex, cool, 4 to 15 percent slopes	N	N	N
79E	Ambrant-Rochester complex, cool, 15 to 35 percent slopes	N	N	Y
79F	Ambrant-Rochester complex, cool, 35 to 60 percent slopes	N	Y	Y
80E	Elkner-Ovando complex, 15 to 35 percent slopes	N	N	N
80F	Elkner-Ovando complex, 35 to 60 percent slopes	N	Y	Y
82D	Elve gravelly loam, 4 to 15 percent slopes	N	N	N
82E	Elve gravelly loam, 15 to 35 percent slopes	N	N	N
82F	Elve gravelly loam, 35 to 60 percent slopes	N	Y	Y
83D	Crow clay loam, 4 to 15 percent slopes	N	N	N
83E	Crow clay loam, 15 to 35 percent slopes	N	Y	Y
84D	Helmville cobbly loam, 8 to 15 percent slopes	N	N	N
84E	Helmville cobbly loam, 15 to 35 percent slopes	N	N	Y
84F	Helmville cobbly loam, 35 to 60 percent slopes	N	Y	Y
85D	Loberg gravelly loam, 4 to 15 percent slopes	N	N	N
85E	Loberg gravelly loam, 15 to 35 percent slopes	N	N	Y
86D	Winkler gravelly loam, 8 to 15 percent slopes	N	N	N
86E	Winkler gravelly loam, 15 to 35 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
86F	Winkler gravelly loam, 35 to 60 percent slopes	N	Y	Y
86G	Winkler gravelly loam, 60 to 80 percent slopes	N	Y	Y
87D	Danaher loam, 4 to 15 percent slopes	N	N	N
87E	Danaher loam, 15 to 35 percent slopes	N	Y	Y
88E	Whitecow gravelly loam, dry, 15 to 35 percent slopes	Y	Y	Y
88F	Whitecow gravelly loam, dry, 35 to 60 percent slopes	Y	Y	Y
88G	Whitecow gravelly loam, dry, 60 to 80 percent slopes	Y	Y	Y
90F	Mocmont very gravelly loam, moist, 35 to 60 percent slopes	N	N	Y
91E	Rittel loam, 15 to 35 percent slopes	N	Y	Y
92E	Whitore gravelly loam, 15 to 35 percent slopes	Y	Y	Y
92F	Whitore gravelly loam, 35 to 60 percent slopes	Y	Y	Y
93E	Tigeron very gravelly loam, 15 to 35 percent slopes	N	N	N
93F	Tigeron very gravelly loam, 35 to 60 percent slopes	N	Y	Y
95D	Yreka gravelly loam, 8 to 15 percent slopes	N	N	N
95E	Yreka gravelly loam, 15 to 35 percent slopes	N	N	Y
95F	Yreka gravelly loam, 35 to 60 percent slopes	N	Y	Y
96D	Worock gravelly loam, cool, 8 to 15 percent slopes	N	N	N
96E	Worock gravelly loam, cool, 15 to 35 percent slopes	N	N	Y
96F	Worock gravelly loam, cool, 35 to 60 percent slopes	N	Y	Y
97D	Evaro gravelly loam, dry, 4 to 15 percent slopes	N	N	N
97E	Evaro gravelly loam, dry, 15 to 35 percent slopes	N	N	N
97F	Evaro gravelly loam, dry, 35 to 60 percent slopes	N	Y	Y
98E	Trapps gravelly loam, 15 to 35 percent slopes	N	N	Y
98F	Trapps gravelly loam, 35 to 60 percent slopes	N	Y	Y
99D	Bignell gravelly clay loam, 8 to 15 percent slopes	N	N	N
99E	Bignell gravelly clay loam, 15 to 35 percent slopes	N	N	Y
99F	Bignell gravelly clay loam, 35 to 60 percent slopes	N	Y	Y

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
100	Rubble land-Rock outcrop complex	0	0	0
102	Pits, gravel	0	0	0
103	Dumps, mine	0	0	0
104A	Fluvaquentic Endoaquolls-Slickens complex, 0 to 2 percent slopes, severely impacted	Y	N	N
105A	Slickens-Fluvaquentic Endoaquolls complex, 0 to 2 percent slopes, severely impacted	Y	N	N
109	Bohnly silt loam, 0 to 2 percent slopes	N	N	N
110	Carten-Wetsand complex, 0 to 2 percent slopes, rarely flooded	Y	N	N
131E	Varney cobbly clay loam, 15 to 35 percent slopes	N	N	Y
131F	Varney cobbly clay loam, 35 to 50 percent slopes	N	Y	Y
132B	Beaverell cobbly loam, 0 to 4 percent slopes	Y	N	N
132C	Beaverell cobbly loam, 4 to 8 percent slopes	Y	N	N
135B	Baggs sandy loam, 0 to 4 percent slopes	N	N	N
135C	Baggs sandy loam, 4 to 8 percent slopes	N	N	N
135D	Baggs sandy loam, 8 to 15 percent slopes	N	N	N
136E	Varney-Con complex, 15 to 35 percent slopes	N	N	Y
137B	Sixbeacon cobbly loam, 0 to 4 percent slopes	N	N	N
137C	Sixbeacon cobbly loam, 4 to 8 percent slopes	N	N	N
137D	Sixbeacon cobbly loam, 8 to 15 percent slopes	N	N	Y
146D	Roy cobbly loam, 8 to 15 percent slopes	N	N	N
146E	Roy cobbly loam, 15 to 35 percent slopes	N	N	Y
149B	Danvers cobbly clay loam, 0 to 4 percent slopes	N	N	N
149C	Danvers cobbly clay loam, 4 to 8 percent slopes	N	N	N
149D	Danvers cobbly clay loam, 8 to 15 percent slopes	N	N	N
151C	Shawmut cobbly loam, 4 to 8 percent slopes	N	N	N
151D	Shawmut cobbly loam, 8 to 15 percent slopes	N	N	N
151E	Shawmut cobbly loam, 15 to 35 percent slopes	N	N	Y
151F	Shawmut cobbly loam, 35 to 60 percent slopes	N	Y	Y

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
152B	Clasoil sandy loam, 0 to 4 percent slopes	N	N	N
152C	Clasoil sandy loam, 4 to 8 percent slopes	N	N	N
152D	Clasoil sandy loam, 8 to 15 percent slopes	N	N	N
168C	Dolus-Boxwell complex, 4 to 8 percent slopes	N	N	N
168D	Dolus-Boxwell complex, 8 to 15 percent slopes	N	N	N
168E	Dolus-Boxwell complex, 15 to 35 percent slopes	N	Y	Y
169F	Doney-Dolus channery loams, 15 to 45 percent slopes	Y	Y	Y
171C	Winfall-Rumblecreek gravelly loams, 2 to 8 slopes	N	N	N
171E	Winfall-Rumblecreek gravelly loams, 8 to 25 slopes	N	N	N
171F	Winfall-Rumblecreek gravelly loams, 25 to 50 percent slopes	N	N	Y
179E	Ambrant-Rochester complex, 15 to 35 percent slopes	Y	N	Y
179F	Ambrant-Rochester complex, 35 to 60 percent slopes	Y	Y	Y
180F	Ovando-Elkner complex, 35 to 60 percent slopes	N	Y	Y
184E	Helmville cobbly loam, moist, 15 to 35 percent slopes	N	N	Y
184F	Helmville cobbly loam, moist, 35 to 60 percent slopes	N	Y	Y
185E	Relyea-Helmville complex, 15 to 35 percent slopes	N	Y	Y
185F	Relyea-Helmville complex, 35 to 60 percent slopes	N	Y	Y
190E	Mocmont very gravelly loam, 15 to 35 percent slopes	N	N	N
190F	Mocmont very gravelly loam, 35 to 60 percent slopes	N	N	Y
195E	Yreka gravelly loam, cool, 15 to 35 percent slopes	N	N	Y
195F	Yreka gravelly loam, cool, 35 to 60 percent slopes	N	Y	Y
196E	Worock-Loberg complex, 15 to 35 percent slopes	N	Y	Y
196F	Worock-Loberg complex, 35 to 60 percent slopes	N	Y	Y
197D	Evaro gravelly loam, 4 to 15 percent slopes	N	N	N
197E	Evaro gravelly loam, 15 to 35 percent slopes	N	N	N
197F	Evaro gravelly loam, 35 to 60 percent slopes	N	Y	Y
198E	Trapps-Yreka stony loams, 8 to 25 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
199E	Bignell gravelly clay loam, cool, 15 to 35 percent slopes	N	N	Y
199F	Bignell gravelly clay loam, cool, 35 to 60 percent slopes	N	Y	Y
200E	Braziel-Tolbert-Rock outcrop complex, 15 to 35 percent slopes	N	N	Y
200F	Braziel-Tolbert-Rock outcrop complex, 35 to 60 percent slopes	N	Y	Y
236B	Varney sandy clay loam, 2 to 4 percent slopes	N	N	N
236C	Varney sandy clay loam, 4 to 8 percent slopes	N	N	N
236D	Varney sandy clay loam, 8 to 15 percent slopes	N	N	N
237B	Sixbeacon gravelly loam, 0 to 4 percent slopes	N	N	N
237C	Sixbeacon gravelly loam, 4 to 8 percent slopes	N	N	N
241B	Perma stony loam, 0 to 4 percent slopes	N	N	N
241C	Perma stony loam, 4 to 8 percent slopes	N	N	N
241D	Perma stony loam, 8 to 15 percent slopes	N	N	N
241E	Perma stony loam, 15 to 35 percent slopes	N	N	N
242C	Braziel-Perma gravelly loams, 4 to 8 percent slopes	N	N	N
242D	Braziel gravelly loam, 8 to 15 percent slopes	N	N	N
242E	Braziel gravelly loam, 15 to 35 percent slopes	N	N	Y
251D	Shawmut stony loam, 0 to 15 percent slopes	N	N	N
251E	Shawmut stony loam, 15 to 35 percent slopes	N	N	Y
265C	Tanna-Boxwell loams, 4 to 8 percent slopes	N	N	N
265D	Tanna-Boxwell loams, 8 to 15 percent slopes	N	N	Y
268F	Dolus-Castner channery loams, 15 to 45 percent slopes	Y	Y	Y
271C	Rumblecreek-Water complex, 2 to 8 percent slopes	N	N	N
271E	Rumblecreek-Water complex, 8 to 25 percent slopes	N	N	N
271F	Rumblecreek-Water complex, 25 to 50 percent slopes	N	Y	Y
279E	Ambrant, cool-Rochester, cool-Rock outcrop complex, 15 to 35 percent slopes	Y	N	Y
279F	Ambrant, cool, Rochester, cool-Rock outcrop complex, 35 to 60 percent slopes	Y	Y	Y
280E	Comad-Elkner-Rock outcrop complex, 15 to 35 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
283D	Crow clay loam, moist, 4 to 15 percent slopes	N	N	N
283E	Crow clay loam, moist, 15 to 35 percent slopes	N	Y	Y
298D	Trapps channery loam, 4 to 25 percent slopes	N	N	N
298F	Trapps channery loam, 25 to 60 percent slopes	N	Y	Y
298G	Trapps channery loam, 60 to 80 percent slopes	N	Y	Y
299E	Bignell-Yreka complex, 15 to 35 percent slopes	N	N	Y
299F	Bignell-Yreka complex, 35 to 60 percent slopes	N	Y	Y
331B	Varney clay loam, 0 to 4 percent slopes, impacted	N	N	N
332B	Beaverell loam, 0 to 4 percent slopes	N	N	N
336B	Varney-Anaconda loams, 0 to 4 percent slopes, impacted	N	N	N
336C	Varney-Anaconda loams, 4 to 8 percent slopes, impacted	N	N	N
338C	Perma cobbly loam, 4 to 8 percent slopes	N	N	N
338D	Perma cobbly loam, 8 to 15 percent slopes	N	N	N
338E	Perma cobbly loam, 15 to 35 percent slopes	N	N	N
338F	Perma cobbly loam, 35 to 60 percent slopes	N	Y	Y
342D	Braziel stony loam, 8 to 15 percent slopes	N	N	N
342E	Braziel stony loam, 15 to 35 percent slopes	N	N	Y
342F	Braziel stony loam, 35 to 60 percent slopes	N	Y	Y
351E	Roy-Shawmut-Danvers complex, 15 to 35 percent slopes	N	N	Y
351F	Roy-Shawmut-Danvers complex, 35 to 60 percent slopes	N	Y	Y
352B	Martinsdale cobbly loam, 0 to 4 percent slopes	N	N	N
352E	Martinsdale cobbly loam, 15 to 35 percent slopes	N	N	N
371C	Wildgen-Yreka gravelly loams, 2 to 8 percent slopes	N	N	N
371E	Wildgen-Yreka gravelly loams, 8 to 25 percent slopes	N	N	N
371F	Wildgen-Yreka gravelly loams, 25 to 50 percent slopes	N	N	Y
379E	Ambrant-Rochester-Rock outcrop complex, 15 to 35 percent slopes	Y	N	Y
379F	Ambrant-Rochester-Rock outcrop complex, 35 to 60 percent slopes	Y	Y	Y

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
382D	Elve gravelly loam, warm, 8 to 15 percent slopes	N	N	N
382E	Elve gravelly loam, warm, 15 to 35 percent slopes	N	N	N
382F	Elve gravelly loam, warm, 35 to 60 percent slopes	N	Y	Y
385D	Loberg gravelly loam, moist, 4 to 15 percent slopes	N	N	N
385E	Loberg gravelly loam, moist, 15 to 35 percent slopes	N	N	Y
387E	Danaher-Loberg complex, 15 to 35 percent slopes	N	Y	Y
395D	Rumblecreek gravelly loam, 8 to 15 percent slopes	N	N	N
395E	Rumblecreek gravelly loam, 15 to 35 percent slopes	N	N	Y
395F	Rumblecreek gravelly loam, 35 to 60 percent slopes	N	Y	Y
396D	Worock gravelly loam, 8 to 15 percent slopes	N	N	N
396E	Worock gravelly loam, 15 to 35 percent slopes	N	N	Y
396F	Worock gravelly loam, 35 to 60 percent slopes	N	Y	Y
399E	Bignell-Yreka complex, cool, 15 to 35 percent slopes	N	N	Y
399F	Bignell-Yreka complex, cool, 35 to 60 percent slopes	N	Y	Y
432	Carten loam, 0 to 4 percent slopes, rarely flooded	N	N	N
434	Gregson loam, cool, 0 to 4 percent slopes, rarely flooded	N	N	N
435	Saypo loam, cool, 0 to 4 percent slopes, rarely flooded	Y	N	N
442D	Braziel-Tolbert complex, 8 to 15 percent slopes	N	N	N
442E	Braziel-Tolbert complex, 15 to 35 percent slopes	N	N	Y
442F	Braziel-Tolbert complex, 35 to 60 percent slopes	N	Y	Y
444	Gregson loam, 0 to 4 percent slopes, rarely flooded	N	N	N
445	Saypo loam, 0 to 4 percent slopes, rarely flooded	Y	N	N
446B	Danvers-Roy complex, 0 to 4 percent slopes	N	N	N
446C	Danvers-Roy complex, 4 to 8 percent slopes	N	N	N
446D	Danvers-Roy complex, 8 to 15 percent slopes	N	N	N
451E	Shawmut very bouldery loam, 8 to 25 percent slopes	N	N	N
451F	Shawmut very bouldery loam, 25 to 50 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
452D	Hoyt loam, 8 to 15 percent slopes	N	N	N
452E	Hoyt loam, 15 to 35 percent slopes	N	N	Y
460C	Quigley cobbly loam, 4 to 8 percent slopes	N	N	N
479B	Baggs sandy loam, cool, 0 to 4 percent slopes	N	N	N
482E	Elve gravelly loam, dry, 15 to 35 percent slopes	N	N	N
482F	Elve gravelly loam, dry, 35 to 60 percent slopes	N	Y	Y
485E	Relyea-Helmville complex, moist, 15 to 35 percent slopes	N	Y	Y
485F	Relyea-Helmville complex, moist, 35 to 60 percent slopes	N	Y	Y
486D	Tevis gravelly loam, 4 to 15 percent slopes	N	N	N
486E	Tevis gravelly loam, 15 to 35 percent slopes	N	N	N
486F	Tevis gravelly loam, 35 to 60 percent slopes	N	Y	Y
488E	Whitecow gravelly loam, cool, 15 to 35 percent slopes	Y	Y	Y
488F	Whitecow gravelly loam, cool, 35 to 60 percent slopes	Y	Y	Y
488G	Whitecow gravelly loam, cool, 60 to 80 percent slopes	Y	Y	Y
499D	Bignell, cool-Yreka complex, 8 to 15 percent slopes	N	N	N
499E	Bignell, cool-Yreka complex, 15 to 35 percent slopes	N	N	Y
499F	Bignell, cool-Yreka complex, 35 to 60 percent slopes	N	Y	Y
542E	Perma very bouldery loam, 8 to 25 percent slopes	N	N	N
542F	Perma very bouldery loam, 25 to 50 percent slopes	N	N	Y
544	Gregson loam, 0 to 4 percent slopes	N	N	N
545	Saypo loam, 0 to 4 percent slopes	Y	N	N
547	Kleinschmidt gravelly loam, cool, 0 to 4 percent slopes	N	N	N
551F	Shawmut extremely bouldery loam, 8 to 50 percent slopes	N	N	N
552C	Clasoil-Crackerville complex, 4 to 8 percent slopes	Y	N	N
552D	Clasoil-Crackerville complex, 8 to 15 percent slopes	Y	Y	Y
552E	Clasoil-Crackerville complex, 15 to 35 percent slopes	Y	Y	Y
557	Kleinschmidt gravelly loam, 0 to 4 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
562	Carten loam, 0 to 4 percent slopes	N	N	N
580E	Comad-Elkner complex, 15 to 35 percent slopes	N	N	N
580F	Comad-Elkner complex, 35 to 60 percent slopes	N	N	Y
596D	Worock, cool-Loberg complex, 8 to 15 percent slopes	N	N	N
596E	Worock, cool-Loberg complex, 15 to 35 percent slopes	N	Y	Y
596F	Worock, cool-Loberg complex, 35 to 60 percent slopes	N	Y	Y
599D	Silverchief-Trapps complex, 8 to 15 percent slopes	N	N	N
599E	Silverchief-Trapps complex, 15 to 35 percent slopes	N	Y	Y
642E	Perma extremely bouldery loam, 8 to 50 percent slopes	N	N	N
651C	Shawmut-Winspect-Water complex, 2 to 8 percent slopes	N	N	N
651E	Shawmut-Winspect-Water complex, 8 to 25 percent slopes	N	N	N
651F	Shawmut-Winspect-Water complex, 25 to 50 percent slopes	N	Y	Y
680F	Comad-Rubble land complex, 35 to 60 percent slopes	N	N	N
682E	Elve bouldery sandy loam, 8 to 25 percent slopes	N	N	N
682F	Elve bouldery sandy loam, 25 to 50 percent slopes	N	N	N
696E	Worock gravelly loam, dry, 15 to 35 percent slopes	N	N	Y
696F	Worock gravelly loam, dry, 35 to 60 percent slopes	N	Y	Y
699D	Bignell gravelly loam, 8 to 15 percent slopes	N	N	N
699E	Bignell gravelly loam, 15 to 35 percent slopes	N	N	Y
699F	Bignell gravelly loam, 35 to 60 percent slopes	N	Y	Y
735	Tetonview-Blossberg loams, 0 to 4 percent slopes, rarely flooded	N	N	N
742E	Braziel-Perma-Water complex, 8 to 25 percent slopes	N	N	N
742F	Braziel-Perma-Water complex, 25 to 50 percent slopes	N	Y	Y
752E	Clasoil-Crackerville-Rock outcrop complex, 15 to 35 percent slopes	N	N	Y
780E	Ovando-Elkner-Rock outcrop complex, 15 to 35 percent slopes	N	N	N
780F	Ovando-Elkner-Rock outcrop complex, 35 to 60 percent slopes	N	N	N
786D	Winkler gravelly loam, cool, 8 to 15 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
786E	Winkler gravelly loam, cool, 15 to 35 percent slopes	N	N	N
786F	Winkler gravelly loam, cool, 35 to 60 percent slopes	N	Y	Y
786G	Winkler gravelly loam, cool, 60 to 80 percent slopes	N	Y	Y
788F	Whitecow, cool-Rock outcrop complex, 35 to 60 percent slopes	N	Y	Y
799D	Bignell-Yreka-Crow complex, 8 to 15 percent slopes	N	N	N
799E	Bignell-Yreka-Crow complex, 15 to 35 percent slopes	N	N	Y
824E	Con-Sixbeacon cobbly loams, 15 to 35 percent slopes	N	Y	Y
824F	Con-Sixbeacon cobbly loams, 35 to 60 percent slopes	N	Y	Y
832	Bushong loam, 0 to 4 percent slopes, rarely flooded	N	N	N
834	Blossberg loam, 0 to 4 percent slopes, rarely flooded	N	N	N
835	Tetonview loam, 0 to 4 percent slopes, rarely flooded	N	N	N
837	Poronto loam, 0 to 4 percent slopes, rarely flooded	N	N	N
838E	Perma-Whitlash-Rock outcrop complex, 15 to 35 percent slopes	N	N	Y
838F	Perma-Whitlash-Rock outcrop complex, 35 to 60 percent slopes	N	Y	Y
839E	Windham-Lap gravelly loams, 15 to 35 percent slopes	Y	Y	Y
839F	Windham-Lap gravelly loams, 35 to 60 percent slopes	Y	Y	Y
845D	Redchief-Copenhaver gravelly loams, 8 to 15 percent slopes	N	N	N
845E	Redchief-Copenhaver gravelly loams, 15 to 35 percent slopes	N	N	Y
846D	Roy-Tolbert complex, 8 to 15 percent slopes	N	N	N
846E	Roy-Tolbert complex, 15 to 35 percent slopes	N	N	N
846F	Roy-Tolbert complex, 35 to 60 percent slopes	N	Y	Y
854D	Libeg-Monad-Copenhaver complex, 8 to 15 percent slopes	N	N	N
854E	Libeg-Monad-Copenhaver complex, 15 to 35 percent slopes	N	Y	Y
854F	Libeg-Monad-Copenhaver complex, 35 to 60 percent slopes	N	Y	Y
883E	Crow-Bignell complex, moist, 8 to 25 percent slopes	N	N	Y
883F	Crow-Bignell complex, moist, 25 to 50 percent slopes	N	Y	Y
886E	Winkler-Rubble land-Rock outcrop complex, 15 to 35 percent slopes	N	N	N

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.

Erodible Land Index
Survey Area: MT644 - Powell County Area, Montana
0=DATA NOT AVAILABLE Y=HIGHLY ERODIBLE P=POTENTIALLY HIGHLY ERODIBLE N=NOT HIGHLY ERODIBLE

		Wind	Water	
		C - 30	R - 20	R-30
mu_sym	muname	Hel	Hel	Hel
886F	Winkler-Rubble land-Rock outcrop complex, 35 to 60 slopes	N	Y	Y
886G	Winkler-Rubble land-Rock outcrop complex, 60 to 80 percent slopes	N	Y	Y
982F	Elve-Rock outcrop complex, 35 to 60 percent slopes	N	Y	Y
983D	Crow-Bignell complex, 8 to 15 percent slopes	N	N	N
983E	Crow-Bignell complex, 15 to 35 percent slopes	N	Y	Y
988F	Whitecow-Rock outcrop complex, 35 to 60 percent slopes	Y	Y	Y
988G	Whitecow-Rock outcrop complex, 60 to 80 percent slopes	Y	Y	Y
995E	Yreka-Rock outcrop complex, 15 to 35 percent slopes	N	N	Y
995F	Yreka-Rock outcrop complex, 35 to 60 percent slopes	N	Y	Y
996E	Worock-Rock outcrop complex, 15 to 35 percent slopes	N	N	Y
996F	Worock-Rock outcrop complex, 35 to 60 percent slopes	N	Y	Y
999D	Bignell-Rumblecreek complex, 8 to 15 percent slopes	N	N	N
999E	Bignell-Rumblecreek complex, 15 to 35 percent slopes	N	N	Y
999F	Bignell-Rumblecreek complex, 35 to 60 percent slopes	N	Y	Y
DUMPS	Dumps, sanitary landfill	0	0	0
M-W	Miscellaneous water	0	0	0
W	Water	0	0	0

*These are undifferentiated or higly variable map units. Percent of the soil somponent in this unit will vary from field to field. The determination of the actual composistion requires on-site investigation.