Mar 19 16:36 1987 Pottawattamie County Erodible Land List (Water Erosion) Oakland/Council Bluffs Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 175

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
1	10C	MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES	7565	0.71
1	10C2	MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	22260	0.71
1	10C3	MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	1675	0.49
1	10D	MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES	1265	0.71
1	10D2	MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	40780	0.71
1	10D3	MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	5595	0.49
1	10E	MONONA SILT LOAM, 14 TO 20 PERCENT SLOPES	920	0.71
1	10E2	MONONA SILT LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	2780	0.71
1	10E3	MONONA SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	2595	0.49
1	10F	MONONA SILT LOAM, 20 TO 30 PERCENT SLOPES	880	0.71
1	10G	MONONA SILT LOAM, 30 TO 40 PERCENT SLOPES	815	0.71
1	12C	NAPIER SILT LOAM, 5 TO 9 PERCENT SLOPES	12827	0.71
1 — 4170C 1	12D	NAPIER SILT LOAM, 9 TO 14 PERCENT SLOPES Castana-Urban land Complex, 5-9 percent slopes	1365	0.71
1	179F	GARA LOAM, 10 TO 24 PERCENT SLOPES	1360	0.82
1	192C2	ADAIR SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	135	0.43
1 — 4001C 1	192D2	ADAIR SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	1430	0.43
1	1C	IDA SILT LOAM, 5 TO 9 PERCENT SLOPES Ida-urban land Complex, 3-9 percent slopes	206	0.53
1	1C3	IDA SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	3599	0.43
1 — 4001D 1	1D	IDA SILT LOAM, 9 TO 14 PERCENT SLOPES Ida-urban land Complex 9-14 percent slopes	405	0.53
1	1D3	IDA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	20525	0.43
1	1E	IDA SILT LOAM, 14 TO 20 PERCENT SLOPES Ida-urban land Complex 14-20 percent slopes	1725	0.53
— 4001E 1	1E3	IDA SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	42405	0.43
1	1F	IDA SILT LOAM, 20 TO 30 PERCENT SLOPES	3875	0.53
1	1F3	IDA SILT LOAM, 20 TO 30 PERCENT SLOPES, SEVERELY ERODED	5580	0.43
1	1G	IDA SILT LOAM, 30 TO 40 PERCENT SLOPES	1255	0.53
1	222D2	CLARINDA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	725	0.37
1	22C3	DOW SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	265	0.43
1	22D3	DOW SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	1145	0.43
1	22E3	DOW SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	280	0.43
1	24D2	SHELBY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	2775	0.82
1	24E2	SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	1105	0.82
1	24E3	SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	240	0.57
1	2G	HAMBURG SILT LOAM, 40 TO 75 PERCENT SLOPES	3615	0.53
1	33D2	STEINAUER CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	890	0.71
1	33E2	STEINAUER CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	1225	0.71
1	3E	CASTANA SILT LOAM, 9 TO 20 PERCENT SLOPES	520	0.71
1	509C2	MARSHALL SILTY CLAY LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	915	0.71
1	510C2	MONONA SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	200	0.71
1	60D2	MALVERN SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	1030	0.37
1	76C	LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES	420	0.71
1	76D	LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES	270	0.71
1	76F	LADOGA SILT LOAM, 14 TO 25 PERCENT SLOPES	900	0.71
1	8C	JUDSON SILT LOAM, 5 TO 9 PERCENT SLOPES	4995	0.82
1	93D2	SHELBY-ADAIR COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	5875	0.43
1	93D3	SHELBY-ADAIR COMPLEX, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	820	0.29
1	99C2	EXIRA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	6275	0.71
1	99D2	EXIRA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	52445	0.71
1	99D3	EXIRA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	3070	0.57

Mar 19 16:36 1987 Pottawattamie County Erodible Land List (Water Erosion) Oakland/Council Bluffs Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 175

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
1	99E2	EXIRA SILTY CLAY LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	1420	0.71
1	99E3	EXIRA SILTY CLAY LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	1010	0.57
1	9C	MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	4920	0.71
1	9C2	MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	16080	0.71
1	9D	MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES	745	0.71
1	9D2	MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	7055	0.71
2	717C	NAPIER-GULLIED LAND COMPLEX, 2 TO 10 PERCENT SLOPES	508	0.71
3	10	MONONA SILT LOAM, 0 TO 2 PERCENT SLOPES	490	0.71
3	10B	MONONA SILT LOAM, 2 TO 5 PERCENT SLOPES	12240	0.71
3	11B	ACKMORE-COLO-JUDSON COMPLEX, 0 TO 5 PERCENT SLOPES	50815	0.71
3	1233	CORLEY SILT LOAM, 0 TO 2 PERCENT SLOPES	205	0.82
3	1299	MINDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	680	0.82
3	12B	NAPIER SILT LOAM, 2 TO 5 PERCENT SLOPES Napier-Urban land complex 2-5 percent Slopes	43410	0.71
3	133	COLO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	3125	0.82
3	133+	COLO SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	4215	0.82
3	137	HAYNIE SILT LOAM, 0 TO 2 PERCENT SLOPES	7875	0.62
3	144	BLAKE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	2460	0.62
3	146	ONAWA SILTY CLAY, 0 TO 2 PERCENT SLOPES	3715	0.71
3	149	MODALE SILT LOAM, 0 TO 2 PERCENT SLOPES	1780	0.62
3	156	ALBATON SILTY CLAY, 0 TO 2 PERCENT SLOPES albalton-urban land Complex, 0-2 percent Slopes	8295	0.82
3	156+	ALBATON SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	620	0.82
3	212	KENNEBEC SILT LOAM, 0 TO 2 PERCENT SLOPES	4410	0.71
3	212+	KENNEBEC SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	2525	0.71
3	220	NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES	13310	0.62
3	234	NISHNA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	770	0.82
3	237	SARPY LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES Sarpy-urban land Complex, 1-3 percent Slopes	3850	1.14
3	255	COOPER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	2935	0.82
3	275	MOVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES Cooper-Urban land Complex, 0-2 percent slopes	500	0.71
3	36	SALIX SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	1155	0.82
3	43	BREMER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	2160	0.82
3	430	ACKMORE SILT LOAM, 0 TO 2 PERCENT SLOPES	9240	0.62
3	436	LAKEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	1050	0.82
3	44	BLENCOE SILTY CLAY, 0 TO 2 PERCENT SLOPES	530	0.82
3	46	KEG SILT LOAM, 0 TO 2 PERCENT SLOPES Keg-urbanland complex, 0-2 percent Slopes	1115	0.82
3	509	MARSHALL SILTY CLAY LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	2175	0.71
3	509B	MARSHALL SILTY CLAY LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	1080	0.71
3	510	MONONA SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	245	0.71
3	510B	MONONA SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	170	0.71
3	514	GRABLE SILT LOAM, 0 TO 2 PERCENT SLOPES	1540	0.57
3	515	PERCIVAL SILTY CLAY, 0 TO 2 PERCENT SLOPES	2185	0.65
3	54	ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	8115	0.82
3	54+	ZOOK SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	2545	0.82
3	66	LUTON SILTY CLAY, 0 TO 2 PERCENT SLOPES	4205	0.82
3	66+	LUTON SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	860	0.82
3	670	RAWLES SILT LOAM, 0 TO 2 PERCENT SLOPES	1280	0.71
3	70	MCPAUL SILT LOAM, 0 TO 2 PERCENT SLOPES	9520	0.62
3	88	NEVIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	1310	0.71
3	8B	JUDSON SILT LOAM, 2 TO 5 PERCENT SLOPES	30670	0.82

3 - 4012B
3 - 4156
3 - 4237
3 - 4255
3 - 4046

Mar 19 16:36 1987 Pottawattamie County Erodible Land List (Water Erosion) Oakland/Council Bluffs Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 175

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
3	9	MARSHALL SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	2755	0.71
3	9B	MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	44335	0.71

Subtotal of Acres by Erosion Category

Erosion Category	Total Acres
1	305,052
2	508
3	296,465
	602,025

Urban units added Oct 5, 1993 by Dany Oelm