

LINCOLN COUNTY
LINCOLN COUNTY EI MATRIX - WATER EROSION 2-22-88

* = cropland map unit

SYM.	NAME	TEX.	SLOPE	ACRES	K FACT	T FACT	LS	PPT	PPT (in.)											
									R - FACTOR (MLRA 7,8,9)											
									10	14	20	25	30	35	39	43	47	51	54	57
* 1	ANDERS	SIL	0 5	18901	0.43	2	1.1	12-16	2.4	3.4	4.7	5.9	7.1	8.3	9.2	10.2	11.1	12.1	12.8	13.5
* 2	ANDERS	GR-SIL	0 8	1866	0.28	2	1.23	12-16	1.7	2.4	3.4	4.3	5.2	6.0	6.7	7.4	8.1	8.8	9.3	9.8
2	ANDERS	GR-SIL	8 15	1866	0.28	2	2.6	12-16	3.6	5.1	7.3	9.1	10.9	12.7	14.2	15.7	17.1	18.6	19.7	20.7
3	ANDERS	SIL	0 8	150539	0.43	2	1.2	12-16	2.6	3.6	5.2	6.5	7.7	9.0	10.1	11.1	12.1	13.2	13.9	14.7
3	ANDERS	SIL	8 15	150539	0.43	2	2.6	12-16	5.6	7.8	11.2	14.0	16.8	19.6	21.8	24.0	26.3	28.5	30.2	31.9
3	BAKEOVEN	CBV-L	0 8	150539	0.15	1	1.2	12-16	1.8	2.5	3.6	4.5	5.4	6.3	7.0	7.7	8.5	9.2	9.7	10.3
3	BAKEOVEN	CBV-L	8 15	150539	0.15	1	2.6	12-16	3.9	5.5	7.8	9.8	11.7	13.7	15.2	16.8	18.3	19.9	21.1	22.2
3	ROCK OUTCROP	UMB	0 0	150539				12-16	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
4	BADGE	CBV-SIL	25 55	53920	0.15	2		12-15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BAKEOVEN	CBV-L	0 25	53920	0.15	1		12-15	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
4	ROCK OUTCROP	UMB	25 55	53920				12-15	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
* 5	BAGDAD	SIL	0 7	69820	0.43	5	1.4	12-15	1.2	1.7	2.4	3.0	3.6	4.2	4.7	5.2	5.7	6.1	6.5	6.9
* 6	BAGDAD	SIL	7 15	159711	0.43	5	2.4	12-15	2.1	2.9	4.1	5.2	6.2	7.2	8.0	8.9	9.7	10.5	11.1	11.8
* 6	BAGDAD	SIL	15 25	159711	0.43	5	3	12-15	2.6	3.6	5.2	6.5	7.7	9.0	10.1	11.1	12.1	13.2	13.9	14.7
* 7	BAGDAD	SIL	7 15	1654	0.43	5	2.4	12-15	2.1	2.9	4.1	5.2	6.2	7.2	8.0	8.9	9.7	10.5	11.1	11.8
* 7	BAGDAD	SIL	15 25	1654	0.43	5	3	12-15	2.6	3.6	5.2	6.5	7.7	9.0	10.1	11.1	12.1	13.2	13.9	14.7
* 8	BAGDAD	SIL	25 40	4070	0.43	5	4.3	12-15	3.7	5.2	7.4	9.2	11.1	12.9	14.4	15.9	17.4	18.9	20.0	21.1
* 9	BAGDAD	SIL	7 15	20535	0.43	5	2.4	12-15	2.1	2.9	4.1	5.2	6.2	7.2	8.0	8.9	9.7	10.5	11.1	11.8
* 9	BAGDAD	SIL	15 25	20535	0.43	5	3	12-15	2.6	3.6	5.2	6.5	7.7	9.0	10.1	11.1	12.1	13.2	13.9	14.7
* 9	ENDICOTT	SIL	7 15	20535	0.43	2	2.4	12-15	5.2	7.2	10.3	12.9	15.5	18.1	20.1	22.2	24.3	26.3	27.9	29.4
* 9	ENDICOTT	SIL	15 25	20535	0.43	2	3	12-15	6.5	9.0	12.9	16.1	19.4	22.6	25.2	27.7	30.3	32.9	34.8	36.8
* 10	BAGDAD	SIL	25 40	1380	0.43	5	4.3	12-15	3.7	5.2	7.4	9.2	11.1	12.9	14.4	15.9	17.4	18.9	20.0	21.1
* 10	ENDICOTT	SIL	25 40	1380	0.43	2	4.3	12-15	9.2	12.9	18.5	23.1	27.7	32.4	36.1	39.8	43.5	47.1	49.9	52.7
11	BAKEOVEN	CBV-L	0 7	4675	0.15	1	1.3	10-16	2.0	2.7	3.9	4.9	5.9	6.8	7.6	8.4	9.2	9.9	10.5	11.1
* 12	BECKLEY	FSL	0 7	7770	0.37	3	1.3	12-16	1.6	2.2	3.2	4.0	4.8	5.6	6.3	6.9	7.5	8.2	8.7	9.1
13	BECKLEY	FSL	25 40	1740	0.37	3	3.9	12-16	4.8	6.7	9.6	12.0	14.4	16.8	18.8	20.7	22.6	24.5	26.0	27.4
13	BECKLEY	FSL	40 55	1740	0.37	3	5.4	12-16	6.7	9.3	13.3	16.7	20.0	23.3	26.0	28.6	31.3	34.0	36.0	38.0
* 14	BENCO	CB-SIL	0 7	36653	0.24	2	1.3	12-18	1.6	2.2	3.1	3.9	4.7	5.5	6.1	6.7	7.3	8.0	8.4	8.9
* 15	BENGE	SIL	0 8	22836	0.43	2	1.33	12-16	2.9	4.0	5.7	7.1	8.6	10.0	11.2	12.3	13.4	14.6	15.4	16.3
* 15	BENGE	SIL	8 15	22836	0.43	2	2.36	12-16	5.1	7.1	10.1	12.7	15.2	17.8	19.8	21.8	23.8	25.9	27.4	28.9
* 16	BROADAX	SIL	0 7	4653	0.43	5	1.4	15-18	1.2	1.7	2.4	3.0	3.6	4.2	4.7	5.2	5.7	6.1	6.5	6.9
* 17	BROADAX	SIL	7 15	69800	0.43	5	2.4	15-18	2.1	2.9	4.1	5.2	6.2	7.2	8.0	8.9	9.7	10.5	11.1	11.8
* 17	BROADAX	SIL	15 25	69800	0.43	5	3	15-18	2.6	3.6	5.2	6.5	7.7	9.0	10.1	11.1	12.1	13.2	13.9	14.7
* 18	BROADAX	SIL	25 40	1390	0.43	5	4.3	15-18	3.7	5.2	7.4	9.2	11.1	12.9	14.4	15.9	17.4	18.9	20.0	21.1
* 19	BROADAX	SIL	7 15	3155	0.43	5	2.4	12-15	2.1	2.9	4.1	5.2	6.2	7.2	8.0	8.9	9.7	10.5	11.1	11.8
* 19	BROADAX	SIL	15 25	3155	0.43	5	3	12-15	2.6	3.6	5.2	6.5	7.7	9.0	10.1	11.1	12.1	13.2	13.9	14.7
* 20	BROADAX	SIL	7 15	6498	0.43	5	2.4	15-18	2.1	2.9	4.1	5.2	6.2	7.2	8.0	8.9	9.7	10.5	11.1	11.8
* 20	BROADAX	SIL	15 25	6498	0.43	5	3	15-18	2.6	3.6	5.2	6.5	7.7	9.0	10.1	11.1	12.1	13.2	13.9	14.7
* 20	LANCE	SIL	7 15	6498	0.55	5	2.4	15-18	2.6	3.7	5.3	6.6	7.9	9.2	10.3	11.4	12.4	13.5	14.3	15.0
* 20	LANCE	SIL	15 25	6498	0.55	5	3	15-18	3.3	4.6	6.6	8.3	9.9	11.6	12.9	14.2	15.5	16.8	17.8	18.8
* 21	BROADAX	SIL	25 40	520	0.43	5	4.3	15-18	3.7	5.2	7.4	9.2	11.1	12.9	14.4	15.9	17.4	18.9	20.0	21.1
* 21	LANCE	SIL	25 40	520	0.55	5	4.3	15-18	4.7	6.6	9.5	11.8	14.2	16.6	18.4	20.3	22.2	24.1	25.5	27.0
* 22	BURKE	SIL	0 8	5237	0.55	2	1.5	6-9	4.1	5.8	8.3	10.3	12.4	14.4	16.1	17.7	19.4	21.0	22.3	23.5
* 22	BURKE	SIL	8 15	5237	0.55	2	2.6	6-9	7.2	10.0	14.3	17.9	21.5	25.0	27.9	30.7	33.6	36.5	38.6	40.8
* 23	CHARD	SIL	0 8	3826	0.43	4	1.7	12-16	1.8	2.6	3.7	4.6	5.5	6.4	7.1	7.9	8.6	9.3	9.9	10.4
* 23	CHARD	SIL	8 15	3826	0.43	4	2.6	12-16	2.8	3.9	5.6	7.0	8.4	9.8	10.9	12.0	13.1	14.3	15.1	15.9
* 24	CHENEY	SIL	0 5	4082	0.37	2	1.1	15-18	2.0	2.8	4.1	5.1	6.1	7.1	7.9	8.8	9.6	10.4	11.0	11.6
* 25	COCOLALLA	SIL	0 3	3504	0.24	5	0.51	14-19	0.2	0.3	0.5	0.6	0.7	0.9	1.0	1.1	1.2	1.2	1.3	1.4
* 26	COCOLALLA	SIL	0 3	2948	0.24	5	0.51	14-19	0.2	0.3	0.5	0.6	0.7	0.9	1.0	1.1	1.2	1.2	1.3	1.4
27	CONCONULLY	SIL	25 40	3393	0.2	3	3.9	11-15	2.6	3.6	5.2	6.5	7.8	9.1	10.1	11.2	12.2	13.3	14.0	14.8
27	CONCONULLY	STV-FSL	40 55	3393	0.2	3	5.4	11-15	3.6	5.0	7.2	9.0	10.8	12.6	14.0	15.5	16.9	18.4	19.4	20.5
* 28	DRAGON	SIL	0 7	576	0.43	2	1.4	15-18	3.0	4.2	6.0	7.5	9.0	10.5	11.7	12.9	14.1	15.4	16.3	17.2

	DRAGON	SIL	7 15	7190	0.43	2	2.4	15-18	5.2	10.3	12.9	15.5	18.1	20.1	22.2	24.3	26.3	27.9	29.4
	DRAGON	SIL	15 25	7190	0.43	2	3.7	15-18	8.0	15.9	19.9	23.9	27.8	31.0	34.2	37.4	40.6	43.0	45.3
	DRAGON	SIL	25 40	1400	0.43	2	4.3	15-18	9.2	12.7	18.5	23.1	27.7	32.4	36.1	39.8	43.5	47.1	52.7
* 31	DRAGON	STV-SIL	7 15	2075	0.28	2	2.4	15-18	3.4	4.7	6.7	8.4	10.1	11.8	13.1	14.4	15.8	17.1	18.1
* 31	DRAGON	STV-SIL	15 25	2075	0.28	2	3.7	15-18	5.2	7.3	10.4	13.0	15.5	18.1	20.2	22.3	24.3	26.4	28.0
* 32	ENDENT	SIL	0 3	3953	0.43	5	0.51	9-18	0.4	0.6	0.9	1.1	1.3	1.5	1.7	1.9	2.1	2.2	2.4
* 33	ENDENT	SIL	0 3	1961	0.43	5	0.51	9-18	0.4	0.6	0.9	1.1	1.3	1.5	1.7	1.9	2.1	2.2	2.4
* 34	ENDICOTT	SIL	5 15	17032	0.43	2	2.2	12-15	4.7	6.6	9.5	11.8	14.2	16.6	18.4	20.3	22.2	24.1	25.5
* 34	ENDICOTT	SIL	15 25	17032	0.43	2	3.4	12-15	7.3	10.2	14.6	18.3	21.9	25.6	28.5	31.4	34.4	37.3	39.5
* 35	ESQUATZEL	SIL	0 2	16606	0.55	5	0.51	6-12	0.6	0.8	1.1	1.4	1.7	2.0	2.2	2.4	2.6	2.9	3.0
* 36	EWALL	LS	0 15	11777	0.1	5	1.5	12-18	0.3	0.4	0.6	0.8	0.9	1.1	1.2	1.3	1.4	1.5	1.7
* 37	EWALL	LS	15 35	4535	0.1	5	3.5	12-18	0.7	1.0	1.4	1.8	2.1	2.5	2.7	3.0	3.3	3.6	4.0
38	EWALL	LS	35 55	2457	0.1	5	5.6	12-18	1.1	1.6	2.2	2.8	3.4	3.9	4.4	4.8	5.3	5.7	6.4
* 39	FARRELL	FSL	5 15	4073	0.32	4	2.2	9-12	1.8	2.5	3.5	4.4	5.3	6.2	6.9	7.6	8.3	9.0	9.5
* 39	FARRELL	FSL	15 25	4073	0.32	4	3.4	9-12	2.7	3.8	5.4	6.8	8.2	9.5	10.6	11.7	12.8	13.9	14.7
* 40	FARRELL	VFSL	0 5	7628	0.49	4	1.1	9-12	1.3	1.9	2.7	3.4	4.0	4.7	5.3	5.8	6.3	6.9	7.3
* 41	HANNING	SIL	0 7	16380	0.37	5	1.4	15-18	1.0	1.5	2.1	2.6	3.1	3.6	4.0	4.5	4.9	5.3	5.9
* 42	HANNING	SIL	7 15	43298	0.37	5	2.6	15-18	1.9	2.7	3.8	4.8	5.8	6.7	7.5	8.3	9.0	9.8	10.4
* 42	HANNING	SIL	15 25	43298	0.37	5	3.4	15-18	2.5	3.5	5.0	6.3	7.5	8.8	9.8	10.8	11.8	12.8	13.6
* 43	HESELTIME	SIL	0 8	353	0.32	2	1.45	17-20	2.3	3.2	4.6	5.8	7.0	8.1	9.0	10.0	10.9	11.8	12.5
* 43	HESELTIME	SIL	8 15	353	0.32	2	2.36	17-20	3.8	5.3	7.6	9.4	11.3	13.2	14.7	16.2	17.7	19.3	20.4
* 44	HESELTIME	STV-SIL	0 8	2286	0.1	2	1.45	17-20	0.7	1.0	1.4	1.8	2.2	2.5	2.8	3.1	3.4	3.7	4.1
* 44	HESELTIME	STV-SIL	8 15	2286	0.1	2	2.36	17-20	1.2	1.7	2.4	2.9	3.5	4.1	4.6	5.1	5.5	6.0	6.4
* 45	KUHL	CB-SIL	0 8	11392	0.24	1	1.45	12-18	3.5	4.9	7.0	8.7	10.4	12.2	13.6	15.0	16.4	17.7	18.8
* 45	KUHL	CB-SIL	8 15	11392	0.24	1	2.36	12-18	5.7	7.9	11.3	14.2	17.0	19.8	22.1	24.4	26.6	28.9	30.6
* 46	LANCE	SIL	7 15	1220	0.55	5	2.2	15-18	2.4	3.4	4.8	6.1	7.3	8.5	9.4	10.4	11.4	12.3	13.1
* 46	LANCE	SIL	15 25	1220	0.55	5	3.4	15-18	3.7	5.2	7.5	9.3	11.2	13.1	14.6	16.1	17.6	19.1	20.2
* 47	MONDOVI	SIL	0 3	6276	0.37	5	0.3	16-20	0.2	0.3	0.4	0.6	0.7	0.8	0.9	1.0	1.0	1.1	1.2
* 48	NESPELEM	SIL	3 8	1364	0.43	5	1.45	15-18	1.2	1.7	2.5	3.1	3.7	4.4	4.9	5.4	5.9	6.4	6.7
* 48	NESPELEM	SIL	8 15	1364	0.43	5	2.36	15-18	2.0	2.8	4.1	5.1	6.1	7.1	7.9	8.7	9.5	10.4	11.0
* 49	NESPELEM	SIL	15 35	556	0.43	5	3.8	15-18	3.3	4.6	6.5	8.2	9.8	11.4	12.7	14.1	15.4	16.7	18.6
50	NESPELEM	SIL	35 45	1563	0.43	5	5.3	15-18	4.6	6.4	9.1	11.4	13.7	16.0	17.8	19.6	21.4	23.2	24.6
* 51	ONYX	SIL	0 2	14519	0.43	5	0.51	12-16	0.4	0.6	0.9	1.1	1.3	1.5	1.7	1.9	2.1	2.2	2.4
* 52	PATTIT CR. VAR.	SIL	0 3	413	0.37	2	0.51	16-20	0.9	1.3	1.9	2.4	2.8	3.3	3.7	4.1	4.4	4.8	5.1
* 53	PEDIGO	SIL	0 3	7642	0.49	5	0.51	10-16	0.5	0.7	1.0	1.2	1.5	1.7	1.9	2.1	2.3	2.5	2.7
* 54	PHOEBE	SL	0 8	3310	0.24	4	1.45	16-20	0.9	1.2	1.7	2.2	2.6	3.0	3.4	3.7	4.1	4.4	4.7
* 54	PHOEBE	SL	8 15	3310	0.24	4	2.36	16-20	1.4	2.0	2.8	3.5	4.2	5.0	5.5	6.1	6.7	7.2	7.6
* 55	REARDAN	SIL	0 7	1279	0.37	3	1.4	16-18	1.7	2.4	3.5	4.3	5.2	6.0	6.7	7.4	8.1	8.8	9.3
* 56	REARDAN	SIL	7 15	9377	0.37	3	2.4	16-18	3.0	4.1	5.9	7.4	8.9	10.4	11.5	12.7	13.9	15.1	16.0
* 56	REARDAN	SIL	15 25	9377	0.37	3	3	16-18	3.7	5.2	7.4	9.2	11.1	12.9	14.4	15.9	17.4	18.9	20.0
* 57	REARDAN	SIL	25 40	362	0.37	3	4.3	16-18	5.3	7.4	10.6	13.3	15.9	18.6	20.7	22.8	24.9	27.0	28.6
* 58	RENSLOW	SIL	0 5	81424	0.49	5	1.1	10-13	1.1	1.5	2.2	2.7	3.2	3.8	4.2	4.6	5.1	5.5	5.8
* 59	RENSLOW	SIL	5 15	67937	0.49	5	2.3	10-13	2.3	3.2	4.5	5.6	6.8	7.9	8.8	9.7	10.6	11.5	12.2
* 59	RENSLOW	SIL	15 25	67937	0.49	5	3.8	10-13	3.7	5.2	7.4	9.3	11.2	13.0	14.5	16.0	17.5	19.0	20.1
* 60	RITZVILLE	SIL	0 5	52872	0.49	5	1.1	9-12	1.1	1.5	2.2	2.7	3.2	3.8	4.2	4.6	5.1	5.5	5.8
* 61	RITZVILLE	SIL	5 15	21486	0.49	5	2.3	9-12	2.3	3.2	4.5	5.6	6.8	7.9	8.8	9.7	10.6	11.5	12.2
* 61	RITZVILLE	SIL	15 25	21486	0.49	5	3.8	9-12	3.7	5.2	7.4	9.3	11.2	13.0	14.5	16.0	17.5	19.0	20.1
62	RIVERWASH	GR-S	0 5	1262	0	0		9-12	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
63	ROCK OUTCROP	UMB	0 60	3393	0	0		9-12	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
* 64	ROLOFF	SIL	0 5	14257	0.49	2	1.1	9-12	2.7	3.8	5.4	6.7	8.1	9.4	10.5	11.6	12.7	13.7	14.6
65	ROLOFF	SIL	0 8	151179	0.49	2	1.25	9-12	3.1	4.3	6.1	7.7	9.2	10.7	11.9	13.2	14.4	15.6	16.5
65	ROLOFF	SIL	8 15	151179	0.49	2	2.67	9-12	6.5	9.2	13.1	16.4	19.6	22.9	25.5	28.1	30.7	33.4	35.3
65	BAKEOVEN	CBV-L	0 8	151179	0.15	1	1.25	9-12	1.9	2.6	3.8	4.7	5.6	6.6	7.3	8.1	8.8	9.6	10.1
	BAKEOVEN	CBV-L	8 15	151179	0.15	1	2.67	9-12	4.0	5.6	8.0	10.0	12.0	14.0	15.6	17.2	18.8	20.4	21.6
65	ROCK OUTCROP	UMB	0 15	151179				9-12	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
* 66	SHAND	SIL	0 8	14555	0.55	5	1.56	9-12	1.7	2.4	3.4	4.3	5.1	6.0	6.7	7.4	8.1	8.8	9.3
* 66	SHAND	SIL	8 15	14555	0.55	5	2.83	9-12	2.9	4.1	5.8	7.2	8.7	10.1	11.3	12.4	13.6	14.8	15.6
67	SPEIGLE	43 STV-SIL	25 40	11657	0.2	5	7.65	16-20	3.1	4.3	6.1	7.7	9.2	10.7	11.9	13.2	14.4	15.6	16.5

	SPEIGLE	E43 STV-SIL	40 55	11657	0.2	5	13.6	16-20	5.4	10.9	13.6	16.3	19.0	21.2	23.4	25.6	27.7	29.4	31.0
	SPEIS	43 GRX-LS	25 40	3530	0.05	5	7.65	17-20	0.8	1.5	1.9	2.3	2.7	3.0	3.3	3.6	3.9	4.1	4.4
68	SPEIS	E43 GRX-LS	40 50	3530	0.05	5	13.6	17-20	1.4	1.9	2.7	3.4	4.1	4.8	5.3	5.8	6.4	6.9	7.3
* 69	SPOKANE	43 L	5 15	4037	0.1	2	2.5	18-24	1.3	1.8	2.5	3.1	3.8	4.4	4.9	5.4	5.9	6.4	6.8
* 69	SPOKANE	E43 L	15 30	4037	0.1	2	6.2	18-24	3.1	4.3	6.2	7.8	9.3	10.9	12.1	13.3	14.6	15.8	16.7
70	SPOKANE	43 STV-L	5 15	684	0.2	2	2.5	18-24	2.5	3.5	5.0	6.3	7.5	8.8	9.8	10.8	11.8	12.8	13.5
70	SPOKANE	E43 STV-L	15 30	684	0.2	2	6.2	18-24	6.2	8.7	12.4	15.5	18.6	21.7	24.2	26.7	29.1	31.6	33.5
71	SPOKANE	43 STV-L	30 40	3575	0.2	2	9.6	18-24	9.6	13.4	19.2	24.0	28.8	33.6	37.4	41.3	45.1	49.0	51.8
71	SPOKANE	E43 STV-L	40 55	3575	0.2	2	13.6	18-24	13.6	19.0	27.2	34.0	40.8	47.6	53.0	58.5	63.9	69.4	73.4
72	SPOKANE	43 L	30 55	9001	0.1	2		18-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
72	ROCK OUTCROP	43 UMB	30 55	9001	0	0		18-24	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
72	SPOKANE	43 STV-L	30 55	9001	0.2	2		18-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
* 73	SPRINGDALE	43 GR-SL	0 7	4899	0.15	1	0.4	17-20	0.6	0.8	1.2	1.5	1.8	2.1	2.3	2.6	2.8	3.1	3.2
* 74	SPRINGDALE	43 CB-SL	0 8	1487	0.15	1	0.4	17-20	0.6	0.8	1.2	1.5	1.8	2.1	2.3	2.6	2.8	3.1	3.2
* 74	SPRINGDALE	E43 CB-SL	8 15	1487	0.15	1	3.26	17-20	4.9	6.8	9.8	12.2	14.7	17.1	19.1	21.0	23.0	24.9	26.4
* 75	STARBUCK	CB-SIL	0 8	12820	0.28	1	1.25	8-12	3.5	4.9	7.0	8.8	10.5	12.3	13.7	15.1	16.5	17.9	18.9
* 75	STARBUCK	CB-SIL	8 20	12820	0.28	1	2.67	8-12	7.5	10.5	15.0	18.7	22.4	26.2	29.2	32.1	35.1	38.1	40.4
76	STRAT	CBV-SIL	3 8	30457	0.24	2	1.45	9-12	1.7	2.4	3.5	4.3	5.2	6.1	6.8	7.5	8.2	8.9	9.4
76	STRAT	CBV-SIL	8 15	30457	0.24	2	2.36	9-12	2.8	4.0	5.7	7.1	8.5	9.9	11.0	12.2	13.3	14.4	15.3
76	STRAT	CBV-SIL	15 25	30457	0.24	2	3.38	9-12	4.1	5.7	8.1	10.1	12.2	14.2	15.8	17.4	19.1	20.7	21.9
* 77	STRATFORD	GR-SIL	0 8	30517	0.43	2	1.33	9-12	2.9	4.0	5.7	7.1	8.6	10.0	11.2	12.3	13.4	14.6	15.4
* 77	STRATFORD	GR-SIL	8 15	30517	0.43	2	2.36	9-12	5.1	7.1	10.1	12.7	15.2	17.8	19.8	21.8	23.8	25.9	27.4
* 78	TUCANNON	SIL	0 5	12849	0.43	2	1.1	16-18	2.4	3.3	4.7	5.9	7.1	8.3	9.2	10.2	11.1	12.1	12.8
79	TUCANNON	SIL	0 8	30320	0.43	2	1.45	16-18	3.1	4.4	6.2	7.8	9.4	10.9	12.2	13.4	14.7	15.9	16.8
79	TUCANNON	SIL	8 15	30320	0.43	2	2.61	16-18	5.6	7.9	11.2	14.0	16.8	19.6	21.9	24.1	26.4	28.6	30.3
79	ROCK OUTCROP	UMB	0 15	30320	0	0		16-18	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
80	WILLIS	SIL	5 15	30385	0.55	2	2.2	9-12	6.1	8.5	12.1	15.1	18.2	21.2	23.6	26.0	28.4	30.9	32.7
* 80	WILLIS	SIL	15 25	30385	0.55	2	3	9-12	8.3	11.6	16.5	20.6	24.8	28.9	32.2	35.5	38.8	42.1	44.6
* 81	WILLIS VARIANT	SIL	5 15	6285	0.55	1	2.2	9-12	12.1	16.9	24.2	30.3	36.3	42.4	47.2	52.0	56.9	61.7	65.3
* 81	WILLIS VARIANT	SIL	15 25	6285	0.55	1	3	9-12	16.5	23.1	33.0	41.3	49.5	57.8	64.4	71.0	77.6	84.2	89.1

LINCOLN COUNTY WIND EI MATRIX - 2-9-88

* = use specific C for location

WIND C VALUES *

SYM.	NAME	TEX.	ACRES	T FACT	WEG	I VALUE	.10	.15	.20	.25
1	ANDERS	SIL	18901	2	5	56	2.8	4.2	5.6	7.0
2	ANDERS	GR-SIL	1866	2	6	48	2.4	3.6	4.8	6.0
3	ANDERS	SIL	150539	2	5	56	2.8	4.2	5.6	7.0
3	BAKEOVEN	CBV-L	150539	1	8		ERRO	ERRO	ERRO	ERRO
3	ROCK OUTCROP	UMB	150539		8		ERRO	ERRO	ERRO	ERRO
4	BADGE	CBV-SIL	53920	2	7	38	1.9	2.9	3.8	4.8
4	BAKEOVEN	CBV-L	53920	1	8		ERRO	ERRO	ERRO	ERRO
4	ROCK OUTCROP	UMB	53920	1	8		ERRO	ERRO	ERRO	ERRO
5	BAGDAD	SIL	69820	5	5	56	1.1	1.7	2.2	2.8
6	BAGDAD	SIL	159711	5	5	56	1.1	1.7	2.2	2.8
7	BAGDAD	SIL	1654	5	5	56	1.1	1.7	2.2	2.8
8	BAGDAD	SIL	4070	5	5	56	1.1	1.7	2.2	2.8
9	BAGDAD	SIL	20535	5	5	56	1.1	1.7	2.2	2.8
9	ENDICOTT	SIL	20535	2	5	56	2.8	4.2	5.6	7.0
10	BAGDAD	SIL	1380	5	5	56	1.1	1.7	2.2	2.8
10	ENDICOTT	SIL	1380	2	5	56	2.8	4.2	5.6	7.0
11	BAKEOVEN	CBV-L	4675	1	8		ERRO	ERRO	ERRO	ERRO
12	BECKLEY	FSL	7770	3	3	86	2.9	4.3	5.7	7.2
13	BECKLEY	FSL	1740	3	3	86	2.9	4.3	5.7	7.2
14	BENCO	CB-SIL	36653	2	6	48	2.4	3.6	4.8	6.0
15	BENGE	SIL	22836	2	5	56	2.8	4.2	5.6	7.0
16	BROADAX	SIL	4653	5	5	56	1.1	1.7	2.2	2.8
17	BROADAX	SIL	69800	5	5	56	1.1	1.7	2.2	2.8
18	BROADAX	SIL	1390	5	5	56	1.1	1.7	2.2	2.8
19	BROADAX	SIL	3155	5	5	56	1.1	1.7	2.2	2.8
20	BROADAX	SIL	6498	5	5	56	1.1	1.7	2.2	2.8
20	LANCE	SIL	6498	5	4	86	1.7	2.6	3.4	4.3
21	BROADAX	SIL	520	5	5	56	1.1	1.7	2.2	2.8
21	LANCE	SIL	520	5	4	86	1.7	2.6	3.4	4.3
22	BURKE	SIL	5237	2	4	86	4.3	6.5	8.6	10.8
23	CHARD	SIL	3826	4	5	56	1.4	2.1	2.8	3.5
24	CHENEY	SIL	4082	2	5	56	2.8	4.2	5.6	7.0
25	COCOLALLA	SIL	3504	5	6	48	1.0	1.4	1.9	2.4
26	COCOLALLA	SIL	2948	5	6	48	1.0	1.4	1.9	2.4
27	CONCONULLY	STV-FSL	3393	3	5	56	1.9	2.8	3.7	4.7
28	DRAGOON	SIL	576	2	5	56	2.8	4.2	5.6	7.0
29	DRAGOON	SIL	7190	2	5	56	2.8	4.2	5.6	7.0
30	DRAGOON	SIL	1400	2	5	56	2.8	4.2	5.6	7.0
31	DRAGOON	STV-SIL	2075	2	7	38	1.9	2.9	3.8	4.8
32	EMDENT	SIL	3953	5	4		ERRO	ERRO	ERRO	ERRO
33	EMDENT	SIL	1961	5	4		ERRO	ERRO	ERRO	ERRO
34	ENDICOTT	SIL	17032	2	5	56	2.8	4.2	5.6	7.0
35	ESQUATZEL	SIL	16606	5	5	56	1.1	1.7	2.2	2.8
36	EWALL	LS	11777	5	2	134	2.7	4.0	5.4	6.7
37	EWALL	LS	4535	5	2	134	2.7	4.0	5.4	6.7
38	EWALL	LS	2457	5	2	134	2.7	4.0	5.4	6.7
39	FARRELL	FSL	4073	4	3	86	2.1	3.2	4.3	5.4

40	FARRELL	VFSL	7628	4	3	86	2.1	3.2	4.3	5.4
41	HANNING	SIL	16388	5	5	56	1.1	1.7	2.2	2.8
42	HANNING	SIL	43298	5	5	56	1.1	1.7	2.2	2.8
43	HESELTIME	SIL	353	2	5	56	2.8	4.2	5.6	7.0
44	HESELTIME	STV-SIL	2286	2	7	38	1.9	2.9	3.8	4.8
45	KUHL	CB-SIL	11392	1	6	48	4.8	7.2	9.6	12.0
46	LANCE	SIL	1228	5	4		ERRO	ERRO	ERRO	ERRO
47	MONDOWI	SIL	6276	5	5	56	1.1	1.7	2.2	2.8
48	NESPELEM	SIL	1364	5	5	56	1.1	1.7	2.2	2.8
49	NESPELEM	SIL	556	5	5	56	1.1	1.7	2.2	2.8
50	NESPELEM	SIL	1563	5	5	56	1.1	1.7	2.2	2.8
51	ONYX	SIL	14519	5	5	56	1.1	1.7	2.2	2.8
52	PATTIT CREEK VARIANTIL		413	2	5	56	2.8	4.2	5.6	7.0
53	PEDIGO	SIL	7642	5	4		ERRO	ERRO	ERRO	ERRO
54	PHOEBE	SL	3318	4	3	86	2.1	3.2	4.3	5.4
55	REARDAN	SIL	1279	3	6	48	1.6	2.4	3.2	4.0
56	REARDAN	SIL	9377	3	6	48	1.6	2.4	3.2	4.0
57	REARDAN	SIL	382	3	6	48	1.6	2.4	3.2	4.0
58	RENSLOW	SIL	81424	5	5	56	1.1	1.7	2.2	2.8
59	RENSLOW	SIL	67937	5	5	56	1.1	1.7	2.2	2.8
60	RITZVILLE	SIL	52872	5	5	56	1.1	1.7	2.2	2.8
61	RITZVILLE	SIL	21486	5	5	56	1.1	1.7	2.2	2.8
62	RIVERWASH	GR-S	1262		8		ERRO	ERRO	ERRO	ERRO
63	ROCK OUTCROP	UWB	3393		0		ERRO	ERRO	ERRO	ERRO
64	ROLOFF	SIL	14257	2	5	56	2.8	4.2	5.6	7.0
65	ROLOFF	SIL	151179	2	5	56	2.8	4.2	5.6	7.0
65	BAKEDOVEN	CBV-L	151179	1	8		ERRO	ERRO	ERRO	ERRO
65	ROCK OUTCROP	UWB	151179		0		ERRO	ERRO	ERRO	ERRO
66	SHAND	SIL	14555	5	5	56	1.1	1.7	2.2	2.8
67	SPEIGLE	STV-SIL	11657	5	7	38	0.8	1.1	1.5	1.9
68	SPENS	GRX-LS	3530	5	5	56	1.1	1.7	2.2	2.8
69	SPOKANE	L	4037	2	5	56	2.8	4.2	5.6	7.0
70	SPOKANE	STV-L	684	2	7	38	1.9	2.9	3.8	4.8
71	SPOKANE	STV-L	3575	2	7	38	1.9	2.9	3.8	4.8
72	SPOKANE	L	9001	2	5	56	2.8	4.2	5.6	7.0
72	ROCK OUTCROP	UWB	9001		0		ERRO	ERRO	ERRO	ERRO
72	SPOKANE	STV-L	9001	2	7	38	1.9	2.9	3.8	4.8
73	SFRINGDALE	GR-SL	4899	1	4	86	8.6	12.9	17.2	21.5
74	SFRINGDALE	CB-SL	1487	1	4	86	8.6	12.9	17.2	21.5
75	STARBUCK	CB-SIL	12820	1	6	48	4.8	7.2	9.6	12.0
76	STRAT	CBV-SIL	30457	2	7	38	1.9	2.9	3.8	4.8
77	STRATFORD	GR-SIL	30517	2	6	48	2.4	3.6	4.8	6.0
78	TUCANNON	SIL	12849	2	5	56	2.8	4.2	5.6	7.0
79	TUCANNON	SIL	30320	2	5	56	2.8	4.2	5.6	7.0
79	ROCK OUTCROP	UWB	30320		0		ERRO	ERRO	ERRO	ERRO
80	WILLIS	SIL	30325	2	5	56	2.8	4.2	5.6	7.0
81	WILLIS VARIANT	SIL	6285	1	4	86	8.6	12.9	17.2	21.5